

- Diabetic foot should not be overlooked in swarming outpatient setting 4. Gawish H Tarshwby M Setit O and El-Nahas MRPoster presentation at the joint meeting of the DFSG and NEURODIAB 2-5 September 2004 University Clinic Regensburg Germany. . ()
- Can dynamic serum cortisol level forecast the prognosis of sever sepsis 5. The Egyptian Journal of Internal MedicineGawish H State O AboELMagd M. January 2005; 17(1): 165-169 ()
- Prevalence and antibiotic susceptibility of MRSA in diabetic foot ulcer in Egyptian diabetes foot clinic 12. Tarshoby M Gawish H State O Omar N and El-Nahas M [abstr.]. In: Program and abstracts of the 5th International symposium on the diabetic foot
- Apolipoprotien B and non HDL cholesterol in type 2 diabetic patients 6. Saleh O Atwa M Ragab A State O Jan 2005; 22 (1): 385-398.
- Plasma homocysteine concentartions in diabetic foot ulcer Patients 7. El-Nahas M Gawish H Tarshoby M State O and Atwa M Poster presentation at the DFSG Conference Greece 7 -10 September 2005 ()
- Bone turnover pattern in patients with type 1 diabetes mellitus 8. Gawish H State O Sherief S EL Zeiney M . O The Egyptian Journal of Internal Medicine October 2005; 17 (1): 513-250 ()
- Revisiting diabetic foot syndrome: An attempt to improve the diagnosis 2. Tarshwby M State O EL Nafees Abedel Khalek Sept 2003; 20(3): 549-561 . . (2003)
- Bone mineral density and rheumatoid arthritis .3. State O Barakat A Hegazy AAbdelgaber N Benha Medical Journal.Sept 2004;21(3): 503-514. (2004)

- N-Acetyl cysteine and clomiphene citrate for induction of ovulation in polycystic ovary syndrome: a cross-over trial 14. Badawy A State O Abdelgawad S Acta Obstet Gynecol Scand. 2007;86(2):218-22. (2007)
- The prevalence of foot ulcer risk factors in Egyptian diabetic patients . Mamdouh El-Nahas Hanan Gawish Manal Tarshoby and Omnia State POSTER presentation at the 42nd EASD Annual Meeting Copenhagen Denmark Thursday 14 - Sunday 17 September 20 (2008)
- The impact of topical phenytoin on recalcitrant neuropathic diabetic foot ulceration 16. Mamdouh El-Nahas Hanan Gawish Manal Tarshoby and Omnia State Journal of Wound Care. 18 (1): 33 – 37 2009. (2009)
- Inflammatory markers of cardiovascular risk among diabetic patients with neuropathic foot ulceration (2010) Omnia State1 Mamdouh El-Nahas1 Hanan Gawish1 Manal Tarshoby1 Mohamad Motaweal Azza Abd Al-Baky2
- Plasma homocysteine and polycystic ovary syndrome: The missed link Badawy A State O El Gawad S Sh El Aziz OA Eur J Obstet Gynecol Reprod Biol. 2007 Mar;131(1):68-72. Epub 2006 Nov 22. Eur J Obstet Gynecol Reprod Biol. 2007 Mar;131(1):68-72. Epub (2016)
- Association of Apolipoprotein E gene polymorphism with the risk of T2DM and obesity among Egyptian subjects Amr A. Galal, Ahmed A. Abd Elmajeed, Rizk A. Elbaz, Alaa M. Wafa, Rami M. Elshazli, Gene, Volume 769, 2021, 145223, ISSN 0378-1119
- Safety and metabolic impact of Ramadan fasting in children and adolescents with type 1 diabetes Amany El-Hawary / Nanees Salem / Ashraf Elsharkawy / Abdelhameed Metwali / Alaa Wafa / Nehad Chalaby / Abelhady El-Gilany / Megahed Abo-Elmagd / Magdy El-

Ziny ;J Pediatr Endocrinol Metab Volume 29, Issue 5 (May 2016) 533–541.

□ Musculoskeletal Manifestations of Diabetes Mellitus in a Cohort of Egyptians. Amir Youssef / Adel Shabana / Mohammed Senna / Alaa Wafa / Manar Elshewehy ;Ann Rheum Dis 2015;74:1004-1005
doi:10.1136/annrheumdis-2015-eular.3210

□ Psychiatric Co-Morbidity and Quality of Life in Egyptian Type 2 Diabetic Patients Alaa Wafa/ Mohamed Adel El-Hadidy; International Journal of Clinical Medicine, 2016, 7, 756-765

□ Thyroid Scan and Thyroid Disorders in Adolescent: 5-year Experience Amal Halim/ Hanan Ahmed Wahba/ Hend Ahmed EL- Hadaad/ Alaa Wafa/ Amr ELhadidi / Hosam Halim; Clinics In Oncology. 29 Dec, 2016; 1: 1167.

□ Leptin gene tetranucleotide repeat polymorphism in obese individuals in Egypt Rizk Elbaz / Nahed Dawood / Hala Mostafa / Somaia Zaki / Alaa Wafa / Ahmad Settin International Journal of Health Sciences, Vol. 9, No. 1: 63–71 (Jan-Mar 2015).

□ Biochemical Study on Endothelial Nitric Oxide Gene Polymorphism in Fatty Liver Patients Rizk Ahmed El-Baz/ Alaa Wafa /Nasser Page 12 of 24

□ Mohammed Hosny/Sameh Refaat El-Saka ;IOSR Journal of Pharmacy and Biological Sciences (IOSR-JPBS) e-ISSN: 2278-3008, p-ISSN:2319-7676. Volume 10, Issue 6 Ver. I (Nov - Dec. 2015), PP 26-33

□ Study of advanced glycation endproducts and their receptors in Egyptian type 2 diabetic individuals with peripheral neuropathy Alaa Wafa/ Mamdoh EL-Nahas /Azza Al Biaumy/Yara Moheb Mansour

;Egyptian Journal of Obesity, Diabetes and Endocrinology (Acceptance: December 13, 2016)

□ Effect of DNA Polymorphisms of Apolipoprotein B Gene on Serum Lipid Profile in Obese Egyptians. Rizk Elbaz / Ghada El Kannishy/ Alaa Wafa/ Hala Abdel Hafez / Ahmed Settin ;J. of the Egypt. Soc. Endocrine., Metab. &Diab. 2012 (January); 44(1): 111- 118 111Original Article

□ Predictors of recurrent thyrotoxicosis in a cohort of Egyptian thyrotoxic patients treated with radioactive iodine Alaa M. Wafa/ Hanan A. Wahbab/ Hend A. El-Hadaadb/ Amro Elhadidib/ Hosam Halim ;Egyptian Journal of Obesity, Diabetes and Endocrinology 2018, 4:1–4

□ Plasma visfatin level in adult Egyptians with android obesity Alaa M Wafa/Ataa M Bakr/Ibrahim Abd El Aal/Amira M Nagi Egyptian Journal of Obesity, Diabetes and Endocrinology;Year : 2017 Volume : 3 | Issue : 1 | Page : 10-14

□ Study of Angiotensin Converting Enzyme Gene Polymorphism in Egyptian Type 2 Diabetes Mellitus with Diabetic Kidney Disease Rizk A. El-baz/ Alaa M. Wafa/ El-Shaimaa Marrawan/ Ahmed Ragab A. El-Tawab /Zeinab Ibraheam Aly; International Journal of Clinical Medicine, 2018, 9, Aug.-8 <http://www.scirp.org/journal/ijcm> ISSN Online: 2158-2882 ISSN Print: 2158-284X Page 13 of 24

□ Association of obesity with rs1421085 and rs9939609 polymorphisms of FTO gene with T2DM in Egyptian females” Adel A.-H. Abdel-Rahman, Ahmed E.-S. Abdel-Megied, Rizk El Baz, Alaa M. Wafa, Abeer S. El-Zekre ;International Journal of Pharmacy and Pharmaceutical Sciences, Vol 10 Issue 9, Sep 2018.;

□ Oxidative stress and not endothelial Nitric Oxide Synthase genepolymorphism involved in diabetic nephropathy Abdelnaser Badawy/ Rizk Elbaz/ Amr M. Abbas/ Ahmed Elgendy/ Nadeem A. Kizilbash/ Ayman Eldesoky/ Alaa Wafa ; Journal of Diabetes and Endocrinology Vol. 1 (2), pp. 19-26, April 2010 Available online <http://www.academicjournals.org/JDE> ISSN 2141-2685 © 2010 Academic Journals

□ Left Ventricular Function, Lipid Profile and Insulin Resistance in Subclinical Hypothyroidism: Role of a New Tool Pulsed Wave Tissue Doppler (PWTD) Echocardiography in Evaluation Mohamed Gonem MD , Maged Z Amer MD, Fayez . Al Kenawy MD, Alaa Wafa MD, Azza Al Bioumy MD ; The journal of the Egyptian Society of Endocrinology, Metabolism & Diabetes, Vol. (42), No. (1) 91-100, January 2010.

□ Combined metformin and clomiphene citrate versus highly purified FSH for ovulation induction in clomiphene-resistant PCOS women: a randomised controlled trial. Abu Hashim H, Wafa A, El Rakhawy M. Gynecological Endocrinology, 2011 Mar; 27(3):190- 6. Epub 2010 Jun 23

□ Effect of Genetic Polymorphisms on the development of Secondary Failure to Sulfonylurea in Egyptian Patients with Type 2 Diabetes Dr. El-sisi Alaa E -Dr. Hegazy Sahar K.- Prof. Dr. Metwally Shereen S. - Dr. Wafa Alaa M, Dawood Naglaa A ; Therapeutic Page 14 of 24 advances in endocrinology and metabolism. Accepted 9 Jun.(2011) 2(4) 155164 DOI: 10.1177/ 2042018811415985 2011 06:01:47-0400.

□ Insulin resistance, Adipocytokines Pattern And Their Relation to Hepatic Steatosis in Patients with Chronic HCV Shahira A. El-Etreby, Raghda E Farag, Alaa Wafa, Mohamed S Attia, Nader Y Elmalky,

Ibrahim Abdel-Aal, Dina Eltantaway ;Alexandria Journal of Hepatogastroentrology Volume VII (III) December, 2009,

□ Obesity Biomarkers and Insulin Resistance in Patients with Chronic Hepatitis C, Genotype 4: Effect of a non-pharmacologic Weight Reduction Program Alaa Wafa, Raghda Farag, Shahira El-Etreby, Monir Bahgat, Ibrahim Abdel-Aal, Dina Eltantaway ;Journal of Egyptian Society of Endocrinology, Metabolism and diabetes. Accepted: in 15/1/2011: Vol. 40 No.1 Jan 2011.

□ Novel cardiovascular risk factors in patients with systemic Lupus Erythematosus: Role of interleukin-18. Fayez el Kenawy, Abd ElHameed A Metwali ,Alaa Wafa, Ayman Z. El Samanoudy , Nadia ElMenshawy , Adel Elbadrawy; Zagazig Medical journal Vol. (14) No. (1) Jan 2008

□ Effects of accidental antihyperglycemic overdoses on lysosomal enzymology in patients with type 2 diabetes mellitus Sherif M. H.El-Kannishy, Azza A. El-Baiomy, Ibrahim Abdel-Aal, Alaa M. Wafa and Heba G. Kotb ;Mansora Toxicology and Forensic med Jouranal Vol. (XVII) No. (1) Jan 2009

□ Does laparoscopic ovarian diathermy change clomiphene-resistant PCOS into clomiphene-sensitive? Hatem Abu Hashim, Mohamed El-Shafei, Ahmed Badawy, Alaa Wafa, Hosam Zaglol ;Arch Gynecol Obstet (2011) 284:503-507

□ Maternal and fetal outcome in pregnant diabetic patients in Mansoura university hospital. Raafat Abdel Fattah MD, Alaa Wafa Page 15 of 24 MD ,Ibrahim Abdel Aal MD ;Benha Medical Journal, Volume 23 No. (1)Jan.2006.

□ The Effects of an Educational Program on Nurses Knowledge and Practice Related to Hepatitis C Virus: A Pretest and Posttest Quasi-Experimental Design Salwa Attia Mohamed and Alaa Mohamed Wafa ;Australian Journal of Basic and Applied Sciences, 5(11): 564- 570, 2011 ISSN 1991-817

Correlation between DHEA-S and carotid intima media thickness in hemodialysis

patients

□ Authors: Rasha Samir Shemies, Tamer Zaki Gaber, Samar Tharwat Radwan, Mostafa Mansour, Mohamed Mofreh, Ahmed Albehairy, Rania Bahriz, Eman Nagy, Nagy Sayed Ahmed, Mohammed Kamal Nassar

□ Abstract Published: Nephrology Dialysis Transplantation 2019; 34(1) gfz103. SP549

o Thyroid Peroxidase Antibody (TPO) As a Predictor Of Radiation Induced Thyroid

Dysfunction Among Nurses And Technicians Working In Mansoura Specialized

Medical Hospital: Cross Sectional Study

□ Authors: Ahmed Albehairy, Sherif Fathy and Rania Bahriz

□ Published: Endocrine, Metabolic & Immune Disorders-Drug Targets
(Formerly Current Drug Targets-Immune, Endocrine & Metabolic
Disorders) vol.20 Issue 2 Pages 288;294

o Neck Circumference: A Simple Screening Parameter for
Cardiovascular Risk in
Diabetics

□ Authors: Rania Bahriz, Mostafa Mansour, and Ahmed Albehairy

2

□ Published: Egyptian Journal of Obesity, Diabetes and
Endocrinology91025(2),25-32 DOI: 10.4103/ejode.ejode_12_20

o Association between Plasma Dehydroepiandrosterone Sulfate and
Carotid Intima-

Media Thickness among Male and Female Patients with End-Stage
Renal Disease

on Hemodialysis

□ Authors: Rasha Samir Shemies, Tamer Zaki Gaber, Samar Tharwat
Radwan, Mostafa Mansour, Mohamed Mofreh, Ahmed Albehairy,

Rania Bahriz, Eman Nagy, Nagy Sayed Ahmed, Mohammed Kamal Nassar

□ Published: *Cardiorenal Medicine* (2020) vol 10 Issue 1 pages 61:68

o Inflammatory cytokine and plasma C-reactive protein response to ketoacidosis in

adults with type 1 diabetes: Egyptian multicenter study

o Authors: Ghada A Mohamed; Mohamed Z. Abd-Elrahman; Rania Bahriz;

Ahmed Albehairy

□ Published: *Egypt J Intern Med* 32, 10 (2020).

<https://doi.org/10.1186/s43162->

020-00011-2

o Matrix Metalloproteinase-9 Gene Polymorphism(-1562 C/T) and its correlation with

Diabetic Nephropathy

□ Authors: kholoud Shalaby Rania Bahriz Nancy Mahsoub Mohammed M.El-

Arman Ghada El-Said

□ Published Egypt J Intern Med 33:7 February
(2021).<https://doi.org/10.1186/s43162-021-00035-2>

o The Impact of the serum level of trace elements on symptoms of peripheral neuropathy in type 2 diabetes.

□ Authors: Rania Bahriz, Sherif Fathi, Ahmed Albehairy

□ Accepted for Publication: Zagazig University Medical Journal
Accepted

for publication February 2021.

3

o Subjective Versus Objective Assessment of Painful Diabetic Peripheral Neuropathy

□ Authors: Marwa Asar 1

, Mostafa Mansour 2 Nader Abo Eleneen3

and Rania

Bahriz

□ Accepted for publication Egyptian Journal of Obesity, Diabetes and Endocrinology Accepted for publication February 2021

o Evaluation of serum endocan as a marker of diabetic nephropathy

□ Authors: Amr Elprawy¹

, Mohamad s.Abd Alhamid Aladlany² Mohamed Ali Atwa³

and Rania Bahriz⁴

□ Accepted for publication :Egyptian Journal of Obesity, Diabetes and Endocrinology.

Accepted for publication March 2021

Association of ghrelin and leptin with reproductive hormones in constitutional

delay of growth and puberty. *Reprod Biol Endocrinol*, 2010 Dec 22; 8:153. doi:

10.1186/1477-7827-8-153.

2. Elevated serum neutrophil elastase is related to prehypertension and airflow

limitation in obese women. BMC Women's Health 2011 Jan 19;
11:1. doi:

10.1186/1472-6874-11-1.

3. The high prevalence of *Listeria monocytogenes* peritonitis in cirrhotic patients of

an Egyptian Medical Center. J Infect Public Health. 2011 Sep;4 (4):211-6. doi:

10.1016/j.jiph.2011.06.002. Epub 2011 Jul 20.

2

4. *Helicobacter pylori* infection might be responsible for the interconnection between

type 1 diabetes and autoimmune thyroiditis. Diabetol Metab Syndr. 2011 Oct 26;

3 (1):28. doi: 10.1186/1758-5996-3-28.

5. Relationship between IGF-1 and cortisol/ DHEA-S ratio in adult men with diabetic

metabolic syndrome versus non-diabetic metabolic syndrome. J Endocrinol

Metab 2011;1(4):188-195 doi:10.4021/jem43w

6. Renal Resistive Index and Urinary N-acetyl- β -glucosaminidase as Predictors of

Early Renal Involvement in Patients With Essential Hypertension.
World J

Nephrol Urol 2012; 1(1):36-41 doi:10.4021/wjnu2w.

7. Hidden Y chromosome mosaicism in 48 Egyptian patients with
Turner's

syndrome. Genet Res Int. 2013; 2013: 463529. doi:
10.1155/2013/463529. Epub

2013 Jul 28.

8. Thyroid function and volume are associated with anthropometric
measurements

and insulin resistance in Egyptian women with polycystic ovary
syndrome. J

Diabetes Metab 2013, 4 (7): 288. doi:10.4172/2155-6156.1000288.

9. Subclinical Hypothyroidism is Independently Associated with
Microalbuminuria in

a Cohort of Prediabetic Egyptian Adults. Diabetes Metab J 2013;37:450-
457

doi.org/10.4093/dmj.2013.37.6.450

10. Carotid intima media thickness is independently associated with
male gender,

middle age and IGF-1 in metabolically healthy obese individuals. ISRN
Obes,

2014 Jan 28; 2014:545804.tdoi: 10.1155/2014/545804. eCollection
2014.es

11. Type 2 diabetes mellitus is a risk factor for hepatocellular carcinoma in Egyptian

patients with HCV-related cirrhosis. *Int J Diabetes Dev Ctries* (2014) 34:210-214

doi 10.1007/s13410-013-0186-3.

12. Relationships between preptin and osteocalcin in obese, overweight and normal

weight adults. *Appl Physiol Nutr Metab*. 2015 Mar; 40(3):218-22. doi:

10.1139/apnm-2014-0338. Epub 2015 Feb 12.

13. Cystatin c based formula has a higher diagnostic accuracy than creatinine based

formula in Egyptian type 2 diabetic patients with early nephropathy. *J Int Res*

Med Pharmaceut Sci. 2016, Jan 8(4): 179-187.

3

14. Relationship between vitamin A deficiency and the thyroid axis in clinically stable

patients with liver cirrhosis related to hepatitis C virus. *Appl Physiol Nutr Metab*.

2016 Sep; 41(9):985-91. doi: 10.1139/apnm-2016-0056. Epub 2016 Aug 24.

15. Effect of sitagliptin monotherapy on beta-cell and endothelial functions in patients

with newly diagnosed type 2 diabetes. *Diabetes Obes Int J* 2017, 2(1): 000142.

16. Impact of Gender on the Association between Low Serum Prolactin and Left

Ventricular Mass in Subjects with Prediabetes. *Diabetes Metab J* 2017; 41:195-

204. doi.org/10.4093/dmj.2017.41.3.195

17. Magnetic resonance spectroscopy of the frontal region in patients with metabolic

syndrome: correlation with anthropometric measurement. *Pol J Radiol.* 2018 May

15; 83:e215-e219. doi: 10.5114/pjr.2018.76024. eCollection 2018.

18. Metformin: Is it a Truly Magic Drug? *Diabetes Obes Int J.* 2018, 3(2): 000177.

19. Osteoarthritis of knee joint in metabolic syndrome. *Clin Rheumatol.* 2018 Oct;

37(10):2855-2861. doi: 10.1007/s10067-018-4201-4.

20. Thyroid and Eye: Where They Meet in Clinical Practice *Endocr Metab Immune*

Disord Drug Targets. 2020; 20(1):39-49. doi:

10.2174/1871530319666190618120107.

21. Unleash the Association of Mitochondrial Uncoupling Protein (UCP2) Promoter

Variant (G- 866A; rs659366) with Obesity: Stepping from a Case–Control Study to

a Meta- analysis. *Biochem Genet.* 2020 Oct; 58(5):738-770. doi: 10.1007/s10528-

020-09973-y.

22. Elevated Serum Levels of Ischemia Modified Albumin and Malondialdehyde are

Related to Atherogenic Index of Plasma in a Cohort of Prediabetes
Endocr

Metab Immune Disord Drug Targets 2020; 20(8):1347-1354. doi: 10.2174/1871530320666200503052226.

23. Association Between Total Bilirubin Levels and Cardio-metabolic Risk Factors

Related to Obesity. *Endocr Metab Immune Disord Drug Targets.* 2021 Jan 28.

doi: 10.2174/1871530321999210128201259. Online ahead of print.

24. Subclinical Hypothyroidism in Patients with Diabetic Retinopathy: Role of

Vascular Endothelial Growth Factor
Endocr Metab Immune Disord Drug

Targets. 2021 Aug 9. doi:
10.2174/1871530321666210809151258. Online ahead
of print.

Endothelial dysfunction in geriatric diabetic subjects: the role
of microalbuminuria in elderly type 2 diabetic patients? A
randomized controlled study International Journal of Urology &
Nephrology. August 2006, 6: 9103-8.

2) Inflammation as a key problem in type 2
diabetes mellitus in the elderly. Accepted
for publication at 19th World Diabetes
organized by the International Diabetes
Federation and to be held in Cape Town, South
Africa, between 3 and 7 December 2006.

3) Ferritin levels in chronic hepatitis C virus infection with and
without diabetes. Arab journal of gastroenterology 2005; vol.6
(1): 61-71.

4) Sex hormones and oxidant-antioxidant status in post-
menopausal women with coronary artery disease. Accepted for
publication at Gulf Heart Association in Bahrain 4-6 April 2006.

5) Glucagon Like Peptide-1 (GLIP-1) and type 2 diabetes

mellitus in the elderly. The New Egyptian Journal of Medicine 2004, 30(4): 7-14.

6) Leptin, insulin sensitivity and TNF as parameters for metabolic changes in chronic heart failure with and without cardiac cachexia. Mansoura Medical Journal 2005, 36 (1 & 2): 159-182.

7) Relations of serum aldosterone and microalbuminuria to left ventricular hypertrophy in patients with essential hypertension. Mansoura Medical Journal 2006, 37 (1 & 2): 467-486.

8) Relations of free iron and cystatin C to diabetic microvascular complications in elderly. Accepted for publication in World Diabetes Congress of International Diabetes Federation, Dubai, 4-8 December; 2011.

9) Elevated serum levels of ferritin may be related to non-alcoholic steatohepatitis. Eur.J.Basic Med.Sci. 2011.

10) Does the serum testosterone level have relation to coronary artery disease in elderly. Current Gerontology & Geriatric Research, 2011.

11) Gene Polymorphisms in Relation to $\gamma+874$ and $INF-\alpha-308$ TNF- Susceptibility and Severity of Type 2 Diabetes Mellitus among

Egyptian Cases. European Journal of General Medicine, 2012.

12) Alanine Aminotransferase Levels in Nile Delta Citizens Infected with Chronic Hepatitis C Virus. European Journal of General Medicine, 2012.

13) Paraoxonase1 55 and 192 gene polymorphisms in an Egyptian population with diabetic complications. Int.J.Diabetes Dev.Count. 2013.

14) Effects of Interferone therapy for chronic hepatitis C virus infection on throid functions in Egyptian patients. American Journal of Pharmacology and Pharmaceuticals, 2017.

15) Does Vitamin D deficiency is a risk factor for diabetic nephropathy in Egyptian Diabetic Patients? Journal of Scientific & technical Research, 2020.

Impact of Social Jetlag and Circadian Patterns on Patients with Metabolic and Nocturnal

Eating Syndromes (2020)

NFWZ YAM Ali, NE Abbas, AAH Mousa, A Abdelbaky, AS Bahammam

Chronobiology in Medicine 2 (4), 175-183

Unleash the Association of Mitochondrial Uncoupling Protein (UCP2) Promoter Variant

(G-866A; rs659366) with Obesity: Stepping from a Case–Control Study to a Meta-

analysis (2020)

HA Abd El Daim, AM Elsaid, AA Mousa, MM El-Eshmawy, LS Lashin, ...

Biochemical Genetics 58, 738-770

Iron overload detection using pituitary and hepatic MRI in thalassemic patients having

short stature and hypogonadism 2016

AA Mousa, M Ghonem, EM Elhadidy, E Azmy, M Elbackry, AA Elbaiomy, ...

Endocrine research 41 (2), 81-88

Changes in Bone Metabolism 12 Months after Laparoscopic Sleeve Gastrectomy in

Morbidly Obese Premenopausal women 2015

AA Mousa, TS Kandil, EM Rizk, GA Shaker

Merit Research Journal of Medicine and Medical Sciences 3 (5), 183-190

Thyroid Function and Auto-Antibodies in Egyptian Patients with Systemic Lupus

Erythematosus and Rheumatoid Arthritis 2012

Amany A. Mousa, Mohamed Ghonem , Asmaa Hegazy, Azza A El-Baiomy, Amany El-Diasty

Trends in Medical Research 7 (1), 25-33

Plasma levels of resistin and ghrelin before and after treatment in patients with

hyperthyroidism 2012

SS Abd El Gawad, F El-Kenawy, AA Mousa, AA Omar

Endocrine practice 18 (3), 376-381

Renal Resistive Index and Urinary N-acetyl-Beta-glucosaminidase as Predictors of

Early Renal Involvement in Patients With Essential Hypertension 2012

AA Mousa, MM El-Eshmawy, EH El-Adawy, LF Arafa, A El Badrawy,

...

World Journal of Nephrology and Urology 1 (1), 36-41

Clinical Study of Advanced Glycation End Products in Egyptian Diabetic Obese and

Non-Obese Patients 2011

MMES Mohamed N. Amin, Amany A. Mosa

Int J Biomed Sci 7 (3), 191-200

Elevated serum neutrophil elastase is related to prehypertension and airflow limitation in

obese women 2011

MM El-Eshmawy, EH El-Adawy, AA Mousa, AE Zeidan, AA El-Baiomy, ...

BMC women's health 11 (1), 1-7

The potential therapeutic effect of melatonin in gastro-esophageal reflux disease 2010

TS Kandil, AA Mousa, AA El-Gendy, AM Abbas

BMC gastroenterology 10 (1), 1-9

Endothelial function in young women with polycystic ovary syndrome (PCOS):

Implications of body mass index (BMI) and insulin resistance 2010

G El-Kannishy, S Kamal, A Mousa, O Saleh, A El Badrawy, T Shokeir

Obesity research & clinical practice 4 (1), e49-e56

SUBCLINICAL ATHEROSCLEROSIS IN PATIENTS WITH EARLY RHEUMATOID

ARTHRITIS: PP. 2.86 2010

M Yousof, A Omar, A Mosa, H Elsayed, M Zagloul, H Kabil

Journal of Hypertension 28, e72

mpact of big toe amputation on foot biomechanics

M Motawea¹, F Kyrillos¹, A Hanafy, A Albehairy, O State, M Tarshoby

International Journal 3 (12), 1224-1228

3 2015

Autologous mesenchymal stem cell treatment of recalcitrant neuropathic diabetic foot ulcer: randomised controlled trial

A Albehairy, H Abdelghaffar, H Abdelhafez, A Emam, M Elhussiny, ...

Diabetologia 59, S19-S19

2 2016

Autologous mononuclear versus mesenchymal stem cells in healing of recalcitrant neuropathic diabetic foot ulcers

A Albehairy, F Kyrillos, H Gawish, O State, H Abdelghaffar, O Elbaz, ...

Diabetologia 59 (Suppl 1), S19

2 2016

Inflammatory cytokine and plasma C-reactive protein response to ketoacidosis in adults with type 1 diabetes: Egyptian multicenter study

GA Mohamed, MZ Abd-Elrahman, R Bahriz, A Albehairy

The Egyptian Journal of Internal Medicine 32 (1), 1-8

1 2020

Thyroid peroxidase antibody (TPO) as a predictor of radiation induced thyroid dysfunction among nurses and technicians working in Mansoura Specialized Medical Hospital: Cross ...

A Albehairy, S Fathy, R Bahriz

Endocrine, Metabolic & Immune Disorders-Drug Targets (Formerly Current Drug ...

1 2020

Association between Plasma Dehydroepiandrosterone Sulfate and Carotid Intima-Media Thickness among Male and Female Patients with End-Stage Renal Disease on Hemodialysis

RS Shemies, TZ Gaber, ST Radwan, M Mansour, M Mofreh, A Albehairy, ...

Cardiorenal medicine 10 (1), 61-68

1 2020

Ultrasound versus sharp wound debridement in healing of recalcitrant neuropathic diabetic foot ulcers: clinical and pathological study

F Kyrillos, A Albehairy, M Roshdi, W Elkashef, M Tarshoby

DIABETOLOGIA 61, S6-S6

1 2018

How to Improve the Outcome of Charcot Foot: Results of Five Years Follow-up Prospective Study

M MOTAWEA, F KYRILLOS, A HANAFY, AHMED ALBEHAIRY

The Medical Journal of Cairo University 89 (June), 679-684

2021

The Impact of the serum level of trace elements on the severity of neuropathy in type 2 Diabetic patients

R Bahriz, S Fathy, A Albehairy

Zagazig University Medical Journal

2021

SP549 Correlation between DHEA-S and carotid intima media thickness in hemodialysis patients

R Samir, MK Nassar, TZ Gaber, S Tharwat, E Nagy, MM Mansour, ...

Nephrology Dialysis Transplantation 34 (Supplement_1), gfz103. SP549
2019

Neck circumference: a simple screening parameter for cardiovascular risk in diabetics

R Bahriz, M Mansour, A Albehairy

Egyptian Journal of Obesity, Diabetes and Endocrinology 5 (2), 25

2019

Ten years outcome of diabetic foot ulcer with osteomyelitis in Egypt

H Gawish, F Kyrillos, A Albehairy, M Elsayed, M Sherif, M El-Nahas, ... DIABETOLOGIA 61, S482-S482

□ Occult Hepatitis B among Patients under Hemodialysis at Mansoura University Hospitals: Prevalence and Risk Factors; Journal of Virology & Antiviral Research, 2014

□ Role of Ghrelin Hormone in SLE: Relation to Interferon alpha and Disease Activity Biomarkers; Egyptian Journal of Rheumatology & Clinical Immunology, 2014

□ Liver functions derangement among substances abusers Int J Med Phar Sci | Vol 6 • Issue 3 • November 2015

□ Does tramadol abuse worsen complications among uremic? Vol 5 | Issue 4 | 2015 | 207-211.

- Prevalence of Hepatitis E Virus among Hemodialysis Patients: One Egyptian Center Study International Journal of Health Sciences & Research Vol.5; Issue: 4; April 2015
- Screening of the adverse effects of substances of abuse on kidney functions: an Egyptian single center study International journal of clinical pharmacology research 01/2016; 6(1):1-7.
- Association of uremic pruritus in haemodialysis patients with hepatitis C viremia: one Egyptian center experiences International Journal of Pharma and Bio Sciences 7 (2), 830 – 834
- A Novel Combination of C-Reactive Protein and Vascular Endothelial Growth Factor in Differential Diagnosis of Ascites journal of gastrointestinal cancer, 2016
- Prevalence of Occult Hepatitis C in Chronic Hemodialysis Patients in Mansoura University Hospital, Egypt. IJAPBC – Vol. 5(1), Jan - Mar, 2016
- Participating in (Recognition and management of acute kidney injury in the International Society of Nephrology 0by25 Global Snapshot: a multinational cross-sectional study): The Lancet 2016;387(10032): 2017-2025.
- Epstein Barr Virus with Nephropathy Associated with systemic Lupus Erythematosus, Pilot Study in Egypt, The Egyptian Journal of Immunology, 2017
- Poster presentation in 12th congress of Arab Society of Nephrology and Renal Transplantation, 2014
- Detection of Acute Kidney Injury in Cancer Patients Receiving Platinum Based Chemotherapy, Poster Presentation, ERA-EDTA, 2017

- Latent Tuberculosis in Dialysis Patients: Prevalence, Risk Factors, and Inflammatory Markers, Poster Presentation, American Kidney Week, 2017
- New predictive factors of poor response to therapy in autoimmune hepatitis: role of mean platelet volume, European Journal of Gastroenterology & Hepatology 2017
- Homocysteine: a new diagnostic marker in spontaneous bacterial peritonitis, European Journal of Gastroenterology & Hepatology, 2018
- Impact of Non-alcoholic fatty liver disease on pregnancy, British journal of biomedical science, 2018
- Acute Kidney Injury in Mansoura Nephrology Dialysis Unit, One-year prospective observational study, Nephron-Clinical Practice Journal, on press, 2018
- Rifaximin in nonalcoholic fatty liver disease: hit multiple targets with a single shot, European Journal of Gastroenterology & Hepatology, 2018
- Serum leptin and Homeostasis Model Assessment-IR as novel predictors of early liver fibrosis in chronic hepatitis B virus infection, British journal of biomedical science, 2018
- Effect of Hemofiltration on Anemia, Adequacy, and Bone Mineral Disease in Hemodialysis Patients, Poster Presentation, American Kidney Week, 2018
- Daily versus Post-Dialysis Administration of Calcimimetics for the Treatment of Secondary Hyperparathyroidism in Hemodialysis Patients: An Interventional, Multi-Center Study, Poster Presentation, American Kidney Week, 2018

- Urinary biomarkers for early detection of platinum based drugs induced nephrotoxicity, BMC Nephrology Journal, 2018
- Community Acquired Acute Kidney Injury in Mansoura Nephrology Dialysis Unit: One Year Prospective Observational Study, Nephron, 2018
- Effect of Hemofiltration on Anemia, Adequacy, and Bone Mineral Disease in Hemodialysis Patients, ASN Kidney week, poster presentation, 2018
- Daily versus Post-Dialysis Administration of Calcimimetics for the Treatment of Secondary Hyperparathyroidism in Hemodialysis Patients: An Interventional, Multi-Center Study, ASN Kidney week, poster presentation, 2018
- Kidney Injury Molecule 1 (KIM-1) as an Early Predictor for Acute Kidney Injury in Post-Cardiopulmonary Bypass (CPB) in Open Heart Surgery Patients, International Journal of Nephrology, 2019.
- Insulin Resistance and Hepatitis C Virus-Associated Subclinical Inflammation Are Hidden Causes of Pruritus in Egyptian Hemodialysis Patients: A Multicenter Prospective Observational Study, Nephron, 2019.
- IL-6 -572G/C and -174G/C polymorphisms association with hepatitis C virus induced hepatocellular carcinoma, British journal of biomedical science, 2019
- Estimated glomerular filtration rate as a predictor for mortality in hospitalized patients with STEMI, Nephrology Dialysis Transplantation, 2019

- Efficacy of nutritional support program on anthropometric measurements and subjective global assessment score among hemodialysis patients, *Nephrology Dialysis Transplantation*, 2019
- Recurrence of spontaneous bacterial peritonitis in cirrhosis: novel predictors, *European Journal of Gastroenterology & Hepatology*, 2019
- Study of Uromodulin Gene Polymorphism in Egyptian Patients with End Stage Renal Disease, *Saudi Journal of Kidney disease and Transplantation*, 2019 (on press)
- Occult hepatitis C virus infection among Egyptian haemodialysis patients and its potential impact on anemia management, *Egyptian journal of Internal Medicine*, 2019
- Endothelin-1/nitric oxide ratio as a predictive factor of response to therapy with terlipressin and albumin in patients with type-1 hepatorenal syndrome, *Front. Pharmacol*, 2020
- Kidney Injury Molecule-1 (KIM-1): A Potential Marker of Renal Recovery after Laparoscopic Sleeve Gastrectomy, *Kidney Research and Clinical Practice*, 2020
- *Helicobacter pylori* as an initiating factor of complications in patients with cirrhosis: A single-center observational study, *Frontier in Medicine*, 2020
- Improvement of Clinical Outcomes in Dialysis, No Convincing Superiority in Dialysis efficacy Using Hemodiafiltration Versus High-Flux HD, *Therapeutic Apheresis and Dialysis*, 2020
- Estimated glomerular filtration rate as one of the main predictors of in-hospital mortality in Egyptian patients with ST elevation myocardial infarction: a two-year retrospective study, *Egyptian Heart Journal*, 2020

- Potential protective effect of leptin and uncoupling protein-2 genes polymorphism in Egyptian patients with chronic kidney disease, International Urology and Nephrology, 2020
- MicroRNA-451 as an Early Predictor of Chronic Kidney Disease in Diabetic Nephropathy, International Journal of Nephrology, 2020
- Advanced glycation end products as a predictor of diabetes mellitus in chronic hepatitis C-related cirrhosis, Frontier in Medicine, 2020
- Study of Plasmid-Mediated Quinolone Resistance in Escherichia coli from Nosocomial Urinary Tract Infections, Infectious Disorders - Drug Targets, 2020
- Gene Polymorphism of XRCC1 in Systemic Lupus Erythematosus, The Open Rheumatology Journal, 2021
- De novo Portal Vein Thrombosis in Non-Cirrhotic Non-Alcoholic Fatty Liver Disease: A 9-Year Prospective Cohort Study, Frontiers in medicine, 2021
- CX3CR1 at V249M and T280M Gene Polymorphism and Its Potential Risk for End-Stage Renal Diseases in Egyptian Patients, International journal of nephrology, 2021
- Study of Antibodies to Cytolethal Distending Toxin B (CdtB) and Antibodies to Vinculin in Patients with Irritable Bowel Syndrome, F1000Research, 2021
- Short-term Individualized Dialysate Cooling in Chronic Hemodialysis: Therapeutic benefits for Patients and A favorite Choice for Nephrologists, IJMA, 2021
- Clinical and Laboratory Findings of COVID-19 in High-Altitude Inhabitants of Saudi Arabia, Frontiers in Medicine, 2021

□ De Novo Hepatocellular Carcinoma in Hepatitis C-Related Cirrhosis: Are Advanced Glycation end Products a Key Driver?, *Frontiers Cellular and Infection Microbiology* on press, 2021

-whole-body MRI for full assessment and characterization of diffuse inflammatory myopathy SS Elessawy, EM Abdelsalam, E Abdel Razek... - *Acta radiologica open*, 2016

-Impact of COVID-19 pandemic on rheumatoid arthritis from a Multi-Centre patient-reported questionnaire survey: influence of gender, rural-urban gap and north-south gradient E Abualfadl, F Ismail, RR El Shereef, E Hassan, S Tharwat, EF Mohamed, ...*Rheumatology international* 41 (2), 345-353

-Rheumatologists' practice during the Coronavirus disease 2019 (COVID-19) pandemic: a survey in Egypt TA Gheita, MN Salem, NN Eesa, NM Khalil, NM Gamal, RA Noor, ...*Rheumatology International* 40 (10), 1599-16

-Ultrasound versus magnetic resonance imaging in the evaluation of shoulder joint pathologies in a cohort of rheumatoid arthritis patients MG Abdelzaher, S Tharwat, A AbdElkhalek, A Abdelsalam *International journal of rheumatic diseases* 22 (12), 2158-2164

-Clinical and histopathological features and short-term outcomes of lupus nephritis: a prospective study of 100 Egyptian patients M Saleh, EE Eltoraby, S Tharwat, MK *Lupus* 29 (8), 993-1001

-Houssen, Maha E., Rasha H. El- Mahdy, and Dina A. Shahin. "Serum soluble toll- like receptor 2: a novel biomarker for systemic lupus erythematosus disease activity and lupus- related cardiovascular dysfunction." *International journal of rheumatic diseases* 19.7 (2016): 685-692.

-Gheita, Tamer A., et al. "Development and validation of a Behçet's Disease Damage Index for adults with BD: An Explicit, Composite and Rated (ECR) tool." *International Journal of Rheumatic Diseases* (2021).

-Gheita, T. A., Noor, R. A., Abualfadl, E., Abousehly, O. S., El-Gazzar, I. I., El Shereef, R. R., ... & Raafat, H. A. (2021). Adult systemic lupus erythematosus in Egypt: The nation-wide spectrum of 3661 patients and world-wide standpoint. *Lupus*, 09612033211014253.

-Hammam, N., Tharwat, S., El Shereef, R. R., Elsaman, A. M., Khalil, N. M., Fathi, H. M., ... & Gheita, T. A. (2021). Rheumatology university faculty opinion on coronavirus disease-19 (COVID-19) vaccines: the vaXurvey study from Egypt. *Rheumatology international*, 1-10.

-Abdelsalam, A., Tharwat, S., Almauty, M. A., Barakat, A. F., Enein, A. F., Abdelsalam, N., ... & Shahin, D. (2017). Demographic, clinical and radiological characteristics of seronegative spondyloarthritis Egyptian patients: a rheumatology clinic experience in Mansoura. *The Egyptian Rheumatologist*, 39(2), 109-114.

□ Leukemic Stem Cell (CD34+/CD38-/TIM3+) Frequency in Patients with Acute Myeloid Leukemia: Clinical Implications. Mohamed, M. M., Aref, S., Al Agdar, M., Mabed, M., & El-Sokkary, A. M. (2021). *Clinical Lymphoma Myeloma and Leukemia*.

□ Evaluation of Cortactin and HS1 Genes Expression: New Players in Adult B-Cell Acute Lymphoblastic leukemia. Aref, S., Al Agdar, M., Ramez, A., Abou Zeid, T., Sabry, M., & Khaled, N. (2021). *Asian Pacific Journal of Cancer Prevention*, 22(3), 767-774.

□ TERT Genotype Polymorphism: A Glance of Change Egyptian MDS Outcomes. El Menshawy, N., El-Ashwah, S., Ebrahim, M. A., Mortada,

M. I., Ramez, A., & Attia, D. M. Asian Pacific Journal of Cancer Prevention, 22(5), 1547-1555. 2021

□ Relevance of plasma bone marrow Activin-A and CXCL-12 concentration levels as a biomarker in acute myeloid leukemia. Aref, S., Ebrahim, L., El-Ashwah, S., El Agdar, M., & Ayed, M. Cancer Biomarkers, (Preprint), 1-8. 2021.

□ Isolated Myeloperoxidase Immunohistochemical Expression in Bone Marrow Biopsy Depicts Clinical Outcomes in Adults with Typical B-Acute Lymphoblastic Leukemia. Fawzy, M. M., El-hafez, A., El-Ashwah, S., Abouzeid, T. E., Waheeb, M. F., Saif, M., ... & Sheta, H. Asian Pacific Journal of Cancer Prevention, 22(7), 2143-2152. 2021

□ Association of SDF-1 Gene Polymorphism with Increased Risk of Acute Myeloid Leukemia Patients. Doaa Abd Allah, M. A., Ghannam, M. A., El-Ashwah, S., Ghobrial, F. E. I., & Mortada, M. I. Asian Pacific Journal of Cancer Prevention: APJCP, 22(4), 1035. 2021.

□ Impact of IL-10 gene promoter-1082 (G/A) polymorphism in B cell chronic lymphocytic leukemia. Aref, S., Mohamed, A., El Shehawy, H., & Azmy, E. (2020). Comparative Clinical Pathology, 29(4), 777-785.

□ Clinical value of CD25/CD123 co-expression in acute myeloid leukemia patients. Aref, S., Azmy, E., El Ghannam, D., Haroun, M., Ibrahim, L., & Sabry, M. (2020). Cancer Biomarkers, 29(1), 9-16.

□ Clinical Impact of Percentage of Natural Killer Cells and Natural Killer-Like T Cell Population in Acute Myeloid Leukemia. Jamal, E., Azmy, E., Ayed, M., Aref, S., & Eisa, N. (2020). Journal of Hematology, 9(3), 62.

□ Role Of Interleukin-10-1082a/G Genetic Polymorphisms in Chronic Lymphocytic Leukemia. Aref, S., Mohamed, S., El Shehawy, H., &

Azmy, E. (2019, September). In International Journal of Laboratory Hematology (Vol. 41, Pp. 17-17). 111 River St, Hoboken 07030-5774, Nj Usa: Wiley.

□ Clinical Implication of Toll-Like Receptors (TLR2 and TLR4) in Acute Myeloid Leukemia Patients. Aref, S., Abd Elmaksoud, A. S., Abd Elaziz, S., Mabed, M., & Ayed, M. (2020). Asian Pacific Journal of Cancer Prevention: APJCP, 21(11), 3177.

□ Clinical significance of CD200 and CD56 expression in patients with acute myeloid leukemia. Aref, S., Abousamara, N., El-Helaly, E., & Mabed, M. (2020). Asian Pacific journal of cancer prevention: APJCP, 21(3), 743.

□ WNT3 and LEF1 as markers for diagnosis and survival prediction in chronic lymphocytic leukemia patients. Atef, M., Saleh, L. M., Eisa, N., & Shamaa, S. (2020). memo-Magazine of European Medical Oncology, 1-7.

□ A higher frequency of monoclonal B cell lymphocytosis among Egyptian relatives of CLL patients. Kassem, S., Fouda, M., Akef, A., Elnaghi, K., Fahmi, M., Eisa, N., & Rashwan, M. (2020). Leukemia & lymphoma, 61(9), 2242-2245.

□ Impact of Bone Marrow Natural Killer Cells (NK); Soluble TNF- α and IL-32 Levels in Myelodysplastic Syndrome Patients. Aref, S., Khaled, N., Al Gilany, A. H., Ayed, M., Abouzeid, T., & Attia, D. (2020). Asian Pacific Journal of Cancer Prevention: APJCP, 21(10), 2949.

□ Prognostic Value of CD200 Expression and Soluble CTLA-4 Concentrations in Intermediate and High-Risk Myelodysplastic Syndrome Patients. Aref, S., El Agdar, M., El Sebaie, A., Abouzeid, T.,

Sabry, M., & Ibrahim, L. (2020). Asian Pacific Journal of Cancer Prevention: APJCP, 21(8), 2225.

□ Clinical value of NOTCH1 mutations detection among chronic lymphocytic leukemia patients. Aref, S., El-Agdar, M., Salama, O., Abouzeid, T., & Sabry, M. (2020). Asian Pacific Journal of Cancer Prevention: APJCP, 21(5), 1295.

□ Multidetector computed tomography evaluation of synchronous lymphoma and other solid malignancies. El-Badrawy, A., Gadelhak, B., Helmy, E. M., Farouk, O., Fady, T., Refky, B., ... & Khashaba, E. O. (2020). Journal of cancer research and therapeutics, 16(1), 60.

□ Predictive Value of Kozak Gene Polymorphism for Thrombosis in Patients with Philadelphia-Negative MPNs. El-Ghonemy, M., El-Ashwah, S., Denewer, M., Soliman, E., El-Baiomy, M., Elkerdawy, H., & El-Sebaie, A. Asian Pacific Journal of Cancer Prevention, 22(4), 1195-1201.2020

□ Low platelet to lymphocyte ratio and high platelet distribution width have an inferior outcome in chronic lymphocytic leukaemia patients. Shaimaa El-Ashwah, M Denewer, NA Niazy, MI Mortada, E Azmy. Biuletyn Polskiego Towarzystwa Onkologicznego Nowotwory 5 (4), 170-175. (2020).

□ Short Dysfunctional Telomere is Highly Predictive of Dismal Outcome in MDS but Not in AML Patients. N El Menshawy, Shaimaa El-Ashwah, MA Ebrahim. International Journal of Hematology-Oncology and Stem Cell Research. (2020).

□ Clinico-pathological significance of immunohistochemically marked tumor-associated macrophage in classic Hodgkin lymphoma. MYY Abd

Allah, MW Fahmi, Shaimaa EL-Ashwah. Journal of the Egyptian National Cancer Institute 32, 1-9. (2020).

□ Thrombophilic risk of factor V Leiden, prothrombin G20210A, MTHFR and calreticulin mutations in essential thrombocythemia Egyptian patients" by Mohamed Sabry, Solafa El Sharawy, Maryan Waheeb Fahmi, Shaimaa El-Ashwah, May Denewer and MA Elbaiomy. Adv Hematol. (2020).

□ Short Dysfunctional Telomere is Highly Predictive of Dismal Outcome in MDS but Not in AML Patients. Nadia El Menshawy, Shaimaa El Ashwah, Mohamed A Ebrahim. International Journal of Hematology-Oncology and Stem Cell Research (2020).

□ The Clinical Significance of Decreased GPX3 Expression Level in Egyptian AML Patients. Shaaban, Y., Taalab, M. M., Aref, S., & Mabed, M. (2019). Clinical Lymphoma, Myeloma and Leukemia, 19, S205.

□ The prevalence and prognostic significance of autoimmune cytopenias in a cohort of Egyptian patients with chronic lymphocytic leukemia. Atef, B., Azmy, E., Aladle, D., & Mabed, M. (2019). Hematology/oncology and stem cell therapy, 12(2), 97-104.

□ MICROtransplant to refractory acute myeloid leukemia in Egyptian population. Emarah, Z., Shamaa, S., El-Zaafarany, M., Eisa, N., & Khalaf, M. (2019). Current opinion in hematology, 26(6), 379-385.

□ Novel targeted nano-parthenolide molecule against NF-κB in acute myeloid leukemia. Darwish, N. H., Sudha, T., Godugu, K., Bharali, D. J., Elbaz, O., El-ghaffar, H. A. A., ... & Mousa, S. A. (2019). Molecules, 24(11), 2103.

□ Prognostic Impact of Lymphoid Enhancer Factor 1 Expression and Serum Galectin.3 in Egyptian AML Patients. M. A. ElBaiomy, S. Aref, 2 M. El Zaafarany, Sara Atwa, Tamer Akl, 1 Wafaa El-Beshbishi, Shaimaa El-Ashwah, L. Ibrahim, and M. El-Ghonemy. *Adv Hematol.* (2019); 2019: 2352919.

□ Double-expressor and triple-expressor lymphomas: are these prognostically distinct groups of diffuse large B-cell lymphoma?. RM Nagib, EM Ibrahim, S El-Ashwah. *Egyptian Journal of Pathology.* (2019).39 (2), 239.

□ Prognostic impact of CD200 and CD56 expression in adult acute lymphoblastic leukemia patients. Aref, S., Azmy, E., El-Bakry, K., Ibrahim, L., & Mabed, M. (2018). *Hematology*, 23(5), 263-270.

□ Pregnancy associated acute leukemia: Single center experience; Mohamed Mabed, Noha Eisa, Shaimaa El-Ashwah, Mona Talaab, *Cancer Treatment and Research Communications Volume 16*, (2018), Pages 53-58.

□ Upregulation of CD200 is associated with regulatory T cell expansion and disease progression in multiple myeloma. Aref, S., Azmy, E., & El-Gilany, A. H. (2017). *Hematological oncology*, 35(1), 51-57.

□ Acute myeloid leukemia stem cell markers in prognosis and targeted therapy: potential impact of BMI-1, TIM-3 and CLL-1. Darwish, N. H., Sudha, T., Godugu, K., Elbaz, O., Abdelghaffar, H. A., Hassan, E. E., & Mousa, S. A. (2016). *Oncotarget*, 7(36), 57811.

□ The Expression of Toll Like Receptors 2, 4 In Patients With Acute Myeloid Leukemia: Prognostic Relevance. Azmy, E., Mabed, M., Abou Zeid, T., El-Menshawy, N., & El Emam, O. (2016, May).

In International Journal of Laboratory Hematology (Vol. 38, Pp. 11-12).
111 River St, Hoboken 07030-5774, Nj Usa: Wiley-Blackwell.

□ Iron overload detection using pituitary and hepatic MRI in thalassemic patients having short stature and hypogonadism. Mousa, A. A., Ghonem, M., Elhadidy, E. H. M., Azmy, E., Elbackry, M., Elbaiomy, A. A., ... & Saleh, O. (2016). *Endocrine research*, 41(2), 81-88.

□ Multidetector CT (MDCT) Findings of Primary Hepatic Lymphoma. El-Badrawy, A., Tawfiki, A. M., Mahmoud, W., Abdel-Salam, E., Taalab, M. M., Farouk, O., ... & El-Hadaad, H. (2016). *The Gulf journal of oncology*, 1(20), 64-70.

□ Prevalence and prognostic impact of CEBPA gene mutation (simplified assay technique) in Egyptian acute myeloid leukemia patients with normal cytogenetics. Said, S. B., El-Masry, S. A., Salem, D. A., Taalab, M. M., & Al-Posttany, A. S. (2016). *Indian Journal of Hematology and Blood Transfusion*, 32(4), 405-411.

□ High expression of LMO2 predicts a favorable outcome in adult patients with BCR/ABL negative B-cell acute lymphoblastic leukemia. Aly, R. M., Taalab, M. M., Abdsalam, E. M., Elyamany, O. H., & Hasan, O. E. (2016). *Oncology letters*, 11(3), 1917-1922.

□ Relation of interleukin-10 promoter polymorphisms to adult chronic immune thrombocytopenic purpura in a cohort of Egyptian population. El Ghannam, D., Fawzy, I. M., Azmy, E., Hakim, H., & Eid, I. (2015). *Immunological investigations*, 44(7), 616-626.

□ Utility of Telomere in Diagnosis of Bone Marrow Failure Syndromes. Abdel-ghaffar, H. A., Zaghloul, H., El-Waseef, A., El-Naggar, M., Mabed, M., Darwish, A., & Al-Dahshan, Z. (2015). *Blood* (2015) 126 (23): 4793.

- Prognostic significance of secreted frizzled-related protein 2 expression in cytogenetically normal primary acute myeloid leukemia. Aly, R. M., Taalab, M. M., & Abdsalam, E. M. (2015). *The American journal of the medical sciences*, 350(5), 369-373.
- Influence of interleukin-15 polymorphism on the survival of adult patients with acute lymphoblastic leukemia in Egypt. Aly, R. M., Taalab, M. M., & Ghazy, H. F. (2015). *Leukemia & lymphoma*, 56(1), 151-156.
- BMI1 gene expression in myeloid leukemias and its impact on prognosis. Saady, N. S., Fawzy, I. M., Azmy, E., Goda, E. F., Eneen, A., & Salam, E. M. A. (2014). *Blood Cells, Molecules, and Diseases*, 53(4), 194-198.
- Association of MDR1 gene polymorphism (G2677T) with imatinib response in Egyptian chronic myeloid leukemia patients. Elghannam, D. M., Ibrahim, L., Ebrahim, M. A., Azmy, E., & Hakem, H. (2014). *Hematology*, 19(3), 123-128.
- All-Trans-Retinoid Acid (ATRA) Induced Upregulation of Autophagy Related Proteins (LC3-1, II and Beclin 1) in Acute Promyelocytic Leukemia. Mansour, A. H., Anwer, R., Darwish, A., Alshaik, A. F., & Mabed, M. (2014). *INTERNATIONAL JOURNAL OF PHARMACOLOGY*, 10(6), 315-321.
- CD26 expression in mature b-cell neoplasms and its prognostic impact on B-cell chronic lymphocytic leukemia. Ghannam, D. M. E., Taalab, M. M., Ghazy, H. F., Salam, E. M. A., & Fawzy, I. M. (2014). *J Blood Disorders Transf*, 5(222), 2.
- Prognostic relevance of Wilms tumor 1 (WT1) gene Exon 7 mutations in-patient with cytogenetically normal acute myeloid leukemia. Aref, S.,

El Sharawy, S., Sabry, M., Azmy, E., & Raouf, D. A. (2014). Indian Journal of Hematology and Blood Transfusion, 30(4), 226-230.

□ All-Trans-Retinoid Acid (ATRA) Induced Upregulation of Autophagy Related Proteins (LC3-1, II and Beclin 1) in Acute Promyelocytic Leukemia. Mansour, A. H., Anwer, R., Darwish, A., Alshaik, A. F., & Mabed, M. (2014). INTERNATIONAL JOURNAL OF PHARMACOLOGY, 10(6), 315-321.

□ BAALC gene expression in adult b-precursor acute lymphoblastic leukemia: impact on prognosis Taalab, M. M., Fawzy, I. M., & Gouda, E. F. (2014). J Blood Disorders Transf, 5, 220.

□ DNMT3A R882 mutations in patients with cytogenetically normal acute myeloid leukemia and myelodysplastic syndrome. El Ghannam, D., Taalab, M. M., Ghazy, H. F., & Eneen, A. F. (2014). Blood Cells, Molecules, and Diseases, 53(1-2), 61-66.

□ Prognostic implications of NPM1 mutations and FLT3 internal tandem duplications in Egyptian patients with cytogenetically normal acute myeloid leukemia. Shamaa, S., Laimon, N., Aladle, D. A., Azmy, E., Elghannam, D. M., Salem, D. A., & Taalab, M. M. (2014). Hematology, 19(1), 22-30.

□ Impact of serum adiponectin and leptin levels in acute leukemia. Aref, S., Ibrahim, L., Azmy, E., & Al Ashary, R. (2013). Hematology, 18(4), 198-203.

□ Role of whole-body 64-slice multidetector computed tomography in treatment planning for multiple myeloma Razeq, A. A. K. A., Ezzat, A., Azmy, E., & Tharwat, N. (2013). La radiologia medica, 118(5), 799-805.

- Prognostic impact of serum 25-hydroxivitamin D [25 (OH) D] concentrations in patients with lymphoid malignancies. Aref, S., Ibrahim, L., & Azmy, E. (2013). *Hematology*, 18(1), 20-25.
- Meningioma 1 (MN1) expression: refined risk stratification in acute myeloid leukemia with normal cytogenetics (CN-AML). Aref, S., Ibrahim, L., Morkes, H., Azmy, E., & Ebrahim, M. (2013).. *Hematology*, 18(5), 277-283.
- The condensed MCMDM-1 VWD bleeding questionnaire as a predictor of bleeding disorders in women with unexplained menorrhagia. Azzam, H. A., Goneim, H. R., El-Saddik, A. M., Azmy, E., Hassan, M., & El-Sharawy, S. (2012). *Blood coagulation & fibrinolysis*, 23(4), 311-315.
- Prognostic significance of FLT3 internal tandem duplication in Egyptian acute myeloid leukemia and normal cytogenetics. Aly, R., Shahin, D., & Azmy, E. (2012). *Comparative clinical pathology*, 21(5), 1029-1035.
- Prognostic significance of serum monoclonal immunoglobulin in B-chronic lymphocytic leukemia. El-Hussiny, M. A., Ibrahim, L., Azmy, E., & Shamaa, S. (2012). *The Egyptian Journal of Haematology*, 37(4), 240.
- Neutrophil apoptosis in neutropenic patients with hepatitis C infection: role of caspases 3, 10, and GM-CSF. Aref, S., Abdullah, D., Fouda, M., El Menshawy, N., Azmy, E., Bassam, A., ... & El Refaei, M. (2011). *Indian Journal of Hematology and Blood Transfusion*, 27(2), 81-87.
- SERUM HEPCIDIN LEVELS IN SUBTYPES OF ANEMIA WITH DISTURBED IRON METABOLISM. Aref, S., Emaad, A., & Al Ashery, R. (2010, June). In *HAEMATOLOGICA-THE*

HEMATOLOGY JOURNAL (Vol. 95, pp. 723-723). VIA GIUSEPPE BELLI 4, 27100 PAVIA, ITALY: FERRATA STORTI FOUNDATION.

- T- cell CD38 expression in B- chronic lymphocytic leukaemia. Abousamra, N. K., EL- Din, M. S., & Azmy, E. (2009). *Hematological oncology*, 27(2), 82-89.
- Prognostic implication of N-RAS gene mutations in Egyptian adult acute myeloid leukemia. Elghannam, D. M., Abousamra, N. K., Shahin, D. A., Goda, E. F., Azzam, H., Azmy, E., ... & El-Refaei, M. F. (2009). *Egypt J Immunol*, 16(1), 9-15.
- Prognostic relevance of circulating matrix metalloproteinase- 2 in acute myeloid leukaemia patients. Aref, S., Osman, E., Mansy, S., Omer, N., Azmy, E., Goda, T., & El- Sherbiny, M. (2007). *Hematological oncology*, 25(3), 121-126.
- Study of some prognostic factors in patients with aggressive non-hodgkin's lymphoma. Aida A, N., Sameh SA, S., Hassan A, A. G., Nadia E, Z., & Emad El Din AH, A. (2003).

Case Reports

- COVID-19 Infection in Patients with Chronic Lymphocytic Leukemia: Report of Two Cases and Literature Review. Eisa, N., Alshehri, A., & Assiri, M. (2021). *Research in Oncology*, 1-6.
- Case report; meta-synchronous triple malignancy in primary diagnosed CML patient. E Jamal, El Ashwah, S., MA Ebrahim, MMA Zaki, LM Saleh, A El-Badrawy, *American Journal of Blood Research* 10 (2), 22. (2020).

□Blastic Plasmacytoid Dendritic Cell Neoplasm: A Case Report and Clinicopathological Review. Zaki, M. M. A. F., Zalata, K., El-Hawary, A. K., Eisa, N., El Ashwah, S., & Shamaa, S. (2018). *Journal of Hematology*, 7(3), 124-127.

□Hypercalcemia with Disseminated Osteolytic Lesions: A Rare Presentation of Adulthood Acute Lymphoblastic Leukemia. El-Ashwah, S., Eisa, N., Denewer, M., Essam, Y., Atef, B., El-Badrawy, A., & Mabed, M. (2018). *Journal of Hematology*, 7(4), 154-157.

□A metastatic signet ring cell carcinoma presented as acquired thrombotic thrombocytopenic purpura: a case report. Eisa, N., Nasef, K., Emarah, Z., Fattah, M. M. A., & Shamaa, S. (2018). *Journal of hematology*, 7(2), 72.

□Spontaneous Remission in Acute Lymphoblastic Leukemia: A Case Report and Review of the Literature. Eisa N, EL Ashwah S, Denewer M, Essam Y, Atef B, Ayed M, and Mabed M. *Hematology & Transfusion International Journal* Volume 4 Issue 4 – (2017).

□Autoimmune Hemolytic Anemia in a Patient with Acute Myelomonocytic Leukemia Noha Essa, El Ashwah, S., May Denewer, Yasmine Essam and Mohamed Mabed* *Blood Disorders & Transfusion*, Jan 22, (2016).

Abstracts and oral posters presentation in conferences

□Third Time Lucky: A Case Report of Relapsing Blastic Plasmacytoid Dendritic Cell Neoplasm. Elbogdady, M., Nasr, M., Azmy, E., Taalab, M., Eissa, N., Saber, S., ... & Ashraf, D. (2021). *Clinical Lymphoma Myeloma and Leukemia*, 21, S305.

□Evans Syndrome in Hodgkin Lymphoma. Taalab, M. (2021). *Clinical Lymphoma Myeloma and Leukemia*, 21, S372.

- Epidemiological Characters of Adult Egyptian Auto Immune Haemolytic Anemia Patients: A Single Center Experience. Essam, Y., Elbogdady, M., & Jamal, E. (2021, April). In BRITISH JOURNAL OF HAEMATOLOGY (Vol. 193, pp. 205-205). 111 RIVER ST, HOBOKEN 07030-5774, NJ USA: WILEY.
- Epidemiological characters of adult egyptian sickle cell anemia patients: a single center experience. Elbogdady, M., & Essam, Y. (2021, April). In BRITISH JOURNAL OF HAEMATOLOGY (Vol. 193, pp. 204-205). 111 RIVER ST, HOBOKEN 07030-5774, NJ USA: WILEY.
- Post-transplant cyclophosphamide as graft-versus-host disease prophylaxis in HLA matched sibling donor stem cell transplantation for patients with acute leukemia. Elshamy, A. N., Abdelmohsen, E. A., Denewer, M., & Mabed, M. N. (2020).
- Mast Cell Sarcoma in a Post-Remission AML Patient: Case Report and Review of Literature. Elbogdady, M., Taalab, M., Zaki, M. A., Atef, B., Talaat, A., Emesh, A., ... & Elbogdady, A. (2020). AML-194. Clinical Lymphoma Myeloma and Leukemia, 20, S189-S190.
- Kinetics of QPCR Decrease in Newly Diagnosed Chronic Phase Egyptian CML Patients: Do we have a Better Prognostic Tool?. Elbogdady, M., Shamaa, S., Abd Elmoeti, M., Azmy, E., Zeid, T. A., & Emara, Z. (2019). Clinical Lymphoma, Myeloma and Leukemia, 19, S301.
- Castleman Disease with Active Presentation in an Egyptian Female Patient: A Case Report Shaaban, Y., EL-Ashwah, S., Elshamy, A., Atef, M., Eladl, A. E., El-Sherpiny, S., & El Bogdady, M. (2020, September). In CLINICAL LYMPHOMA MYELOMA & LEUKEMIA (Vol. 20, pp. S275-S276).

□Hepatitis C Viral Infection Impact on the Clinicopathological Features and Clinical Outcome in Egyptian Follicular Lymphoma Patients. Shaaban, Y., EL-Ashwah, S., Ghoneem, EA and Mohsen A (2020, September). In CLINICAL LYMPHOMA MYELOMA & LEUKEMIA (Vol. 20, pp. S280).

□The Prognostic Significance of Serum Lactate Dehydrogenase Level in Egyptian AML Patients. Shaaban, Y., Taalab, M. M., Aref, S., & Mabed, M. (2020). Clinical Lymphoma Myeloma and Leukemia, 20, S174.

□MICROtransplant to refractory acute myeloid leukemia in Egyptian population. Emarah, Z., Shamaa, S., El-Zaafarany, M., Eisa, N., & Khalaf, M. (2019). Current opinion in hematology, 26(6), 379-385.

□Genetic Variants of Tumor Necrosis Factor α and Interleukin-10 in Childhood and Adult Acute Lymphoblastic Leukemia. Mohamed Elbaiomy, Tamer Akl, Nadia ElMenshawy, Ahmed El-Sebaie, Shaimaa El-Ashwah, Amr El-Sabbagh, Yahya Wahba, Mohamed El-Ghonemy. In CLINICAL LYMPHOMA MYELOMA & LEUKEMIA (Vol. 20, pp. S165).

□The Prognostic Impact of Lipid Profiles in Adult Egyptian Acute Leukemia Patients. Abouzeid, T. E., Aref, S., Rashwan, M. A. M., Elshafae, M. M., Gameil, M. A., Ghobrial, F. E. I., ... & El-Ashwah, S. (2020, September). In CLINICAL LYMPHOMA MYELOMA & LEUKEMIA (Vol. 20, pp. S169-S169).

□Multiple Myeloma in HCV Infected Patients is Associated with Therapy Resistance and Adverse Prognosis with No Distinct Clinicopathologic Features. S. El Ashwah, H Ghazy, S El-Ashwah, MA Ebrahim, T ElKhodary. Clinical Lymphoma, Myeloma and Leukemia 19, S330. (2019).

□ The 6 Month Nightmare. MA Ebrahim, MW Fahmi, S. El-Ashwah, LM Saleh, S El-Etreby. Clinical Lymphoma, Myeloma and Leukemia 19, S249. (2019).

□ Clinico-Epidemiological Study on Acute Promyelocytic Leukemia Among Egyptian Patients. S El-Ashwah, NA Niazy, MW Fahmi, DH Sakar, S El Ashwah, MA Ebrahim. Clinical Lymphoma, Myeloma and Leukemia 19, S223-S224. (2019).

□ Outcome of Reduced intensity conditioning regimen in adult myelodysplastic patients. EHA. with prof. Sameh Sayed Ahmed Shamaa, prof/ Hossam Kamel, Prof. Emad Eldin Azmy Hassan and Professor. Mohamed Samara. (2017).

□ Are DAA safe and effective in treatment of thalassemia patients with chronic HCV? PB2404. El Ashwah, S, Eisa, N., Ghoneem, E., El-Etreby. S., Hemisphere 3, 1068-1069.

-EA Elsheshtawy, WF Abo-Elez, HS Ashour, O Farouk, MIEE zaafarany

Breast cancer: basic and clinical research 8, BCBCR. S14755, 2014

55

-Prognostic value of lymph node ratio in node-positive breast cancer in Egyptian patients TR Elkhodary, MA Ebrahim, EE Hatata, NA Niazy

Journal of the Egyptian National Cancer Institute 26 (1), 31-35, 2014

24

-High Prevalence of Hepatitis C Virus among B-Cell Non Hodgkin Lymphoma Patients in Mansoura Region (Egypt), ANRS 12263 Study

LM Saleh, D Canioni, S Shamaa, M El-Zaafarany, Z Emarah, S Abdel-Aziz, ...

Mediterranean journal of hematology and infectious diseases 11 (1), 2019

2MICROtransplant to refractory acute myeloid leukemia in Egyptian population

Z Emarah, S Shamaa, M El-Zaafarany, N Eisa, M Khalaf

Current opinion in hematology 26 (6), 379-385, 2019

-BLAST KINETICS AFTER NON-ENGRAFTING HAPLOIDENTICAL MICROTRANSPLANTATION IN PATIENTS WITH REFRACTORY ACUTE MYELOID LEUKEMIA Z Emarah, S Shamaa, M El-Zaafarany, N Essa, M Khalaf

HAEMATOLOGICA 102, 451-451, 2017

-CHARACTERIZATION OF HEPATITIS C VIRUS ASSOCIATED B-CELL NON-HODGKIN LYMPHOMA IN MANSOURA REGION (EGYPT), ANRS 12263 STUDY Z Emarah, H Abdel-ghaffar, D Canioni, S Shamaa, M El-Zaafarany, ...

HAEMATOLOGICA 101, 705-705, 2016

-Evaluation Of The JAK2-V617F Gene Mutation In Egyptian Patients With Essential Thrombocythemia and Polycythemia Vera MI El Zaafarany, AH Abdel-Ghaffar, TR Elkhodary, DA Salem, EA Soliman, ...Blood, The Journal of the American Society of Hematology 122 (21), 5254-5254, 2013

-Afatinib plus vinorelbine versus trastuzumab plus vinorelbine in patients with HER2-overexpressing metastatic breast cancer who had progressed on one previous trastuzumab ...N Harbeck, CS Huang, S Hurvitz, DC Yeh, Z Shao, SA Im, KH Jung, ...The Lancet Oncology 17 (3), 357-366, 2016

-Single- dose versus multiple instillations of epirubicin as prophylaxis for recurrence after transurethral resection of pTa and pT1 transitional-cell bladder tumours: a ...B Ali- el- Dein, A Nabeeh, M El- Baz, S Shamaa, A Ashamallah

British journal of urology 79 (5), 731-735, 1997

-Intravesical epirubicin versus doxorubicin for superficial bladder tumors (stages pTa and pT1): a randomized prospective studyB Ali-El-Dein, M El-Baz, ANM Aly, S Shamaa, A Ashamallah.The Journal of urology 158 (1), 68-74, 1997

-Phase II study of viscum fraxini-2 in patients with advanced hepatocellular carcinoma M Mabed, L El-Helw, S Shamaa. British journal of cancer 90 (1), 65-69, 2004

-Marrow versus peripheral blood for geno-identical allogeneic stem cell transplantation in acute myelocytic leukemia: influence of dose and stem cell source shows better outcome ...ALWPAECGBMTE Norbert C. Gorin, Myriam Labopin, Vanderson Rocha, William ...BLOOD 102 (8), 3043-3051, 2003

-Nephropathy in asymptomatic patients with active Schistosoma mansoni infection M Sobh, F Moustafa, A El-Arbagy, M Shebab El-Din, S Shamaa, G Amer

International Urology and Nephrology 22 (1), 37-43, 1990

-Angiogenesis factor pattern differs in acute lymphoblastic leukemia and chronic lymphocytic leukemia S Aref, O Salama, S Shamaa, M El-Refaie, H Mourkos

Hematology 12 (4), 319-324, 2007

-Doxorubicin-loaded nanoparticles for patients with advanced hepatocellular carcinoma after sorafenib treatment failure (RELIVE): a phase 3 randomised controlled trial P Merle, JF Blanc, JM Phelip, G Pelletier, JP Bronowicki, Y Touchefeu, ...The Lancet Gastroenterology & Hepatology 4 (6), 454-465, 2019

-Computed tomography assessment of hepatic metastases of breast cancer with revised response evaluation criteria in solid tumors (RECIST) criteria (Version 1.1): inter-observer ...FEI Ghobrial, MS Eldin, AAKA Razek, NI Atwan, SSA Shamaa

Polish journal of radiology 82, 593, 2017

-Prognostic implications of NPM1 mutations and FLT3 internal tandem duplications in Egyptian patients with cytogenetically normal acute myeloid leukemia S Shamaa, N Laimon, DA Aladle, E Azmy, DM Elghannam, DA Salem, ...

Hematology 19 (1), 22-30, 2014

-Diagnostic and prognostic utility of t (14; 18) in follicular lymphoma H Deghiedy, M Fouda, D Shahin, S Shamaa, A El-Bedewy, ...

Acta Haematologica 118 (4), 231-236, 2007

-Genetic susceptibility in Hodgkin's lymphoma M Hafez, H El-Tahan, Z El-Morsi, M El-Ziny, Y Al-Tonbary, S Shamaa, ...Familial cancer, 175-179, 1985

-Low-dose versus standard-dose gemcitabine infusion and cisplatin for patients with advanced bladder cancer: a randomized phase II trial—an update

R Haggag, K Farag, F Abu-Taleb, S Shamaa, AR Zekri, T ELBolkainy, ...

Medical Oncology 31 (1), 1-6, 2014

-Inter-observer agreement of whole-body computed tomography in staging and response assessment in lymphoma: the Lugano classification

AAKA Razeq, S Shamaa, MA Lattif, HH Yousef Polish journal of radiology 82, 441, 2017

-High-dose chemotherapy plus non-cryopreserved autologous peripheral blood stem cell transplantation rescue for patients with refractory or relapsed Hodgkin disease M Mabed, S Shamaa Biology of Blood and Marrow Transplantation 12 (9), 942-948, 2006

-Phase II study of low-dose fixed-rate infusion of gemcitabine combined with cisplatin and dexamethasone in resistant non-Hodgkin lymphoma and correlation with Bcl-2 and MDR ...S Elsamany, MU Farooq, M Elsirafy, S Shamaa, M Sakr Medical Oncology 31 (3), 872, 2014

-Clinical impact of breast cancer stem cells in metastatic breast cancer patients

MA Elbaiomy, T Akl, N Atwan, AA Elsayed, M Elzaafarany, S Shamaa

Journal of oncology 2020, 2020

-A study for evaluation of different diagnostic approaches in acute leukemia in Egypt LA Mahmoud, SSA Shamaa, MA Salem, DA Aladle, EFA Goda

Hematology 11 (2), 87-95, 2006

-Hyperlipidaemia in uraemic patients under chronic haemodialysis. Correlation with serum lipoprotein lipase and insulin levels MA Sobh, SA Shamaa, AM El-Gayar, MM El-Sharabacy International urology and nephrology 21 (6), 667-674, 1989

-JAK2, CALR, and MPL Mutations in Egyptian Patients With Classic Philadelphia-negative Myeloproliferative Neoplasms EA Soliman, S El-Ghlban, S Abd El-Aziz, A Abdelaleem, S Shamaa, ...Clinical Lymphoma Myeloma and Leukemia 20 (10), e645-e651, 2020

-Prognostic significance of serum monoclonal immunoglobulin in B-chronic lymphocytic leukemia ...MA El-Hussiny, L Ibrahim, E Azmy, S Shamaa

The Egyptian Journal of Haematology 37 (4), 240, 2012

-Chemotherapy of hepatocellular carcinoma WEM Saied, SSA Shamaa, M Mabed

Thesis Mansourana University Faculty of Medicine, 2003

-Hepatocellular Carcinoma in Egypt: Analysis of 192 cases...S Shamaa, A El-Bedawy, F Azzam, M Hamed, M Shehab El-Den, M Aita..J. Egypt. Nat. Cancer Inst 5, 761-767, 1992

-Primary hepatocellular carcinoma: clinical, ultrasonic, and pathological patterns and correlations....SS Shamaa, I Yasseen, I el-Desoky, SA el-Mogy, TM el-Diasty, FM Farag, ...Cancer detection and prevention 9 (3-4), 227, 1986

-Prognostic Utility of Angiogenic Growth Factors;Basic FGF,VEGF and PDGF-bb in Patients with Lymphoma....SSAHELS Osama Elbaz,Hasan A.Abdel-Ghaffar,Shaker A.Mousa..International Journal of Cancer Research 105 (96), 96-105, 2014

-Prognostic value of some inflammatory markers in patients with lymphoma

N Hamed Anber, AH El-Sebaie, NHE Darwish, SA Mousa, SS Shamaa
Bioscience reports 39 (3), 2019

-High Prevalence of Hepatitis C Virus among B-Cell Non Hodgkin Lymphoma Patients in Mansoura Region (Egypt), ANRS 12263 Study...LM Saleh, D Canioni, S Shamaa, M El-Zaafarany, Z Emarah, S Abdel-Aziz, ...Mediterranean journal of hematology and infectious diseases 11 (1), 2019

-The prognostic significance of breast cancer stem cells in patients with metastatic breast cancer.K Farag, SSA Shamaa..Journal of Clinical Oncology 36 (15_suppl), e12565-e12565, 2018

-A metastatic signet ring cell carcinoma presented as acquired thrombotic thrombocytopenic purpura: a case report...N Eisa, K Nasef, Z Emarah, MMA Fattah, S Shamaa..Journal of hematology 7 (2), 72, 2018

-Evaluation of the Diagnostic and Prognostic Value of Syndecan-1 in Acute Leukemia Patients..R Alghandour, MA Ebrahim, H Ghazy, S Shamaa, Z Emarah, ... Cureus 12 (9), 2020

-MICROtransplant to refractory acute myeloid leukemia in Egyptian population

Z Emarah, S Shamaa, M El-Zaafarany, N Eisa, M Khalaf..Current opinion in hematology 26 (6), 379-385, 2019

-The 6 Month Nightmare..MA Ebrahim, MW Fahmi, S El-Ashwah, LM Saleh, S El-Etreby, ...Clinical Lymphoma, Myeloma and Leukemia 19, S249, 2019

-P-Glycoprotein (Pgp) expression in resistant or relapsing Hodgkin's disease

M Saber, S Shamaa, MD MOUSTAFA EL-SERAFI, N Mokhtar, ...J Egypt Nat Cancer Inst 12 (1), 41-50, 2000

-Prognostic significance of transforming growth factor β receptor II in clinical stage III breast cancer patients-a pilot study..S Refaat, S Shamaa, T Elkhodary, N Atwan, H Ghazy, T Akl, ...Breast Disease, 1-9, 2021

-WNT3 and LEF1 as markers for diagnosis and survival prediction in chronic lymphocytic leukemia patients...M Atef, LM Saleh, N Eisa, S Shamaa

memo-Magazine of European Medical Oncology, 1-7, 2020

-CLL-016..M Atef, S Shamaa, N Eissa, L Saleh...Clinical Lymphoma, Myeloma & Leukemia, S219, 2020

-TCL-238: Clinicopathological Features of T-Cell Lymphomas in Egypt (Single-Center Experience)..A Fawzey, H Ghazy, Z Emarah, N Eisa, S Shamaa

Clinical Lymphoma Myeloma and Leukemia 20, S254, 2020

-WNT3 and LEF1 Expression Levels and Outcome of Chronic Lymphocytic Leukemia in Egyptian Patients...M Atef, S Shamaa, N Eissa, L Saleh..CLINICAL LYMPHOMA MYELOMA & LEUKEMIA 20, S219-S219, 2020

-MM-375: Prognostic Impact of Multiple Myeloma Cytogenetic Abnormalities on Outcome of Autologous Bone Marrow Transplantation: A Single-Center Experience...M Denewer, S Shamaa, M Samra, YEN El-Nahass, E Azmy

-Clinical Lymphoma Myeloma and Leukemia 20, S309, 2020..P3: Percentage & prognostic significance of ERCC1, KRAS & BRAF in colorectal cancer in Egyptian patients...M Saif, S Shamaa, M Awad, M Ali, H Ghazy, AR Fouda..Pan Arab Journal of Oncology 12 (3), 2019

-Calr Mutational Status in Egyptian Patients with Myeloproliferative Neoplasms

EA Soliman, SI El-Ghlban, AH Abdelaleem, S Abdel-Aziz, S Shamaa, ...Blood, The Journal of the American Society of Hematology 134 (Supplement_1 ...), 2019

-Kinetics of QPCR Decrease in Newly Diagnosed Chronic Phase Egyptian CML Patients: Do we have a Better Prognostic Tool?...M Elbogdady, S Shamaa, M Abd Elmoeti, E Azmy, TA Zeid, Z Emara...Clinical Lymphoma, Myeloma and Leukemia 19, S301, 2019

-PB1927 BCR-ABL1/ABL REDUCTION RATIO SUPERIORITY OVER EMR AND HALVING TIME AS A PREDICTOR FOR OUTCOME IN EGYPTIAN CHRONIC PHASE CHRONIC MYELOID LEUKEMIA PATIENTS TREATED WITH ...M Elbogdady, S Shamaa, E Azmy, T Abozeid, M AbdElmoety, Z Emara..HemaSphere 3 (S1), 876, 2019

-Topo2alpha expression in metastatic breast cancer patients:possible new biomarker for response to anthracycline based chemotherapy..FGMS eldin A abdelrazek s shamaa k Elnaghi.breast, 2019

-Blastic Plasmacytoid Dendritic Cell Neoplasm: A Case Report and Clinicopathological Review..MMAF Zaki, K Zalata, AK El-Hawary, N Eisa, S El Ashwah, S Shamaa...Journal of hematology 7 (3), 124, 2018

-The Impact of Uterine Re-curettage on the number of chemotherapy Courses in Treatment of Post Molar Gestational trophoblastic neoplasia-a randomized controlled Study...H R, E Deek B, A M, T EA, SSBCUV Doorn...Mar 2018SGO Annula Meeting on Women's Cancer, New Orleans, 2018

-BLAST KINETICS AFTER NON-ENGRAFTING HAPLOIDENTICAL MICROTRANSPLANTATION IN PATIENTS WITH REFRACTORY ACUTE MYELOID LEUKEMIA...Z Emarah, S Shamaa, M El-Zaafarany, N Essa, M Khalaf...HAEMATOLOGICA 102, 451-451, 2017

-PROGNOSTIC MARKERS THAT PREDICT THE OUTCOME OF REDUCED INTENSITY CONDITIONING TRANSPLANT IN ADULT PATIENTS WITH MYELODYSPLASTIC SYNDROMES: A SINGLE CENTER EXPERIENCE...S Elashwah, S Shamaa, H Kamel, M Samra, E Azmy....HAEMATOLOGICA 102, 767-767, 2017

-473P Personalized treatment of advanced non-small cell lung cancer based on excision repair cross-complementation group 1 (ERCC-1) expression..KA Naghi, S Shamaa, NI Atwan, M Awad...Annals of Oncology 27, ix151-ix152, 2016

-KINETICS OF WT1 OVER-EXPRESSION IN ACUTE MYELOID LEUKEMIA PATIENTS WHO RECEIVED STANDARD CHEMOTHERAPY OR UNDERWENT ALLOGENEIC STEM CELL TRANSPLANTATION...N Eisa, S Shamaa, M Khalaf, E Azmy, A Agm, M Samra, Z Emarah...HAEMATOLOGICA 101, 681-681, 2016

-CHARACTERIZATION OF HEPATITIS C VIRUS ASSOCIATED B-CELL NON-HODGKIN LYMPHOMA IN MANSOURA REGION (EGYPT), ANRS 12263 STUDY...Z Emarah, H Abdel-ghaffar, D Canioni, S Shamaa, M El-Zaafarany, ...HAEMATOLOGICA 101, 705-705, 2016

-Clinical Significance of Soluble CD27 in Chronic Lymphocytic Leukemia

PD Mohamed Mabed, MD, MD 2 Loaie El-Helw, MD 1 Tarek Abouzeid, ...Journal of American Science 11 (9), 2015

-Serum IL-10 As a Predictive Marker of Response to Chemotherapy in Advanced Stage Hodgkin Lymphoma...NMA Allahloubi, TM Abdelhamid, SS Shamaa, H Abd El Ghaffar, ...Blood 124 (21), 1614, 2014

-Evaluation Of The JAK2-V617F Gene Mutation In Egyptian Patients With Essential Thrombocythemia and Polycythemia Vera..MI El Zaafarany, AH Abdel-Ghaffar, TR Elkhodary, DA Salem, EA Soliman, ...Blood, The Journal of the American Society of Hematology 122 (21), 5254-5254, 2013

-PROGNOSTIC EFFECT OF EXCISION REPAIR CROSS-COMPLEMENTATION GROUP 1 (ERCC1) IN PLATINUM TREATED ADVANCED NON-SMALL CELL LUNG CANCER...RM Gaafar, MA Hussein, AA Bahnassy, SSA Shamaa...JOURNAL OF THORACIC ONCOLOGY 7 (6), S64-S64, 2012.

-Stratification of Patients with Follicular Lymphoma..HA Abd El-Ghaffar, S Shamaa, N Attwan, TE Selim, NK Abosamra, ...HEMATOLOGY–SCIENCE AND PRACTICE, 371, 2012

-Utility of Gene Scan for Detection of MRD in Precursor B-Cell Neoplasm.

HA Abdel-ghaffar, DA Salem, P Evans, OS El-deen, SS Shamaa..Blood, The Journal of the American Society of Hematology 114 (22), 4720-4720, 2009

-Prognostic Utility of Immunophenotyping in Diffuse Large B-Cell and Follicular Lymphomas..HA Abdel-ghaffar, HA Degheidy, SS Shamaa, SM Abd-El Aziz

Blood, The Journal of the American Society of Hematology 112 (11), 5271-5271, 2008

-Angiogenesis factors pattern is different in acute lymphoblastic leukaemia and chronic lymphocytic leukaemia: 53..S Aref, O Salama, S Shamaa, M El-Refie, H Mourkos..British Journal of Haematology 137, 2007

-B-cells from lymphocytic leukemias are capable of synthesis of vascular endothelial growth factor (VEGF) and basic fibroblast growth factor (b-FGF)

S Aref, O Salama, S Shamaa, T Goda, H Mourkos..British Journal of Haematology, 764, 2007

-Serum Levels of Angiogenin in Myeloid Malignancies: Clinical Implications

EAMT Sameh Shamaa, Doaa Aladle, Maha Esmaeel, Mohammed Ismaeel
The Egyptian Journal of Haematology 31 (4), 415-423, 2006

-J P-glycoprotein expression in resistant or relapsing Hodgkin's disease.

M Saber, S Shamaa, P Lorigan, M El-Serafi, N Mokhtar, L El-Helw
Egyptian National Cancer Institute. Journal 12 (1), 41-50, 2000

-Assessment of interleukin 1 beta and its modulating agents IL-1 receptor and IL-1 soluble receptor type II in malignant lymphoma and their role in the pathogenesis of B symptoms..OS Salama, SA Aref, SS Shamaa, YM El-Sherbiny

British Journal of Haematology 102 (1-I), 1998

-Intravesical epirubicin versus doxorubicin for superficial bladder tumors (stages pTa and pT1): A randomized prospective study..B Ali-El-Dein, M El-Baz, ANM Aly, S Shama, A Ashmallah

-Scandinavian Journal of Urology and Nephrology-Supplements, 4-4, 1998

Prognostic and therapeutic value of immunological classification of lymphoma

S S, H MR, M N, K AM, OISMM Ali NMJ of Egypt Cancer Institute 6 (4), 735-740, 1994

-Serum and Urinary Pseudouridine as Tumour Markers for Hepatocellular Carcinoma...MHMA Amal Elgayar, Farid Badria, Sameh Shamaa...Egyptian Journal of Tumour marker Oncology 5 (2), 17-21, 1994

-Serum and Urinary Aflatoxins in Egyptian patients with liver cirrhosis and Hepatocellular carcinoma..IAHMA Farid Badria,Amal Elgayar,Sameh Shamaa

Egyptian Journal of Tumour Marker Oncology 5 (1), 27-33, 1994

-Prevalence of Antibodies to Hepatitis C Virus in Patients with Hepatocellular Carcinoma..MHOH Sameh Shamaa, Amal Ibrahim, Mahfouz Aita.J Egypt. Nat.Cancer Institute 5 (2), 261-267, 1991

-Treatment of Primary liver Cancer with a Combinations of Adriamycin and 5-Fluorouracil..MESAFN Sameh Shamaa, Mohammed Sobh, Nadia Nadaj Egypt. Nat.Cancer Institute 2 (3), 385-394, 1986

-Diffusion tensor imaging parameters in differentiation recurrent breast cancer from post-operative changes in patients with breast-conserving surgery

AAKA Razek, M Zaky, D Bayoumi, S Taman, K Abdelwahab,
...European journal of radiology 111, 76-80, 2019

-Ovarian cancer with metastatic inguinal lymphadenopathy: A case series and literature review..IH Metwally, M Zuhdy, A Hassan, R Alghandour, N Megahed

Journal of the Egyptian National Cancer Institute 29 (2), 109-114, 2017

-Brain metastatic breast cancer: Epidemiology, survival and prognosis: Single center experience..S Awany, IH Metwally, M Zuhdy, O Hamdy, LA Mohamed, ZF AbdElmoety, ...Revista de Senología y Patología Mamaria 34 (3), 156-162, 2021

-Repurposing metformin as anticancer drug: Randomized controlled trial in advanced prostate cancer (MANSMED)..R Alghandour, MA Ebrahim, AM Elshal, F Ghobrial, M Elzaafarany, ...Urologic Oncology: Seminars and Original Investigations, 2021

-The adjunctive value of diffusion weighted imaging in diagnosis and follow up of uterovaginal...diffuse B-cell lymphoma: A case report and literature review.

GA Saleh, R Alghandour, EY Rashad, AM Tawfik, AH Elmokadem..Current Medical Imaging, 2021

-Metastatic colorectal carcinoma initially diagnosed by bone marrow biopsy: a case report and literature review..R Alghandour, GA Saleh, FA Shokeir, M Zuhdy

Journal of the Egyptian National Cancer Institute 32 (1), 1-6, 2020

-Repurposing metformin as an anticancer drug: Preliminary results of randomized controlled trial in advanced prostate cancer (MANSMED)

MEL R. Alghandour¹, M.A. Ebrahim¹, A.M. Elshal², F. Ghobrial¹, M. Elzaafarany¹..ESMO Virtual Congress 2020 31 (S507-S549), 2020

-617MO Repurposing metformin as an anticancer drug: Preliminary results of randomized controlled trial in advanced prostate cancer (MANSMED)

R Alghandour, MA Ebrahim, AM Elshal, F Ghobrial, M Elzaafarany, ...
Annals of Oncology 31, S511, 2020

-SYNDECAN-1 AS A PROGNOSTIC BIOMARKER IN ACUTE MYELOID LEUKEMIA

RA M. A. Ebrahim, M. MH. Al-Gayyar, Z. Emarah, H. Ghazy, S. Shamaa

25th Congress of the European Hematology Association 4 (S1), 835, 2020

-Non-Palpable Invasive Lobular Carcinoma Initially Diagnosed by Inguinal Lymph Node Biopsy..M Zuhdy, M Zaky, R Alghandour, G Abdelazeem, O Hamdy, A Shebl

Annals of African Surgery 17 (2), 88-92, 2020

-Axillary nodal metastasis in ovarian cancer: a report of three cases and review of literature..M Zuhdy, R Alghandour, G Abdelazeem, GA Saleh, MM Saleh, M Hamdy, ...

-Journal of the Egyptian National Cancer Institute 31 (1), 1-4, 2019

EP846 Parenchymal splenic metastasis from ovarian cancer; a report of two cases and literature review..M Zuhdy, K Gaballa, O Hamdy, R Alghandour, MG Elmadawy, Y Laimon, ...International Journal of Gynecologic Cancer 29 (Suppl 4), 2019

-Afatinib plus vinorelbine versus trastuzumab plus vinorelbine in patients with

HER2-overexpressing metastatic breast cancer who had progressed on one previous trastuzumab ...N Harbeck, CS Huang, S Hurvitz, DC Yeh, Z Shao, SA Im, KH Jung, ...The Lancet Oncology 17 (3), 357-366, 2016

-Doxorubicin-loaded nanoparticles for patients with advanced hepatocellular carcinoma after sorafenib treatment failure (RELIVE): a phase 3 randomised controlled trial...P Merle, JF Blanc, JM Phelip, G Pelletier, JP Bronowicki, Y Touchefeu, ...The Lancet Gastroenterology & Hepatology 4 (6), 454-465, 2019

-Breast cancer characteristics in very young Egyptian women ≤ 35 years

O Farouk, M Awad, A Senbel, Z Emarah, M Seisa, SA Jalil, S Hassan,

...

Breast Cancer: Targets and Therapy 8, 53-58, 2016

-Afatinib versus methotrexate as second-line treatment in Asian patients with recurrent or metastatic squamous cell carcinoma of the head and neck progressing on or after ...Y Guo, MJ Ahn, A Chan, CH Wang, JH Kang, SB Kim, M Bello, RS Arora, ...Annals of Oncology 30 (11), 1831-1839, 2019

-Detection and Control of Biofilm Formation by Staphylococcus aureus from Febrile Neutropenic Patient..AH El-Nagdy, GM Abdel-Fattah, Z Emarah

Infection and Drug Resistance 13, 3091-3101, 2020

-Establishment of CORONET; COVID-19 Risk in Oncology Evaluation Tool to identify cancer..patients at low versus high risk of severe complications of COVID-19 infection upon ...RJ Lee, C Zhou, O Wysocki, R Shotton, A Tivey, L Lever, J Woodcock, ...MedRxiv, 2020

-High Prevalence of Hepatitis C Virus among B-Cell Non Hodgkin Lymphoma Patients in Mansoura Region (Egypt), ANRS 12263 Study..LM Saleh, D Canioni, S Shamaa, M El-Zaafarany, Z Emarah, S Abdel-Aziz, ...Mediterranean Journal of Hematology and Infectious Diseases 11 (1), 2019

-A Metastatic Signet Ring Cell Carcinoma Presented as Acquired Thrombotic Thrombocytopenic Purpura: A Case Report N Eisa, K Nasef, Z Emarah, MMA Fattah, S Shamaa..Journal of Hematology 7 (2), 72, 2018

-Fucoidan ameliorates hepatocellular carcinoma induced in rats: effect on miR143 and inflammation YM El-Far, AE Khodir, ZA Emarah, MA Ebrahim, MMH Al-Gayyar...Nutrition and Cancer 73 (8), 1498-1510, 2021

-Evaluation of the Diagnostic and Prognostic Value of Syndecan-1 in Acute Leukemia Patients...R Alghandour, MA Ebrahim, H Ghazy, S Shamaa, Z Emarah, ...Cureus 12 (9), 2020

-MICROtransplant to refractory acute myeloid leukemia in Egyptian population

Z Emarah, S Shamaa, M El-Zaafarany, N Eisa, M Khalaf..Current opinion in hematology 26 (6), 379-385, 2019

-Programmed death ligand-1 and CD8 tumor-infiltrating lymphocytes (TILs) as prognostic predictors in ovarian high-grade serous carcinoma (HGSC)

MS Farrag, K Abdelwahab, NS Farrag, WE Elrefaie, Z Emarah

Journal of the Egyptian National Cancer Institute 33 (1), 1-10, 2021

-Poster: IBCL-034: Hairy Cell Leukemia: Single-Center Experience

A Hamed, Z Emarah, M Zakia, N Eisa, H Ghazy..Clinical Lymphoma, Myeloma and Leukemia 21, S246, 2021

-IBCL-034: Hairy Cell Leukemia: Single-Center Experience

A Hamed, Z Emarah, M Zakia, N Eisa, H Ghazy..Clinical Lymphoma Myeloma and Leukemia 21, S399, 2021

-Expression of CD10 and CD15 in colorectal mucinous and signet ring adenocarcinomas and its relation to clinicopathological features and prognosis

AARM Foda, HA Alamer, N Ikram, HA Helali, FS Fayad, SW Hussian, ...Cancer Biomarkers, 1-8, 2021

-Brain metastatic breast cancer: Epidemiology, survival and prognosis: Single center experience...S Awny, IH Metwally, M Zuhdy, O Hamdy, LA Mohamed, ZF AbdElmoety, ...Revista de Senología y Patología Mamaria 34 (3), 156-162, 2021

-EGFR and HER2 Expression in Primary Ovarian High-Grade Serous Carcinoma and Their Prognostic Value ..MS Farrag, Z Emarah, W Elrefaie, NS Farrag, MT Hafez, K Abdelwahab..Research in Oncology 17 (1), 9-16, 2021

-High CRLF2 Expression Could Identify Acute Lymphoblastic Leukemia Patients with Poor Outcome but Not IKZF1..LM Saleh, N Darwish, S Abdel-Aziz, D Salem, N Eisa, S Abd El Mabood, ...Research in Oncology 17 (1), 23-30, 2021

-Prognostic significance of transforming growth factor β receptor II in clinical stage III breast cancer patients-a pilot study...S Refaat, S Shamaa, T Elkhodary, N Atwan, H Ghazy, T Akl, ...Breast Disease, 1-9, 2021

-Clinicopathological Features of T-Cell Lymphomas in Egypt (Single-Center Experience)..A Fawzey, H Ghazy, Z Emarah, N Eisa, S Shamaa..Clinical Lymphoma Myeloma & Leukemia 20, S254-S254, 2020

-Breast cancer characteristics in very young Egyptian women ≤ 35 years O Farouk, M Awad, A Senbel, Z Emarah, M Seisa, SA Jalil, S Hassan, ... Breast Cancer: Targets and Therapy 8, 53-58, 2016

-Afatinib versus methotrexate as second-line treatment in Asian patients with recurrent or metastatic squamous cell carcinoma of the head and neck progressing on or after ... Y Guo, MJ Ahn, A Chan, CH Wang, JH Kang, SB Kim, M Bello, RS Arora, ... Annals of Oncology 30 (11), 1831-1839, 2019

-Detection and Control of Biofilm Formation by Staphylococcus aureus from Febrile Neutropenic Patient..AH El-Nagdy, GM Abdel-Fattah, Z Emarah

Infection and Drug Resistance 13, 3091-3101, 2020

-Establishment of CORONET; COVID-19 Risk in Oncology Evaluation Tool to identify cancer patients at low versus high risk of severe complications of COVID-19 infection upon ... RJ Lee, C Zhou, O Wysocki, R Shotton, A Tivey, L Lever, J Woodcock, ...MedRxiv, 2020

-High Prevalence of Hepatitis C Virus among B-Cell Non Hodgkin Lymphoma Patients in Mansoura Region (Egypt), ANRS 12263 Study..LM Saleh, D Canioni, S Shamaa, M El-Zaafarany, Z Emarah, S Abdel-Aziz, ...Mediterranean Journal of Hematology and Infectious Diseases 11 (1), 2019

-A Metastatic Signet Ring Cell Carcinoma Presented as Acquired Thrombotic Thrombocytopenic Purpura: A Case Report ..N Eisa, K Nasef, Z Emarah, MMA Fattah, S Shamaa...Journal of Hematology 7 (2), 72, 2018

-Fucoidan ameliorates hepatocellular carcinoma induced in rats: effect on miR143 and inflammation...YM El-Far, AE Khodir, ZA Emarah, MA Ebrahim, MMH Al-Gayyar...Nutrition and Cancer 73 (8), 1498-1510, 2021

-Evaluation of the Diagnostic and Prognostic Value of Syndecan-1 in Acute Leukemia Patients R Alghandour, MA Ebrahim, H Ghazy, S Shamaa, Z Emarah, ...Cureus 12 (9), 2020

-MICROtransplant to refractory acute myeloid leukemia in Egyptian population

Z Emarah, S Shamaa, M El-Zaafarany, N Eisa, M Khalaf

Current opinion in hematology 26 (6), 379-385, 2019

-Telomerase reverse transcriptase (TERT) A1062T mutation as a prognostic factor in Egyptian patients with acute myeloid leukemia (AML). Salah Aref, Mohamed El-Ghonemy, Tarek Abouzeid, Amr El-Sabbagh, Mohamed Ali ElBaiomy. Med Oncol. 2014 Sep;31(9):158. Epub 2014 Aug 10.

-Prevalence and Clinical Effect of IDH1 and IDH2 Mutations Among Cytogenetically Normal Acute Myeloid Leukemia Patients. Salah Aref, El Sayed Kamel Areida, Mohamed Fathy Abdel Aal, Ola Mohamed Adam, Mohamed Sabry El-Ghonemy, Mohamed Ali El-Baiomy, Tarek Abou Zeid. Clin Lymphoma Myeloma Leuk. 2015 Sep;15(9):550-5. Epub 2015 Jun 6.

-Mammographic breast density: Predictive value for pathological response to neoadjuvant chemotherapy in breast cancer patients. Shereef Elsamany, Abdullah Alzahrani, Waleed Abozeed, Ayman Rasmy, Mian Farooq , M.A. Elbiomy , E. Rawah, Khalid Alsaleh, Nashwa Abdel-Aziz. Breast. 2015 Oct;24(5):576-81 Epub 2015 Jun 10.

-Role of CXCR4 and VLA-4 expression as prognostic markers in Egyptians acute lymphoblastic leukemia patients. Salah Aref, Mohamed Sabry ElGhonemy, Amr El-Sedik, Emad Azmy, El-Baiomy MA. Ann Oncol 2015; 26 (suppl_9): ix91. doi: 10.1093/annonc/mdv526.24. Was Accepted as a poster presentation in ESMO Asia 2015 (308P).

-Clinicopathologic Effect of DNMT3A Mutation in Adult T-Cell Acute Lymphoblastic Leukemia. Salah Aref, Nadia El Menshawy, Mohamed Sabry El-Ghonemy, Tarek Abou Zeid, Mohamed Ali El-Baiomy. Clin Lymphoma Myeloma Leuk. 2016 Jan;16(1):43-8 Epub 2015 Dec 1.

-Correlation of preoperative Ki67 and CA15.3 levels with the outcome in early breast cancer:.A multi institutional study. Ayman Rasmy, Waleed Abozeed, Shereef Elsamany, M El Baiomy, Nashwa Abdulaziz, A. Amrallah, Ehab Hasaan , Abdullah Alzahrani, Ahmad AlFaraj , Medhat Faris, Khalid Alsaleh. Asian Pac J Cancer Prev. 2016;17(7):3595-600.

-Diagnostic role of Golgi protein 73 and IL-17 in Egyptian cirrhotic rather than hepatocellular carcinoma patients. R. A. Nawaya, N. M. Abdel-Hamid, A. M. EL-Gayar, M. A. EL-Baiomy, N. M. El-Sherbiny, H. F. Ghazy. Journal of Applied Pharmaceutical Science Vol. 6 (08), pp. 006-012, August, 2016.

-Impact prognosis of cellular CD 69 expression with CD 38 in Egyptian Chronic lymphocytic leukemia. Salah Aref, Nadia El Menshawy, Mohamed Sabry El-Ghonemy, Mohamed Ali El-Baiomy. Accepted as poster presentation in ESMO Asia 2016. Abstract ID: 41P. Published in the ESMO Asia 2016 Congress Abstract Book, a supplement to the official ESMO journal Annals of Oncology. Submission i/d: #760.

-Influence of CYP3A5 and SLCO1 on Imatinib Response Among Egyptian Patients with Chronic Myeloid Leukemia in Chronic Phase. Blood 2016, vol. 128 no. 22 5135. Published only abstract online: December 1, 2016.

-ERCC1 Expression in Metastatic Triple Negative Breast Cancer Patients Treated with Platinum-Based Chemotherapy. EL Baiomy M.A.,

Maha I. El zaafarany, Wagdi F. Elkashef. *Asian Pac J Cancer Prev.* 2017 Feb 1;18(2):507-513.

-Prognostic Impact of Lymphoid Enhancer Factor 1 Expression and Serum Galectin.3 in Egyptian AML Patients.

Adv Hematol. 2019 Dec 18;2019:2352919.

-Thrombophilic Risk of Factor V Leiden, Prothrombin G20210A, MTHFR, and Calreticulin Mutations in Essential Thrombocythemia Egyptian Patients. *Adv Hematol.* 2020 Mar 30;2020:7695129.

-Prognostic Value of TLE1 Gene Expression in Patients with T-cell Acute Prevalence and impact of colony stimulating factor 3 receptor (CSF3R) mutations among Egyptian acute myeloid leukemia patients. Salah Aref, Mohamed El-Ghonemy, Tarek Abouzeid, Amr El-Sabbagh, Mohamed ElBaiomy. *Leukemia Research.* 2014 Jun;38(6):722-5. Epub 2014 Apr 1.

-Telomerase reverse transcriptase (TERT) A1062T mutation as a prognostic factor in Egyptian patients with acute myeloid leukemia (AML). Salah Aref, Mohamed El-Ghonemy, Tarek Abouzeid, Amr El-Sabbagh, Mohamed Ali ElBaiomy. *Med Oncol.* 2014 Sep;31(9):158. Epub 2014 Aug 10.

-Prevalence and Clinical Effect of IDH1 and IDH2 Mutations Among Cytogenetically Normal Acute Myeloid Leukemia Patients. Salah Aref, El Sayed Kamel Areida, Mohamed Fathy Abdel Aal, Ola Mohamed Adam, Mohamed Sabry El-Ghonemy, Mohamed Ali El-Baiomy, Tarek Abou Zeid. *Clin Lymphoma Myeloma Leuk.* 2015 Sep;15(9):550-5. Epub 2015 Jun 6.

-Mammographic breast density: Predictive value for pathological response to neoadjuvant chemotherapy in breast cancer patients. Shereef

Elsamany, Abdullah Alzahrani, Waleed Abozeed, Ayman Rasmy, Mian Farooq , M.A. Elbiomy , E. Rawah, Khalid Alsaleh, Nashwa Abdel-Aziz. *Breast*. 2015 Oct;24(5):576-81 Epub 2015 Jun 10.

-Role of CXCR4 and VLA-4 expression as prognostic markers in Egyptians acute lymphoblastic leukemia patients. Salah Aref, Mohamed Sabry ElGhonemy, Amr El-Sedik, Emad Azmy, El-Baiomy MA. *Ann Oncol* 2015; 26 (suppl_9): ix91. doi: 10.1093/annonc/mdv526.24. Was Accepted as a poster presentation in ESMO Asia 2015 (308P).

-Clinicopathologic Effect of DNMT3A Mutation in Adult T-Cell Acute Lymphoblastic Leukemia. Salah Aref, Nadia El Menshawy, Mohamed Sabry El-Ghonemy, Tarek Abou Zeid, Mohamed Ali El-Baiomy. *Clin Lymphoma Myeloma Leuk*. 2016 Jan;16(1):43-8 Epub 2015 Dec 1.

-Correlation of preoperative Ki67 and CA15.3 levels with the outcome in early breast cancer:.A multi institutional study. Ayman Rasmy, Waleed Abozeed, Shereef Elsamany, M El Baiomy, Nashwa Abdulaziz, A. Amrallah, Ehab Hasaan , Abdullah Alzahrani, Ahmad AlFaraj , Medhat Faris, Khalid Alsaleh. *Asian Pac J Cancer Prev*. 2016;17(7):3595-600.

-Diagnostic role of Golgi protein 73 and IL-17 in Egyptian cirrhotic rather than hepatocellular carcinoma patients. R. A. Nawaya, N. M. Abdel-Hamid, A. M. EL-Gayar, M. A. EL-Baiomy, N. M. El-Sherbiny, H. F. Ghazy. *Journal of Applied Pharmaceutical Science* Vol. 6 (08), pp. 006-012, August, 2016.

-Impact prognosis of cellular CD 69 expression with CD 38 in Egyptian Chronic lymphocytic leukemia. Salah Aref, Nadia El Menshawy, Mohamed Sabry El-Ghonemy, Mohamed Ali El-Baiomy. Accepted as poster presentation in ESMO Asia 2016. Abstract ID: 41P. Published in

the ESMO Asia 2016 Congress Abstract Book, a supplement to the official ESMO journal Annals of Oncology. Submission i/d: #760.

-Influence of CYP3A5 and SLCO1 on Imatinib Response Among Egyptian Patients with Chronic Myeloid Leukemia in Chronic Phase. Blood 2016, vol. 128 no. 22 5135. Published only abstract online: December 1, 2016.

-ERCC1 Expression in Metastatic Triple Negative Breast Cancer Patients Treated with Platinum-Based Chemotherapy. EL Baiomy M.A., Maha I. El zaafarany, Wagdi F. Elkashef. Asian Pac J Cancer Prev. 2017 Feb 1;18(2):507-513.

-Prognostic Impact of Lymphoid Enhancer Factor 1 Expression and Serum

Galectin.3 in Egyptian AML Patients. Adv Hematol. 2019 Dec 18;2019:2352919.

-Chemopreventive and hepatoprotective effects of Epigallocatechin-gallate against hepatocellular carcinoma: role of heparan sulfate proteoglycans pathway..MM Darweish, A Abbas, MA Ebrahim, MMH Al-Gayyar

Journal of Pharmacy and Pharmacology 66 (7), 1032-1045, 2014

-Hepatoprotective and anti-tumor effects of targeting MMP-9 in hepatocellular carcinoma and its relation to vascular invasion markers

MAF Elewa, MM Al-Gayyar, MF Schaalán, KHA El Galil, MA Ebrahim, ... Clinical & experimental metastasis 32 (5), 479-493, 2015

-Evaluation of antiglypican-3 therapy as a promising target for amelioration of hepatic tissue damage in hepatocellular carcinoma

RA Zaghloul, MM El-Shishtawy, KH Abd El Galil, MA Ebrahim, ...

European journal of pharmacology 746, 353-362, 2015

-Suramin inhibits hepatic tissue damage in hepatocellular carcinoma through deactivation of heparanase enzyme..A Tayel, KH Abd El Galil, MA Ebrahim, AS Ibrahim, AM El-Gayar, ...European journal of pharmacology 728, 151-160, 2014

-Association of MDR1 gene polymorphism (G2677T) with imatinib response in Egyptian chronic myeloid leukemia patients..DM Elghannam, L Ibrahim, MA Ebrahim, E Azmy, H Hakem Hematology 19 (3), 123-128, 2014

-Potential value of estrogen receptor beta expression in colorectal carcinoma: interaction with apoptotic index..HG Elbanna, MA Ebrahim, AM Abbas, K Zalata, MA Hashim...Journal of gastrointestinal cancer 43 (1), 56-62, 2012

-Prognostic value of lymph node ratio in node-positive breast cancer in Egyptian patients...TR Elkhodary, MA Ebrahim, EE Hatata, NA Niazzy
Journal of the Egyptian National Cancer Institute 26 (1), 31-35, 2014

-Galectin-3 and matrix metalloproteinase-9: perspective in management of hepatocellular carcinoma...NH Eisa, MA Ebrahim, M Ragab, LA Eissa, AM El-Gayar..Journal of Oncology Pharmacy Practice 21 (5), 323-330, 2015

-A phase II study of outpatient biweekly gemcitabine–oxaliplatin in advanced biliary tract carcinomas...A Halim, MA Ebrahim, Y Saleh...Japanese journal of clinical oncology 41 (2), 217-224, 2011

-Diagnostic and prognostic value of talin-1 and midkine as tumor markers in hepatocellular carcinoma in Egyptian patients...AH Mashaly, R Anwar, MA Ebrahim, LA Eissa, MM El Shishtawy...Asian Pacific journal of cancer prevention: APJCP 19 (6), 1503, 2018

-Validity of osteoprotegerin and receptor activator of NF- κ B ligand for the detection of bone metastasis in breast cancer...GA Elfar, MA Ebrahim, NM Elsherbiny, LA Eissa...Oncology research 25 (4), 641, 2017

-Clinical outcome of HCV-positive patients with diffuse large B-cell lymphoma treated with rituximab-based chemotherapy MA Salah-Eldin, MA Ebrahim, W El-Sadda...Annals of hematology 93 (11), 1903-1911, 2014

-Cytotoxic effects of suramin against HepG2 cells through activation of intrinsic apoptotic pathway...A Tayel, MA Ebrahim, AS Ibrahim, AM El-Gayar, MM Al-Gayyar...J BUON 19 (4), 1048-1054, 2014

-Nitric oxide is a potential diagnostic marker for hepatocellular carcinoma

LA Eissa, NH Eisa, MA Ebrahim, M Ragab, AM El-Gayar..Scientia pharmaceutica 81 (3), 763-776, 2013

-64 multidetector CT findings of influenza A (H1N1) virus in patients with hematologic malignancies...A El-Badrawy, A Zeidan, MA Ebrahim

Acta Radiologica, 2012

-Clinical significance of the TNF- α receptors, TNFRSF2 and TNFRSF9, on cell migration molecules Fascin-1 and Versican in acute leukemia...N El Kramani, NM Elsherbiny, AM El-Gayar, MA Ebrahim, MMH Al-Gayyar Cytokine 111, 523-529, 2018

-Phase II study of capecitabine plus cisplatin in patients with gastric cancer

MA Salah-Eldin, MA Ebrahim, MS Al-Ashry...Anti-cancer drugs 20 (3), 191-196, 2009

-Circulating adiponectin: a potential prognostic marker for hepatocellular carcinoma MEE Shams, MMH Al-Gayyar, EAME Barakat, MA Ebrahim, ...The Chinese-German Journal of Clinical Oncology 10 (10), 570-574, 2011 8

-Measuring serum levels of glycosaminoglycans for prediction and using viscum fraxini-2 for treatment of patients with hepatocellular carcinoma MMH Al-Gayyar, MA Ebrahim, MEE Shams journal of pharmacy research 7 (7), 571-575, 2013

-Risk management in Islamic financial institutions
M Ebrahim...Available at SSRN 2528463, 2011

-Cytotoxic effects of antiglypican-3 against HepG2 cell line
RA Zaghoul, MMH Al-Gayyar, MM El-Shishtawy, MA Ebrahim
Journal of Applied Pharmaceutical Science 3 (12), 31, 2013

-Circulating adiponectin in hepatocellular carcinoma: a possible risk factor for development and progression..MA Ebrahim, MEE Shams, MMH Al-Gayyar, MM El-Shishtawy...Eur J Clin Med Oncol 4 (4), 2012

-Prevalence and Prognostic Value of IDH1 R132 Mutation in Newly Diagnosed AML Egyptian Patients with Normal Karyotype..D Salem, SA El-Aziz, N El-Menshawy, T Abouzeid, MA Ebrahim..Indian Journal of Hematology and Blood Transfusion, 1-7, 2016

Colorectal Cancer Stem Cells: Relation to Clinico-pathological Features and Prognosis LEH Sameh Shamaa, Nadia Atwan*, Mohamed Abdel Wahab**, Tawfik El Khodary, M ... Journal of American Science 12 (1), 2016

-64 Multidetector CT with multiplanar reformation in evaluation of bilateral ovarian masses A El-Badrawy, E Omran, A Khater, M Awad, A Helal

The Egyptian Journal of Radiology and Nuclear Medicine 43 (2), 285-291, 2012

-Efficacy and safety of viscum fraxini-2 in advanced hepatocellular carcinoma: a phase II study..MA Ebrahim, HA El-Hadaad, OA Alemam, SA Keshta

The Chinese-German Journal of Clinical Oncology 9 (8), 452-458, 2010

-Dickkopf-1 and amphiregulin as novel biomarkers and potential therapeutic targets in hepatocellular carcinoma..AE Awad, MA Ebrahim, LA Eissa, MM El-Shishtawy..International journal of hematology-oncology and stem cell research 13 (3), 153, 2019 2

-Etiologic and Clinicopathological Correlates of Gastric Carcinoma in the Egyptian Delta..MF Akl, MA Ibrahim, A Khater, E El-Zahaf, K Farag, H Abdallah

Indian journal of surgical oncology 9 (4), 472-476, 2018

-Effect of polypropylene fiber addition on the flexural strength, fracture toughness, and hardness of heat-polymerized acrylic resin M Fahmi, M Ebrahim

EC Dent Sci 8 (3), 101-109, 2017

-Impact of cellular CD71 (transferrin receptor 1) expression in Egyptian acute leukemia: correlation with clinicopathologic features..N El-Menshawy, SM Abd-Aziz, MA Ebrahim, N El-Malky..Comparative Clinical Pathology 25 (3), 511-518, 2016

-Prognostic significance of FLT3 internal tandem duplication in egyptian patients with acute myeloid leukemia with normal or favorable risk cytogenetics.

D Shahin, R Aly, MA Ebrahim...The Egyptian journal of immunology 17 (2), 23-32, 2010

-Fucoidan ameliorates hepatocellular carcinoma induced in rats: effect on miR143 and inflammation..YM El-Far, AE Khodir, ZA Emarah, MA Ebrahim, MMH Al-Gayyar..Nutrition and Cancer 73 (8), 1498-1510, 2021

-Evaluation of the Diagnostic and Prognostic Value of Syndecan-1 in Acute Leukemia Patients R Alghandour, MA Ebrahim, H Ghazy, S Shamaa, Z Emarah, ...Cureus 12 (9), 2020

-Short dysfunctional telomere is highly predictive of dismal outcome in MDS but not in AML patients..N El Menshawy, S El Ashwah, MA Ebrahim

International journal of hematology-oncology and stem cell research 14 (3), 188, 2020

-Case report; meta-synchronous triple malignancy in primary diagnosed CML patient ...E Jamal, S El-Ashwah, MA Ebrahim, MMA Zaki, LM Saleh, A El-Badrawy, ... American journal of blood research 10 (2), 22, 2020

-Atypical Posterior Nutcracker Syndrome in a 17-Year-Old Male Without Hematuria..M Almuqamam, M Ebrahim, G Nassar, M Kaplan
Cureus 13 (8), 2021

-Repurposing metformin as anticancer drug: Randomized controlled trial in advanced prostate cancer (MANSMED)...R Alghandour, MA Ebrahim, AM Elshal, F Ghobrial, M Elzaafarany, ...

-Urologic Oncology: Seminars and Original Investigations, 2021

Impact of Steroid-Induced Diabetes on Prognosis of Patients with Aggressive Lymphoid Malignancies: A Prospective Study..AS Othman,

MA Salah-Eldin, MA Ebrahim, SM Abd EL-Aziz, AM Ramez..Research in Oncology 17 (1), 31-37, 2021

-TERT Genotype Polymorphism: A Glance of Change Egyptian MDS Outcomes N El Menshawy, S El-Ashwah, MA Ebrahim, MI Mortada, A Ramez, ...Asian Pacific Journal of Cancer Prevention: APJCP 22 (5), 1547, 2021

-Hyper-CVAD vs. BFM-Like Regimens in Adult Patients with Philadelphia-Negative Acute Lymphoblastic Leukemia: A Single-Center Experience

EMA Lasheen R, Ghobrial F, Awad ME...SECI Oncology 2, 70-75, 2021

-ABCL-014

DH Sakr, MW Fahmi, MA Ebrahim, TR El Khodary

Clinical Lymphoma, Myeloma & Leukemia, S260, 2020

-617MO Repurposing metformin as an anticancer drug: Preliminary results of randomized controlled trial in advanced prostate cancer (MANSMED)

R Alghandour, MA Ebrahim, AM Elshal, F Ghobrial, M Elzaafarany, ...

Annals of Oncology 31, S511, 2020

-ALL-394: Hyper-CVAD vs. BFM-Like Regimens in Adult Patients with Philadelphia-Negative Acute Lymphoblastic Leukemia: A Single-Center Experience... R Lasheen, F Ghobrial, M Elbaiomy, M Ebrahim..Clinical Lymphoma Myeloma and Leukemia 20, S172, 2020

-Gemcitabine and Docetaxel Protocol as Intent to Autologous Bone Marrow Transplantation in Patients with Refractory and Relapsed Non-Hodgkin Lymphoma: Single Institutional ...DH Sakr, MW Fahmi, MA Ebrahim, TR El Khodary...CLINICAL LYMPHOMA MYELOMA & LEUKEMIA 20, S260-S260, 2020

-Clinico-Epidemiological Study on Acute Promyelocytic Leukemia Among Egyptian Patients... R El-Ashwah, NA Niazy, MW Fahmi, DH Sakar, S El Ashwah, MA Ebrahim

-Clinical Lymphoma, Myeloma and Leukemia 19, S223-S224, 2019

Multiple Myeloma in HCV Infected Patients is Associated with Therapy Resistance and Adverse Prognosis with No Distinct Clinicopathologic Features

S El Ashwah, H Ghazy, S El-Ashwah, MA Ebrahim, T ElKhodary...Clinical Lymphoma, Myeloma and Leukemia 19, S330, 2019

-Short Dysfunctional Telomere is Highly Predictive of Dismal Outcome in MDS But not in AML Patients...SEA Nadia El Menshawy, Mohamed A. Ebrahim

The 24th Congress of Asia-Pacific Blood Marrow Transplantation 24,
PP-010, 2019

-Stridor as the First Presentation of Metastatic Breast Cancer that Was
Managed with Chemotherapy: a Case Report..A Khater, A El-Badrawy,
MA Ebrahim

Indian journal of surgical oncology 9 (3), 336-339, 2018

-Leukemia propagating cells in Philadelphia chromosome-positive ALL:
a resistant phenotype with an adverse prognosis..N El-Menshawy, SM
Abd-Aziz, EM Elkhamisy, MA Ebrahim..Blood research 53 (2), 138-
144, 2018

-Thioredoxin-1 and MMP-9 as biomarkers in breast cancer metastasis in
Egyptian female patients..ASGA El Salam, MA Ebrahim, LA Eissa,
MM El-Shishtawy...Egyptian Journal of Basic and Applied Sciences 5
(1), 63-68, 2018

-Outcome of Patients with Cervical and Vaginal Stump Carcinomas
Treated with More Conservative Surgical Approaches: a 9-Year
Experience of a Tertiary Oncology Center M Hegazy, A Khater, M
Awad, S Kotb, W Elnahas, S Roshdy, ...Indian Journal of Surgical
Oncology, 1-7, 2017

-Personalized Treatment of Advanced NonSmall Cell Lung Cancer Based on Excision Repair Cross Complementation Group1 (ERCC1) Expression MAE Naghi K.A., Shamaa S., Atwan N.ESMO Asian, Singapore 1 (2016), Abstract 842, 2016

-Hot saline thermoablation of peripheral non small cell lung cancer safety and efficacy; a feasibility study..MK El Badrawy, M El-Shafey, A Hewidy, M Tohlob, F Akl, M Ebrahim..European Respiratory Journal 48 (suppl 60), 2016

-Tumor Necrosis Factor Receptor 2: Its Clinical Significance and Clinicopathologic Correlation in acute leukemias N El Kramani, NM Elsherbiny, AM El-Gayar, MA Ebrahim, MMH Al-Gayyar..Journal of Applied Pharmaceutical Science 5 (11), 079-083, 2015

-Evaluation of pre-emptive mastectomy flap infiltration with bupivacaine adrenaline..A Khater, M Adel, M Awad, A Yassin, H Ghazy, M Gad, M Abozed

The Egyptian Journal of Surgery 34 (3), 177, 2015

-Evaluation of leukocytes tumor necrosis factor receptor 2 in acute leukemia patients|Evaluation of leukocytes tumor necrosis factor receptor 2 in acute leukemia patients..MMHAG NE Kramani, NM Elsherbiny, AM El-Gayar, MA Ebrahim..Clin Res Dev 2 (2), 115, 2015

-Association of ACE and ACE Genes Polymorphisms with Susceptibility to Hepatocellular Carcinoma in Egyptian HCV Patients..DEH Maha Houssen, Mohamed Al- Harass, Dina shahin , Shahira el etreby farag ...

Journal of Global Biosciences 4 (Number 5), 2393-2403, 2015

-Clinical Significance of Soluble CD27 in Chronic Lymphocytic Leukemia

MD Ebrahim, MD Shamaa..Journal of American Science 11 (9), 2015

Creating a Business Culture Based on Ethics M Ebrahim

A paper presented at the IICFIP at the Global Conference, 2014

-Serum IL-10 As a Predictive Marker of Response to Chemotherapy in Advanced Stage Hodgkin Lymphoma..NMA Allahloubi, TM Abdelhamid, SS Shamaa, H Abd El Ghaffar, ...Blood 124 (21), 1614, 2014

-Hepatic Toxicity and Outcome in Hcv-Positive Patients with Diffuse Large B-Cell Lymphoma..Treated with Rituximab-Based Chemotherapy..MS El Din, MA Ebrahim, W El-Sadda..Annals of Oncology 25, iv331, 2014

-957PHEPATIC TOXICITY AND OUTCOME IN HCV-POSITIVE PATIENTS WITH DIFFUSE LARGE B-CELL LYMPHOMA TREATED WITH RITUXIMAB-BASED CHEMOTHERAPY.EDM

Salah, MA Ebrahim, W El-Sadda..Annals of oncology: official journal of the European Society for Medical ..., 2014

-Vascular Endothelial Growth Factor and Interleukin-8 in Egyptian Hepatocellular Carcinoma Patients: Prognostic Value and Correlation With Clinical Feature

MA Ebrahim, MM El-Shishtawy, SM Hassoun EUROPEAN JOURNAL OF CLINICAL & MEDICAL ONCOLOGY, 2012

-Radiofrequency ablation for treatment of peripheral non operable non small cell lung cancer..MAE Adel El-Badrawy, Saleh El-Essawy, Mohamed Khairy, Amany Zeidan, Omaila Badr..The Egyptian Journal of Radiology and Nuclear Medicine 41 (2), 591-601, 2010

-Study of Selenium Concentration in Patients with Newly Diagnosed Non-Hodgkin's Lymphoma..MAH Salah-Eldin, MO Center, MI Esmaeel, MA Ebrahim

J. Med. Sci 8 (2), 125-130, 2008

-Low-dose versus standard-dose gemcitabine infusion and cisplatin for patients with advanced bladder cancer: a randomized phase II trial-an update. Haggag R, Farag K, Abu-Taleb F, Shamaa S, Zekri AR, Elbolkainy T, Khaled H. Med Oncol. 2014 Jan; 31(1):811. Doi: 10.1007/s12032-013-0811-5. Epub 2013 Dec 12.

-Hormone receptors and age distribution in breast cancer patients at a university hospital in northern Egypt. Hussein O, Mosbah M, Farouk O, Farag K, El-Saed A, Arafa M, Abdallah A. Breast Cancer (Auckl). 2013 Jun 12; 7:51-7. Doi: 10.4137/BCBCR.S12214. Print 2013.

- Treating the Unexpected: Metastatic Hepatomegaly Causing Severe Superior Vena Cava Obstruction; Review of the Literature. Dada R, Ahmad K, Zekri J. Clin Breast Cancer. 2015 Jan 19. Pii: S1526-8209(15)00019-1. doi:10.1016/j.clbc.2015.01.001.

-Acute jugular vein thrombosis during rituximab administration: Review of the literature. Dada R, Zekri J, Ramal B, Ahmad K. J Oncol Pharm Pract. 2014 Jul 24. Pii.

- Polymorphisms of glutathione S-transferase P1 and Toll-like receptors 2 and 9 and their association to breast cancer susceptibility. Mohammad F. Al-Harras, Maha

- Assessment of initial real life experience with Abiraterone Acetate in patients with castrate resistant prostate cancer: A retrospective study in Saudi Arabian patients. Rasha Haggag, Jamal Zekri, Kamel Farag. International Journal Of Advanced Research (2015), Volume 3, Issue 6,940-946.

-Safety and Efficacy of Biweekly Cetuximab Based Chemotherapy for Patients with Metastatic Colorectal Cancer. J. Zekri, K. Farag, R.

Haggag. Ann Oncol (2016) 27 (suppl 2): ii88. doi:
10.1093/annonc/mdw201.11

-Assessment of bone health in breast cancer patients starting adjuvant aromatase inhibitors: A quality improvement clinical audit. J. Zekri, K. Farag, Feb, 2016

- Hyponatremia in clinically euvolemic patients receiving chemotherapy for solid tumors. Dada R, Zekri J, Kamel Farag, Journal of Clinical Oncology, 2015 ASCO Annual Meeting

(May 29 - June 2, 2015). Vol 33, No 15_suppl (May 20 Supplement), 2015: e20700

-Matrix metalloproteinase-9 gene polymorphism in hepatocellular carcinoma patients with hepatitis B and C viruses. A El Samanoudy, Rehan Monir, Kamel Farag, S El Baz, A Badawy. Genetics and Molecular Research. DOI <http://dx.doi.org/10.4238/2014>.

-ASSOCIATION OF ACE AND ACE2 GENES POLYMORPHISMS WITH SUSCEPTABILITY TO HEPATOCELLULAR CARCINOMA IN EGYPTIAN HCV PATIENTS. Maha Houssen, M. Harras, Kamel Farg. Journal of Global Biosciences. Vol 4, Number 5, 2015. pp 2393-2403. ISSN 2320-1355.

-Metastatic Esophageal Carcinoma: Prognostic Factors and Survival..... Hayam Fathy Ghazy¹ · Hend Ahmed El- Hadaad² · Hanan Ahmed Wahba² · Ramy Abbas¹ · Osama A. Abbas.. Accepted: 10

February 2021 © Springer Science+Business Media, LLC, part of
Springer Nature 2021