

## Synthesis and biological evaluation of some new Thiazolo[3,2-a][1,3,5]triazine derivatives

Hamama, WS (Hamama, Wafaa S.)<sup>[1]</sup>; Ismail, MA (Ismail, Mohamed A.)<sup>[1]</sup>;  
Shaaban, S (Shaaban, Saad)<sup>[1]</sup>; Zoorob, HH (Zoorob, Hanafi H.)<sup>[1]</sup>

### Abstract

2-Iminothiazolidin-4-one (1) was utilized for the synthesis of several new thiazolo[3,2-a][1,3,5]triazine derivatives. 3-Phenyl-3,4-dihydro-2H-thiazolo[3,2-a][1,3,5]triazin-6(7H)-one (2) was prepared according to Mannich procedure. Both compounds 1 and 2 reacted with aromatic aldehydes to afford arylidene derivatives 3-7. Compounds 5-7 were obtained through another two routes of preparation, first when applying Mannich reaction to compounds 3 and 4 and second by reacting compounds 2 with activated olefins 11 catalyzed by triethylamine, also, the reaction of 2 with bis arylidene 16 afforded compound 18. Compound 2 reacted with both mono and di-aromatic diazonium salts to furnish 2-aryl-azothiazolo[3,2-a]triazines 20 and 21 or bis[2-azothiazolo[3,2-a]triazine]phenylene 22, respectively. Thiocarbamoyl derivatives 25 and 26 were prepared through the reaction of active methylene and imino group in 1 with phenylisothiocyanate and carbon disulfide, respectively. Structures confirmation, geometry, and biological evaluation were applied for the newly prepared compounds.

**Source:** MEDICINAL CHEMISTRY RESEARCH Volume: 21 Issue: 9 Pages: 2615-2623 DOI: 10.1007/s00044-011-9783-1 Published: SEP 2012

**Author Keywords:** Thiazolo[3,2-a][1,3,5] triazine; Claisen-Schmidt condensation; Mannich reaction; Antibacterial and antitumor evaluation

**KeyWords Plus:** CONVENIENT SYNTHESIS; AGENTS; DNA

Reprint Address: Hamama, WS (reprint author), Mansoura Univ, Fac Sci, Dept Chem, Mansoura 35516, Egypt.

### Addressees:

[ 1 ] Mansoura Univ, Fac Sci, Dept Chem, Mansoura 35516, Egypt

E-mail Address: [wshamama@yahoo.com](mailto:wshamama@yahoo.com)

Publisher: SPRINGER, 233 SPRING ST, NEW YORK, NY 10013 USA

Web of Science Categories: Chemistry, Medicinal

### References:

1. Chan D, Anderson A (2006) Towards species-specific antifolates. Curr Med Chem 13:377–398. <http://www.ncbi.nlm.nih.gov/pubmed/16475929>
2. Cruickshank R, Duguid JP, Marion BP, Swain RHA (1975) The practice of medicinal microbiology, vol. II, 12th edn. Churchill Livingstone, London, pp 196–202
3. Dolzhenko AV (2011) Synthetic routes towards thiazolo[1,3,5]triazines (Review). Heterocycles 83(4). [http://espace.library.curtin.edu.au:80/R?func=dbin-jump-full&local\\_base=gen01-era02&object\\_id=150650](http://espace.library.curtin.edu.au:80/R?func=dbin-jump-full&local_base=gen01-era02&object_id=150650)
4. Dolzhenko AV, Chui W-K (2006) Synthesis of 2-amino-S-triazino[1,2-a]benzimidazoles as potential antifolates from 2-guanidino- and 2-guanidino-5-methylbenzimidazoles. J Heterocycl Chem 43:95–100. doi:10.1002/jhet.5570430115 [CrossRef](#)
5. Freeman HS, Esancy JF (1991) Colour chemistry. Elsevier, London

6. Gangjee A, Jain HD, Kurup S (2007) Recent advances in classical and non-classical antifolates as antitumor and antiopportunistic infection agents: part I. *Anticancer Agents Med Chem* 7:524–542.  
<http://www.ncbi.nlm.nih.gov/pubmed/17896913>
7. Hamama WS, Abd El-Magid OM, Zoorob HH (2006) Synthetic entry to tricyclic and tetracyclic quinuclidine derivatives by cycloaddition and ring transformation. *Z Naturforsch* 61b:93–100
8. Kalkhambkar RG, Kulkarni GM, Shivkumar H, Rao RN, Kamanavalli CM, Kadakol JC (2009) Synthetic and biological studies on mono- and bis-methylene-bridged heterocyclic sulfides and sulfones of carbostyryls. *J Sulfur Chem* 30:596–610. doi:10.1080/17415990903191745
9. Kamdar NR, Haveliwala DD, Mistry PT, Patel SK (2010) Synthesis and evaluation of in vitro antitubercular activity and antimicrobial activity of some novel 4H-chromeno[2,3-d]pyrimidine via 2-amino-4-phenyl-4H-chromene-3-carbonitriles. *Med Chem Res* (online). doi:10.1007/s00044-010-9399-x
10. Kompis IM, Islam K, Then RL (2005) DNA and RNA synthesis: antifolates. *Chem Rev* 105:593–620. doi:10.1021/cr0301144
11. Kusch P, Deininger S, Specht S, Maniako R, Haubrich S, Pommerening T, Lin PKT, Hoerauf A, Kaiser A (2011) In vitro and in vivo antimalarial activity assays of seeds from balanites aegyptiaca: compounds of the extract show growth inhibition and activity against plasmodial aminopeptidase. *J Parasitology Res.* 2011:ID 368692. doi:10.1155/2011/368692
12. Labouta IM, Eshba NH, Salama HM (2011) Synthesis of some substituted triazolo[4,3-b][1,2,4]triazines as potential anticancer agents. *Monat Chem* 119:591–596
13. Lin Y-I, Lang SA Jr (1980) New synthesis of isoxazoles and isothiazoles. A convenient synthesis of thioenaminones from enaminones. *J Org Chem* 45:4857–4860. doi:10.1021/jo01312a011
14. Moghaddam FM, Hojabri L (2007) A novel synthesis of some 2-imino-4-thiazolidinone derivatives. *J Heterocycl Chem* 44:35–38. doi:10.1002/jhet.5570440106
15. Mulwad VV, Chaskar AC (2006) Synthesis and antibacterial activity of new oxadiazolo[1,3,5]-triazine, 1,2,4-triazolo and thiadiazolo 1,3,4-oxadiazole derivatives. *Indian J Chem* 45B:1710–1715
16. Ramsh SM, Ginak AI, Smorygo NA, Basova YuG, Sochilin EG (1978) Structure and dual reactivity of 2-phenylpemoline. *Zh Org Khim* 14:1327–1332
17. Ramsh SM, Basova YuG, Ginak AI, Smorygo NA, Rodin AA (1982) 2-Amino-Δ2-thiazolin-4-ones in acylation reactions. *Chem Heterocycl Comp* 18:24–28
18. Ramsh SM, Solov'eva SYu, Ginak AI (1983) Structure of methylated derivatives of 2-imino-5-benzylidene-4-thiazolidinone. *Chem Heterocycl Comp* 19:608–610
19. Saeed S, Rashid N, Jones PG, Yunas U (2010) 2-substituted 4H-[1,3]thiazolo[3,2-a][1,3,5]triazine-4-thiones: synthesis, crystal structure, and antifungal activity. *J Heterocycl Chem* 47:908–912
20. Sathiakumar N, MacLennan PA, Mandel J, Delzell E (2011) A review of epidemiologic studies of triazine herbicides and cancer. *Crit Rev Toxicol* 41:1–34
21. Selic L, Stanovnik B (2001) Dimethylamine substitution in *N,N*-dimethyl

- enamines. Synthesis of aplysinopsin analogues and 3-aminotetrahydrocoumarin derivatives. *Tetrahedron* 57:3159–3164. doi:10.1016/S0040-4020(01)00174-0
22. Sherif SM, Youssef MM, Mobarak KM, Abdel-Fattah A-SM (1993) A convenient synthesis of thiazolopyrimidines, thiazolodipyrimidines and heterocyclothiazolopyrimidines. *Tetrahedron* 49:9561–9572. doi:10.1016/S0040-4020(01)80225-8
23. Shiba SA, El Khamry AA, Shaban ME, Atia KS (1997) Synthesis and antimicrobial of some bis-quinazoline derivatives. *Pharmazie* 52:189–194.
24. Smolin E M, Rapopret L (1954) S-triazine and derivatives interscience. New York
25. Solov'eva-Yavits SYu, Ramsh SM, Ginak AI (1981) Study of the reactivity and tautomerism of azolidines. 2-Iminothiazolidin-4-one in a Mannich reaction. *Khim. Geterotsiklichesikh Soedinenii* 4:477–480, CA (1981) 95:480900
26. Solov'eva-Yavits SYu, Ramsh SM, Ginak AI (1980) Hydroxymethylation and aminomethylation of 2-imino-5-arylidenethiazolidin-4-ones. *Chem Heterocycl Comp* 16:718–721
27. Solov'eva-Yavits SYu, Ramsh SM, Ginak AI (1981) Investigation of the reactivities and tautomerism of azolidines. 2-Iminothiazolidin-4-one in the Mannich reaction. *Chem Heterocycl Comp* 17:340–343
28. Toyoda T, Brobey RK, Sano G, Horii T, Tomioka N, Itai A (1997) Lead discovery of inhibitors of the dihydrofolate reductase domain of *Plasmodium falciparum* dihydrofolate reductase-thymidylate synthase. *Biochem Biophys Res Commun* 235:515–519. doi:10.1006/bbrc.1997.6814
29. Wang T, Bing G, Zhang X, Qin Z, Yu H, Qin X, Dai H, Miao W, Wu S, Fang J (2010) Synthesis and herbicidal activities of 2-cyano-3-benzylaminoacrylates containing thiazole moiety. *Bioorg Med Chem Lett* 20:3348–3351. doi:10.1016/j.bmcl.2010.04.027
30. Yoshioka H, Mori Y, Shimizu M (2003) Separation and recovery of DNA fragments by electrophoresis through a thermoreversible hydrogel composed of poly(ethylene oxide) and poly(propylene oxide). *Analytical Biochem* 323:218–223. doi:10.1016/j.ab.2003.09.010
31. Zhou WC, Xin ZM, Zhang XP, Shen J, Qiu QP (1996) Synthesis and antiprotozoal activities of some new triazine derivatives including a new antitrypanosomal agent: SIPI-1029. *Yao Xue Xue Bao* 31:823–830
32. Zoorob HH, Abou Elzahab M, Abdel-Mogib M, Ismail MA, Abdel-Hamid M (1997) 1,3-Dimethylpyrimidoheterocycles as antibacterial agents. *Arzneim Forsch* 47:958–962
33. Zoorob HH, Ismail MA, Strekowski L (2001) Synthesis of 5-(functionalized acyl)-1,3-dialkyl-substituted barbituric and 2-thiobarbituric acids. *J Heterocycl Chem* 38:359–363. doi:10.1002/jhet.5570380207

# Synthesis, antitumor and antioxidant evaluation of some new thiazole and thiophene derivatives incorporated coumarin moiety

Gouda, MA(Gouda, Moustafa A.)<sup>[1]</sup>; Berghot, MA(Berghot, Moged A.)<sup>[1]</sup>; Baz, EA(Baz, Eman A.)<sup>[1]</sup>; Hamama, WS(Hamama, Wafaa S.)<sup>[1]</sup>

## Abstract

3-Acetylcoumarin (1) was utilized as a key intermediate for the synthesis of 2-aminothiazole derivative 3 via bromination of 1 followed by treatment of the formed acetyl bromide 2 with thiourea or via Bignailli reaction of 1. Treatment of 3 with 2 afforded the bis-coumarin 4, whereas, cyanoacetylation of 3 followed by treatment of the formed cyanoacetamide 6 with salicyaldehyde give the bis-coumarin 7. Reaction of 6 with phenyl isothiocyanate in DMF/KOH produced the potassium salt 8, which cyclized with chloroacetyl chloride to give the thiazolidinone 9. Acidification of 8 with HCl afforded the thiocarbamoyl 10, which condensed with 2 in DMF to give the mercapto derivative 12, whereas in DMF/TEA gave the thiophene derivative 13. The thiophenes 15a-c were achieved via treatment of the thiocarbamoyls 14a-c with 2 in DMF/TEA, whereas, in DMF gave the corresponding thiazoles 16a-c. Treatment of the components 17a, b with carbon disulfide in DMF/KOH followed by addition of 2 afforded the dithioacetals 19a, b. Cyclization of 19b under alkaline condition gave the desired thiophene 20. Representative compounds of the synthesized products were evaluated as antitumor and antioxidant agents.

3-Acetylcoumarin (1) was utilized as a key intermediate for the synthesis of different coumarin derivatives. Newly synthesized compounds were elucidated by analytical and spectral data. Representative compounds of the synthesized products were evaluated as antitumor and antioxidant agents.

**Source:** MEDICINAL CHEMISTRY RESEARCH Volume: 21 Issue: 7 Pages: 1062-1070 DOI: 10.1007/s00044-011-9610-8 Published: JUL 2012

**Author Keywords:** Coumarin; Synthesis; Antitumor; Antioxidant activities

**KeyWords Plus:** ANTIMICROBIAL ACTIVITY

**Reprint Address:** Gouda, MA (reprint author), Mansoura Univ, Fac Sci, Dept Chem, Mansoura 35516, Egypt.

Addresses:

[ 1 ] Mansoura Univ, Fac Sci, Dept Chem, Mansoura 35516, Egypt

E-mail Address: [dr\\_mostafa\\_chem@yahoo.com](mailto:dr_mostafa_chem@yahoo.com)

Publisher: BIRKHAUSER BOSTON INC, 675 MASSACHUSETTS AVE, CAMBRIDGE, MA 02139 USA

Web of Science Categories: Chemistry, Medicinal

Research Areas: Pharmacology & Pharmacy

## References:

1. Abu-Hashem AA, Gouda MA, Badria FA (2010) Synthesis of some new pyrimido[2',1':2,3]thiazolo[4,5-b]quinoxaline derivatives as anti-inflammatory and analgesic agents. *Eur J Med Chem* 45:1976–1981.  
doi:10.1016/j.ejmech.2010.01.042
2. Anderson DM, Shelley S, Crick N, Buraglio M (2002) No effect of the novel antidiabetic agent nateglinide on the pharmacokinetics and anticoagulant

- properties of warfarin in healthy volunteers. *J Clin Pharmacol* 42: 1358–1365.
- 3. Augustin M, Doelling W (1982) Reaction of phenylisothiocyanate with  $\alpha$ -hetaryl nitriles and ketones. *J Prakt Chem* 324:322–328
  - 4. Dawood KM, Kandeel ZE, Farag AM (1998) *J Chem Res Synop* 4:208–209
  - 5. Dieter RK (1986)  $\alpha$ -Oxo ketene dithioacetals and related compounds: versatile three-carbon synthons. *Tetrahedron* 42:3029–3096. doi:10.1016/S0040-4020(01)87376-2
  - 6. El-Desoky SI, Etman HA, Bondock SB, Fadda AA, Metwally MA (2002) Utility of isothiocyanates in heterocyclic synthesis. *Sulfur Lett* 25:199–205. doi:10.1080/02786110214496
  - 7. Gorobets NY, Yousefi BH, Belaj F, Kappe CO (2004) Rapid microwave-assisted solution phase synthesis of substituted 2-pyridone libraries. *Tetrahedron* 60:8633–8644. doi:10.1016/j.tet.2004.05.100
  - 8. Gouda MA, Berghot MA, Abd El-Ghani GE, Khalil AM (2010) Synthesis and antimicrobial activities of some new thiazole and pyrazole derivatives based on 4,5,6,7-tetrahydrobenzothiophene moiety. *Eur J Med Chem* 45:1338–1345. doi:10.1016/j.ejmech.2009.12.020
  - 9. Gürsoy A, Karali N (2003) Synthesis, characterization and primary antituberculosis activity evaluation of 4-(3-coumarinyl)-3-benzyl-4-thiazolin-2-one Benzylidenehydrazones. *Turk J Chem* 27: 545–552.
  - 10. Habib NS, Khali MA (1984) Synthesis and antimicrobial activity of novel quinazolone derivatives. *J Pharm Sci* 73:982–985. doi:10.1002/jps.2600730731
  - 11. Hauser CR, Reynolds GA (1948) Reactions of  $\beta$ -keto esters with aromatic amines: syntheses of 2- and 4-hydroxyquinoline derivatives. *J Am Chem Soc* 70:2402–2404. doi:10.1021/ja01187a025
  - 12. Junjappa H, Ila H, Asokan CV (1990)  $\alpha$ -Oxoketene-S,S-, N,S- and N,N-acetals: versatile intermediates in organic synthesis. *Tetrahedron* 46:5423–5506. doi:10.1016/S0040-4020(01)87748-6
  - 13. Karrer K, Rubini JR (1965) On the fate of labelled ehrlich ascites cells in mice, an autoradiographic study using  $^{3}\text{H}$  thymidine. *Medicina et Pharmacologia* 13:124–130. doi:10.1159/000135602
  - 14. Khalil AM, Berghot MA, Gouda MA (2009a) Synthesis and antibacterial activity of some new thiazole and thiophene derivatives. *Eur J Med Chem* 44:4434–4440. doi:10.1016/j.ejmech.2009.06.002
  - 15. Khalil AM, Berghot MA, Gouda MA (2009b) Synthesis and antibacterial activity of some new heterocycles incorporating phthalazine. *Eur J Med Chem* 44:4448–4454. doi:10.1016/j.ejmech.2009.06.003
  - 16. Khalil AM, Berghot MA, Gouda MA, Abd El-Ghani GE (2010a) Synthesis and antimicrobial evaluation of some new thiophene derivatives. *Synthetic Commun* 40:1658–1669. doi:10.1080/00397910903161652
  - 17. Khalil AM, Berghot MA, Gouda MA, Shoeib AI (2010b) Synthesis and antimicrobial of certain new thiazolidinone, thiazoline, and thiophene derivatives. *Phosphorus Sulfur Silicon* 185:1455–1462. doi:10.1080/10426500903074858
  - 18. Koelsch CF (1950) Bromination of 3-Acetocoumarin. *J Am Chem Soc* 72(7):2993–2995. doi:10.1021/ja01163a053
  - 19. Lafitte D, Lamour V, Tsvetkov PO, Makarov AA, Klich M, Deprez P, Moras D, Briand C, Gilli R (2002) DNA gyrase interaction with coumarin-based inhibitors: the role of the hydroxybenzoate isopentenyl moiety and the 5'-

- methyl group of the noviose. *Biochemistry Biochem* 41: 7217–7223.
- 20. Lissi EA, Modak B, Torres R, Escobar J, Urzua A (1999) Total antioxidant potential of resinous exudates from *Heliotropium* species, and a comparison of the ABTS and DPPH methods. *Free Rad Res* 30:471–477
  - 21. Mitscher LA (2002) Principles of medicinal chemistry. In: Foye WO, Lemke TL, Williams DA 5th edn. Williams and Wilkins, Baltimore, pp 819–864
  - 22. Mukerjee AK, Ashare R (1991) Isothiocyanates in the chemistry of heterocycles. *Chem Rev* 91(1):1–24. doi:10.1021/cr00001a001
  - 23. Nofal ZM, Fahmy HH, Mohamed HS (2002) Synthesis and antimicrobial activity of new substituted anilinobenzimidazoles. *Arch Pharmacal Res* 25(3):250–257. doi:10.1007/BF02976622
  - 24. Rinehart KL Jr, Forbis RM (1970) Nybomycin. IV. Total synthesis of deoxynybomycin. *J Am Chem Soc* 92(23):6995–6996. doi:10.1021/ja00726a061
  - 25. Russo F, Romeo G, Santagati NA, Caruso A, Cutuli V, Amore D (1994) Synthesis of new thienopyrimidobenzothiazoles and thienopyrimidobenzoxazoles with analgesic and antiinflammatory properties. *Eur J Med Chem* 29:569–578. doi:10.1016/0223-5234(94)90149-X
  - 26. Siddiqui N, Arshad MF, Khan SA (2009) Synthesis of some new coumarin incorporated thiazolyl semicarbazones as anticonvulsants. *Acta Pol Pharm* 66(2):161–167
  - 27. Stone WB, Okoniewski JC, Stedelin JR (1999) Poisoning of wildlife with anticoagulant rodenticides in New York. *J Wildl Dis* 35: 187–193.
  - 28. Tassies D, Freire C, Pijoan J, Maragall S, Monteagudo J, Ordinas A, Reverter JC (2002) Pharmacogenetics of acenocoumarol: cytochrome P450 CYP2C9 polymorphisms influence dose requirements and stability of anticoagulation. *Haematologica* 87: 1185–1191.
  - 29. Weber US, Steffen B, Siegers C (1998) Antitumor activities of coumarin, 7-hydroxy-coumarin and its glucuronide in several human tumor cell lines. *Res Commun Mol Pathol Pharmacol* 99:193–206
  - 30. Weick J, Thorn RS (2002) Effects of acute sublethal exposure to coumaphos or diazinon on acquisition and discrimination of odor stimuli in the honey bee (Hymenoptera: Apidae). *J Econ Entomol* 95:227–236. doi:10.1603/0022-0493-95.2.227

# **Efficient Regioselective Synthesis and Potential Antitumor Evaluation of Isoxazolo[5,4-b]pyridines and Related Annulated Compounds**

Hamama, WS (Hamama, Wafaa S.)<sup>[1]</sup>; Ibrahim, ME (Ibrahim, Mona E.)<sup>[1]</sup>;  
Zoorob, HH (Zoorob, Hanafi H.)<sup>[1]</sup>

## **Abstract**

The reaction of 5-amino-3-methylisoxazole with appropriate alpha,beta-unsaturated ketones gave the corresponding isoxazolo[5,4-b]pyridines. Treatment of 1 with 2,6-dibenzylidenecyclohexanone or 2-benzylidenedimedone afforded the corresponding isoxazolo[5,4-b]quinoline derivatives. 4,6,8,9-Tetrahydroisoxazolo[5,4-b]quinolin-5-one derivative was also obtained by multicomponent condensation reaction of 1 with dimedone and benzaldehyde. Heterocyclic annulation of the isoxazolo[5,4-b]pyridine system was achieved via reaction of 1 with benzylidene derivatives of indandione, quinuclidone, pyrazolone, and oxazolone. A representative of some newly synthesized compounds was evaluated as antitumor agents.

**Source:** ARCHIV DER PHARMAZIE Volume: 345 Issue: 6 Pages: 468-475 DOI: 10.1002/ardp.201100258 Published: JUN 2012

**Author Keywords:** Annulation; Antitumor activity (in vitro); Biselectrophiles; Isoxazole; Regioselective

**KeyWords Plus:** HUMAN-PAPILLOMAVIRUS TYPE-11; MELDRUMS ACID; DERIVATIVES; INHIBITORS; SERIES

Reprint Address: Hamama, WS (reprint author), Mansoura Univ, Fac Sci, Dept Chem, El Gomhoria St, Mansoura 35516, Egypt.

**Addresses:**

[ 1 ] Mansoura Univ, Fac Sci, Dept Chem, Mansoura 35516, Egypt

E-mail Address: [wshamama@yahoo.com](mailto:wshamama@yahoo.com)

Publisher: WILEY-VCH VERLAG GMBH, BOSCHSTRASSE 12, D-69469 WEINHEIM, GERMANY

Web of Science Categories: Chemistry, Medicinal; Chemistry, Multidisciplinary; Pharmacology & Pharmacy

Research Areas: Pharmacology & Pharmacy; Chemistry

## **References:**

1-V. A. Chebanov, K. A. Gura, S. M. Desenko, *Top. Heterocycl. Chem.* 2010, 23, 41–84.

2-V. A. Chebanov, S. M. Desenko, *Curr. Org. Chem.* 2006, 10, 297–317.

3-V. V. Lipson, S. M. Desenko, M. G. Shirobokova, V. V. Borodina, *Chem. Heterocycl. Compd. (Engl. Transl.)* 2003, 39, 1213–1217.

4-S. M. Desenko, V. D. Orlov, N. V. Getmanskii, O. V. Shishkin, S. V. Lindeman, Y. T. Struchkov, *Chem. Heterocycl. Compd. (Engl. Transl.)* 1993, 29, 406–410.

5-K. Wermann, M. Hartman, *Synthesis* 1991, 189–191.

- 6 -S. M. Desenko, V. D. Orlov, N. V. Getmanskii, O. V. Shishkin, S. V. Lindeman, Y. T. Struchkov, *Dokl. Akad. Nauk* 1992, 324, 801.
- 7 -T. Yamamori, Y. Hiramatu, K. Sakai, I. Adachi, *Tetrahedron* 1985, 41, 913– 917.
- 8- C. Yoakim, W. W. Ogilvie, N. Goudreau, J. Naud, B. Hache, J. A. O'Meara, M. G. Cordingley, J. Archambault, P. W. White, *Bioorg. Med. Chem. Lett.* 2003, 13, 2539– 2541.
- 9 -N. Goudreau, D. R. Cameron, R. Deziel, B. Hache, A. Jakalian, E. Malenfant, J. Naud, W. W. Ogilvie, J. O'Meara, P. W. White, C. Yoakim, *Bioorg. Med. Chem.* 2007, 15, 2690– 2700.
- 10 -Y. A. El-Ossaily, *Phosphorus, Sulfur Silicon* 2007, 182, 1109– 1117.
- 11-M. Suzuki, H. Iwasaki, Y. Fujikawa, M. Sakashita, M. Kitahara, R. Sakoda, *Bioorg. Med. Chem. Lett.* 2001, 11, 1285– 1288.
- 12-J. Quiroga, A. Hormaza, B. Insuasty, M. Nogueras, A. Sanchez, N. Hanold, H. Meier, *J. Heterocycl. Chem.* 1997, 34, 521– 524.
- 13-J. Quiroga, A. Hormaza, B. Insuasty, C. Saitz, A. Cañete, C. Jullian, *J. Heterocycl. Chem.* 1998, 35, 409– 412.
- 14-F. Shi, J. Zhang, S. Tu, R. Jia, Y. Zhang, B. Jiang, H. Jiang, *J. Heterocycl. Chem.* 2007, 44, 1013– 1017.
- 15-S.-J. Tu, X.-H. Zhang, Z.-G. Han, X.-D. Cao, S.-S. Wu, S. Yan, W.-J. Hao, G. Zhang, N. Ma, *J. Comb. Chem.* 2009, 11, 428– 432.
- 16 -H. McNab, *Chem. Soc. Rev.* 1978, 7, 345– 358.
- 17-R. F. C. Brown, F. W. Eastwood, K. J. Harrington, *Aust. J. Chem.* 1974, 27, 2373– 2384.
- 18-S. Claudio, J. Carolina, C. Alvaro, *J. Heterocycl. Chem.* 1998, 35, 61– 64.
- 19-J. Quiroga, A. Hormaza, B. Insuasty, A. J. Ortiz, A. Sanchez, M. Nogueras, *J. Heterocycl. Chem.* 1998, 35, 231– 233;
- b-P. Sauerberg, P. H. Olesen, US patent 1996, 5,527,813; *Chem. Abstr.* **1996**, 125, 167989r.
- 20 -N. Dashora, V. Sodde, J. Bhagat, K. S. Prabhu, R. Lobo, *Pharm. Crops* 2011, 2, 1– 7.
- 21-E. Lukevics, L. Ignatovich, I. Shestakova, *Appl. Organomet. Chem.* 2003, 17, 898– 905.

- 22-*E. M. Perchellet, M. M. Ward, A.-L. Skaltsounis, I. K. Kostakis, N. Pouli, P. Marakos, J.-P. H. Perchellet, Anticancer Res. 2006, 26, 2791– 2804.*
- 23-*S. H. L. Kok, R. Gambari, C. H. Chui, M. C. W. Yuen, E. Lin, R. S. M. Wong, F. Y. Lau, G. Y. M. Cheng, W. S. Lam, S. H. Chan, K. H. Lam, C. H. Cheng, P. B. S. Lai, M. W. Y. Yu, F. Cheung, J. C. O. Tang, A. S. C. Chan, Bioorg. Med. Chem. 2008, 16, 3626– 3631.*
- 24-*H. Weinmann, E. Ottow, Comprehensive Med. Chem. II 2007, 7, 221– 251.*
- 25-*N. Annan, R. Paris, F. Jordan, J. Am. Chem. Soc. 1989, 111, 8895– 8901.*
- 26-*M. L. Deb, P. J. Bhuyan, Tetrahedron Lett. 2005, 46, 6453– 6456.*
- 27-*K. R. Sheeja, G. Kuttan, R. Kuttan,*

## Synthesis and Characterization via Molecular Quantum Parameters of 2H-Thiazolo[3,2-a]pyrimidine-3,5,7(6H)-trione

Hamama, WS (Hamama, Wafaa S.)<sup>[1]</sup>; Ismail, MA (Ismail, Mohamed A.)<sup>[1]</sup>;  
Soliman, MS (Soliman, Mamdouh S.)<sup>[1]</sup>; Shaaban, S (Shaaban, Saad)<sup>[1]</sup>; Zoorob,  
HH (Zoorob, Hanafi H.)<sup>[1]</sup>

### Abstract

2H-Thiazolo[3,2-a]pyrimidine-3,5,7(6H)-trione (2) was synthesized and characterized via molecular quantum parameters using the PM3-semiempirical MO method. This is considered the only route not previously reported in the literature to synthesize compound 2 from 2-imino-4-thiazolidinone (1).

**Source:** JOURNAL OF HETEROCYCLIC CHEMISTRY Volume: 49 Issue: 3 Pages: 494-498 DOI: 10.1002/jhet.746 Published: MAY 2012

**KeyWords Plus:** BIOLOGICAL-ACTIVITY; INHIBITORS; THIAZOLIDIN-4-ONES; DERIVATIVES; ANTAGONISTS; HYDRAZIDE; THIAZOLES; AGENTS; ACID; HIV

Reprint Address: Hamama, WS (reprint author), Mansoura Univ, Fac Sci, Dept Chem, Mansoura, Egypt.

Addresses:

[ 1 ] Mansoura Univ, Fac Sci, Dept Chem, Mansoura, Egypt

E-mail Address: [wshamama@yahoo.com](mailto:wshamama@yahoo.com)

**Publisher:** WILEY-BLACKWELL, 111 RIVER ST, HOBOKEN 07030-5774, NJ USA

Web of Science Categories: Chemistry, Organic

**Research Areas:** Chemistry

**References:**

Title: THIAZOLO[3,2-A]PYRIMIDINE DERIVATIVES AS CALCIUM-ANTAGONISTS

Author(s): BALKAN, A; UMA, S; ERTAN, M; et al.

Source: PHARMAZIE Volume: 47 Issue: 9 Pages: 687-688 Published: SEP 1992

2. Title: Synthesis and anti-HIV studies of 2-and 3-adamantyl-substituted thiazolidin-4-ones

Author(s): Balzarini, Jan; Orzeszko-Krzesinska, Barbara; Maurin, Jan K.; et al.

Source: EUROPEAN JOURNAL OF MEDICINAL CHEMISTRY Volume: 44

Issue: 1 Pages: 303-311 DOI: 10.1016/j.ejmech.2008.02.039 Published: JAN 2009

3. Title: [not available]

Author(s): Bouzroura, S.; Bentarzi, Y.; Kaoua, R.; et al; Nedjar-Kolli, B.; Poulain-Martini, S.; Dunach, E.

Source: Org Commun Volume: 3 Pages: 8 Published: 2010

4. Title: Azoles and azines: CXIX.(1) - Alkylation of 5,5'-(4-nitrobenzylidene)bis(2-thiobarbituric acid and 5-(4-nitrophenyl)-2,8-dithioxo-5,7,8,9-tetrahydro-2H-pyrano[2,3-d : 6,5-d']dipyrimidine-4,6(1H,3H)-dione with haloacetic acids and their esters

Author(s): Fedorova, EV; Meshcheryakov, MP; Ganina, MB; et al.

Source: RUSSIAN JOURNAL OF GENERAL CHEMISTRY Volume: 74 Issue: 1 Pages: 128-133 DOI: 10.1023/B:RUGC.0000025180.58032.54 Published: JAN

2004

5. Title: Synthesis of 6-substituted 7-aryl-5,6-dihdropyrido[2,3-d]pyrimidine(1H,3H)-2,4-diones using the Vilsmeier reaction  
Author(s): Girreser, U; Heber, D; Schutt, M  
Source: TETRAHEDRON Volume: 60 Issue: 50 Pages: 11511-11517 DOI: 10.1016/j.tet.2004.09.075 Published: DEC 6 2004
6. Title: THIAZOLINONE ANALOGS OF INDOLMYCIN WITH ANTI-VIRAL AND ANTIBACTERIAL ACTIVITY (View record in MEDLINE)  
Author(s): HARNDEN, MR; BAILEY, S; BOYD, MR; et al.  
Source: JOURNAL OF MEDICINAL CHEMISTRY Volume: 21 Issue: 1 Pages: 82-87 DOI: 10.1021/jm00199a015 Published: 1978
7. Title: A novel class of inhibitors of peptide deformylase discovered through high-throughput screening and virtual ligand screening  
Author(s): Howard, MH; Cenizal, T; Gutteridge, S; et al.  
Source: JOURNAL OF MEDICINAL CHEMISTRY Volume: 47 Issue: 27 Pages: 6669-6672 DOI: 10.1021/jm049222o Published: DEC 30 2004
8. Title: The glitazone family of antidiabetic agents  
Author(s): Hulin, B; McCarthy, PA; Gibbs, EM  
Source: CURRENT PHARMACEUTICAL DESIGN Volume: 2 Issue: 1 Pages: 85-102 Published: FEB 1996
9. Title: Slow-binding inhibition of human prostaglandin endoperoxide synthase-2 with darbufelone, an isoform-selective antiinflammatory di-tert-butyl phenol  
Author(s): Johnson, AR; Marletta, MA; Dyer, RD  
Source: BIOCHEMISTRY Volume: 40 Issue: 25 Pages: 7736-7745 DOI: 10.1021/bi002343f Published: JUN 26 2001
10. Title: [not available]  
Author(s): Kochkanyan, R.O.; Zaritovskii, A.N.; Israelyan, Yu. A.  
Source: Chem Heterocycl Comp Volume: 14 Pages: 70 DOI: 10.1007/BF00635948 Published: 1978
11. Title: Synthesis and biological activity of 4-thiazolidinones, thiosemicarbazides derived from diflunisal hydrazide  
Author(s): Kucukguzel, G; Kocatepe, A; De Clercq, E; et al.  
Source: EUROPEAN JOURNAL OF MEDICINAL CHEMISTRY Volume: 41 Issue: 3 Pages: 353-359 DOI: 10.1016/j.ejmech.2005.11.005 Published: MAR 2006
12. Title: [not available]  
Author(s): Kurbanova, M. M.  
Source: Zh Org Khim Volume: 42 Pages: 1871 Published: 2006
13. Title: [not available] Patent Number: JP 62169793  
Inventor/Assignee: Mishina, T.; Tsuda, N.; Inui, A.; et al; Miura, Y.  
Source: Jpn Kokai Tokkyo Koho Published: 1987
14. Title: A regiospecific three-component one-step cyclocondensation to 6-cyano-5,8-dihdropyrido[2,3-d]pyrimidin-4(3H)-ones using microwaves under solvent-free conditions  
Author(s): Quiroga, J; Cisneros, C; Insuasty, B; et al.  
Source: TETRAHEDRON LETTERS Volume: 42 Issue: 33 Pages: 5625-5627 DOI: 10.1016/S0040-4039(01)01092-9 Published: AUG 13 2001
15. Title: Synthesis, stereochemistry and biological activity of some novel long alkyl chain substituted thiazolidin-4-ones and thiazan-4-one from 10-undecenoic acid hydrazide

- Author(s): Rahman, VPM; Mukhtar, S; Ansari, WH; et al.  
Source: EUROPEAN JOURNAL OF MEDICINAL CHEMISTRY Volume: 40  
Issue: 2 Pages: 173-184 DOI: 10.1016/j.ejmech.2004.10.003 Published: FEB 2005
16. Title: 2-(Aryl)-3-furan-2-ylmethyl-thiazolidin-4-ones as selective HIV-RT inhibitors  
Author(s): Rawal, RK; Prabhakar, YS; Katti, SB; et al.  
Source: BIOORGANIC & MEDICINAL CHEMISTRY Volume: 13 Issue: 24  
Pages: 6771-6776 DOI: 10.1016/j.bmc.2005.07.063 Published: DEC 15 2005
17. Title: New 4-aminobicyclo[2.2.2]octane derivatives and their activities against Plasmodium falciparum and Trypanosoma b. rhodesiense  
Author(s): Seebacher, W; Brun, R; Weis, R  
Source: EUROPEAN JOURNAL OF PHARMACEUTICAL SCIENCES Volume: 21 Issue: 2-3 Pages: 225-233 DOI: 10.1016/j.ejps.2003.10.011 Published: FEB 2004
18. Title: SYNTHESIS OF NOVEL PYRIMIDINEDIONES AND THIAZOLIDINONES AS CARDIOVASCULAR AGENTS  
Author(s): SINGH, S; GUPTA, GP; SHANKER, K  
Source: INDIAN JOURNAL OF CHEMISTRY SECTION B-ORGANIC CHEMISTRY INCLUDING MEDICINAL CHEMISTRY Volume: 24 Issue: 10 Pages: 1094-1097 Published: 1985
19. Title: SYNTHESIS AND BIOLOGICAL EVALUATION OF 5-[[3,5-BIS(1,1-DIMETHYLETHYL)-4-HYDROXYPHENYL]METHYLENE]OXAZOLES, -THIAZOLES, AND -IMIDAZOLES - NOVEL DUAL 5-LIPOXYGENASE AND CYCLOOXYGENASE INHIBITORS WITH ANTIINFLAMMATORY ACTIVITY  
Author(s): UNANGST, PC; CONNOR, DT; CETENKO, WA; et al.  
Source: JOURNAL OF MEDICINAL CHEMISTRY Volume: 37 Issue: 2 Pages: 322-328 DOI: 10.1021/jm00028a017 Published: JAN 21 1994
20. Title: SYNTHESIS, SPECTROSCOPY AND TAUTOMERIC STUDY OF THIAZOLES SUBSTITUTED IN POSITION-2 AND POSITION-4 BY HYDROXY, MERCAPTO AND AMINO-GROUPS  
Author(s): VALLS, N; SEGARRA, VM; ALCALDE, E; et al.  
Source: JOURNAL FUR PRAKTISCHE CHEMIE Volume: 327 Issue: 2 Pages: 251-260 DOI: 10.1002/prac.19853270210 Published: 1985
21. Title: [not available]  
Author(s): Van Gaal, L.; Scheen, A.  
Source: J. Diabetes Metab Res Rev Volume: 18 Pages: 51 Published: 2002
22. Title: Structure-activity relationships of substituted 5H-thiazolo [3,2-a]pyrimidines as group 2 metabotropic glutamate receptor antagonists  
Author(s): Wichmann, J; Adam, G; Kolczewski, S; et al.  
Source: BIOORGANIC & MEDICINAL CHEMISTRY LETTERS Volume: 9 Issue: 11 Pages: 1573-1576 DOI: 10.1016/S0960-894X(99)00227-9 Published: JUN 7 1999

# A Versatile Synthesis, PM3-Semiempirical, Antibacterial, and Antitumor Evaluation of Some Bioactive Pyrazoles

Hamama, WS (Hamama, Wafaa S.)<sup>[1]</sup>; El-Gohary, HG (El-Gohary, Hamada G.)<sup>[1]</sup>;  
Soliman, M (Soliman, Mamdouh)<sup>[1]</sup>; Zoorob, HH (Zoorob, Hanfi H.)<sup>[1]</sup>

## Abstract

This research work describes the synthesis and biological properties of some novel isolated or fused heterocyclic ring systems with pyrazole, for example; enaminones containing pyrazolone ring photochromic functional unit, 4-[(4-chlorophenylamino)methylene]-3-methyl-1-phenyl-1H-pyrazol-5(4H)-one (3) and some analogous derivatives 4, 9, and 10, also as pyrazolo[3,4-b]pyridine, pyrazolo[3,4-b]quinoline, pyrazolo[3',4':4,5]thieno[2,3-c]pyrazoline and pyrazolo[3,4-c]pyrazole were synthesized and characterized. Newly synthesized compounds were characterized by IR, 1H NMR, 13C NMR, mass spectral data and quantum mechanical calculations. Selected products were tested for their antibacterial and antitumor agents.

**Source:** JOURNAL OF HETEROCYCLIC CHEMISTRY Volume: 49 Issue: 3 Pages: 543-554 DOI: 10.1002/jhet.806 Published: MAY 2012

**KeyWords Plus:** DERIVATIVES; POTENT; INHIBITORS; AGENTS; TELOMERASE; SERIES; RING

**Reprint Address:** Hamama, WS (reprint author), Mansoura Univ, Fac Sci, Dept Chem, ET-35516 Mansoura, Egypt.

### Addressees:

[ 1 ] Mansoura Univ, Fac Sci, Dept Chem, ET-35516 Mansoura, Egypt

E-mail Address: [wshamama@yahoo.com](mailto:wshamama@yahoo.com)

Publisher: WILEY-BLACKWELL, 111 RIVER ST, HOBOKEN 07030-5774, NJ USA

Web of Science Categories: Chemistry, Organic

Research Areas: Chemistry

### References:

1-Title: 1-aryl-5-methoxypyrrrolones as synthons for fused heterocycles

Author(s): Abd El-Nabi, HA

Source: TETRAHEDRON Volume: 58 Issue: 1 Pages: 135-141 DOI: 10.1016/S0040-4020(01)01029-8 Published: JAN 1 2002

2. Title: Synthesis and biological evaluation of new cyclopenteno[b]thiophene derivatives as local anesthetic and antiarrhythmic agents

Author(s): Al-Obaid, AM; El-Subbagh, HI; Al-Shabanah, OA; et al.

Source: PHARMAZIE Volume: 53 Issue: 1 Pages: 24-28 Published: JAN 1998

3. Title: [not available]

Author(s): Athina, G.; Babaev, E.; Dearden, J.; et al; Dehaen, W.; Filimonov, D.; Galaeva, I.; Krajneva, V.; Lagunin, A.; Macaev, F.; Molodavkin, G.; Poroikov, V.; Pogroebroi, S.; Saloutin, V.; Stepanckikova, A.; Stingaci, E.; Tkach, N.; Vlad, L.; Voronina, T.

Source: Bioorg Med Chem Volume: 12 Pages: 6559 Published: 2004

4. Title: Microwave-promoted one-pot synthesis of 4H-thiopyrans from alpha,beta-unsaturated ketones via a three-component reaction

Author(s): Barthakur, Madan G.; Chetia, Apurba; Boruah, Romesh C.

Source: TETRAHEDRON LETTERS Volume: 47 Issue: 28 Pages: 4925-4927

DOI: 10.1016/j.tetlet.2006.05.020 Published: JUL 12 2006

5. Title: The discovery of novel, potent and selective PDE5 inhibitors

Author(s): Bi, YZ; Stoy, P; Adam, L; et al.

Source: BIOORGANIC & MEDICINAL CHEMISTRY LETTERS Volume: 11

Issue: 18 Pages: 2461-2464 DOI: 10.1016/S0960-894X(01)00466-8 Published:

SEP 17 2001

6. Title: [not available]

Author(s): Chacztrian, K.; Chaztrian, G.; Danel, A.; et al; Tomasik, P.

Source: Arkivoc Volume: 6 Pages: 63-69 Published: 2001

7. Title: Highly stable keto-enamine salicylideneanilines

Author(s): Chong, JH; Sauer, M; Patrick, BO; et al.

Source: ORGANIC LETTERS Volume: 5 Issue: 21 Pages: 3823-3826 DOI:

10.1021/o10352714 Published: OCT 16 2003

8. Title: [not available]

Author(s): Cruickshank, R; Duguid, JP; Marion, BP; et al; Swain, RHA.

Source: Medicinal Microbiology Volume: II Pages: 196 Published: 1975

Publisher: Churchill Livingstone, London

9. Title: Synthesis of some new annulated pyrazolo-pyrido (or pyrano) pyrimidine, pyrazolopyridine and pyranopyrazole derivatives (View record in MEDLINE)

Author(s): El-Assiery, Saied Abdullah; Sayed, Galal Hosni; Fouda, Ahmed

Source: Acta Pharmaceutica (Zagreb) Volume: 54 Issue: 2 Pages: 143-150

Published: June 2004

10. Title: [not available]

Author(s): El-Desoky, S. I.; Etman, H. A.; Bondock, S. B.; et al; Fadda, A. A.; Metwally, M. A.

Source: Sulfur Lett Volume: 25 Pages: 199 DOI: 10.1080/02786110214496

Published: 2002

11. Title: NITRILES IN HETEROCYCLIC SYNTHESIS - THE REACTION OF 2-THIOCARBAMOYL CINNAMONITRILES WITH ACTIVE METHYLENE REAGENTS

Author(s): ELTORGOMAN, AM; ELKOUSHY, SM; KANDEEL, ZE

Source: ZEITSCHRIFT FUR NATURFORSCHUNG SECTION B-A JOURNAL OF CHEMICAL SCIENCES Volume: 42 Issue: 1 Pages: 107-111 Published: JAN 1987

12. Title: REINVESTIGATION OF THE REACTION OF ARYLIDENE MALONONITRILE WITH CYANOTHIOACETAMIDE - NEW APPROACH FOR THE SYNTHESIS OF PYRIDINE-DERIVATIVES

Author(s): GEIES, AA; ELDEAN, AMK; MONEM, MIA

Source: ZEITSCHRIFT FUR NATURFORSCHUNG SECTION B-A JOURNAL OF CHEMICAL SCIENCES Volume: 47 Issue: 10 Pages: 1438-1440 Published: OCT 1992

13. Title: Synthesis of 6-substituted 7-aryl-5,6-dihydropyrido[2,3-d]pyrimidine(1H,3H)-2,4-diones using the Vilsmeier reaction

Author(s): Girreser, U; Heber, D; Schutt, M

Source: TETRAHEDRON Volume: 60 Issue: 50 Pages: 11511-11517 DOI: 10.1016/j.tet.2004.09.075 Published: DEC 6 2004

14. Title: Application of the palladium-catalyzed N-arylation of hydrazones to deactivated heteroaryl halides in the synthesis of pyrazoles

Author(s): Haddad, N; Salvagno, A; Busacca, C

Source: TETRAHEDRON LETTERS Volume: 45 Issue: 30 Pages: 5935-5937

DOI: 10.1016/j.tetlet.2004.05.038 Published: JUL 19 2004

15. Title: [not available]

Author(s): Hamama, W. S.; Zoorob, H. H.

Source: Man Sci Bull A Chem Volume: 28 Pages: 99 Published: 2001

16. Title: Convenient selective synthesis of substituted pyrido[2,3-d]pyrimidones and annulated derivatives

Author(s): Hamama, Wafaa S.; Ismail, Mohamed A.; Al-Saman, Hana'a A.; et al.

Source: ZEITSCHRIFT FUR NATURFORSCHUNG SECTION B-A JOURNAL OF CHEMICAL SCIENCES Volume: 62 Issue: 1 Pages: 104-110 Published: JAN 2007

17. Title: Synthetic entry to tricyclic and tetracyclic quinuclidine derivatives by cycloaddition and ring transformation

Author(s): Hamama, WS; El-Magid, OMA; Zoorob, HH

Source: ZEITSCHRIFT FUR NATURFORSCHUNG SECTION B-A JOURNAL OF CHEMICAL SCIENCES Volume: 61 Issue: 1 Pages: 93-100 Published: JAN 2006

18. Title: Structure-activity relationships of a series of novel

(piperazinylbutyl)thiazolidinone antipsychotic agents related to 3-[4-(6-Fluorobenzo[b]thien-3-yl)-1-piperazinyl]butyl]-2,5,5-trimethyl-4-thiazolidinone maleate

Author(s): Hrib, NJ; Jurcak, JG; Bregna, DE; et al.

Source: JOURNAL OF MEDICINAL CHEMISTRY Volume: 39 Issue: 20 Pages: 4044-4057 DOI: 10.1021/jm960268u Published: SEP 27 1996

19. Title: A novel pyrazolone, 4,4-dichloro-1-(2,4-dichlorophenyl)-3-methyl-5-pyrazolone, as a potent catalytic inhibitor of human telomerase

Author(s): Kakiuchi, Y; Sasaki, N; Satoh-Masuoka, M; et al.

Source: BIOCHEMICAL AND BIOPHYSICAL RESEARCH COMMUNICATIONS Volume: 320 Issue: 4 Pages: 1351-1358 DOI: 10.1016/j.bbrc.2004.06.094

Published: AUG 6 2004

20. Title: New potent antihyperglycemic agents in db/db mice: Synthesis and structure-activity relationship studies of (4-substituted benzyl)(trifluoromethyl)pyrazoles and -pyrazolones

Author(s): Kees, KL; Fitzgerald, JJ; Steiner, KE; et al.

Source: JOURNAL OF MEDICINAL CHEMISTRY Volume: 39 Issue: 20 Pages: 3920-3928 DOI: 10.1021/jm960444z Published: SEP 27 1996

21. Title: The development of novel inhibitors of tumor necrosis factor-alpha (TNF-alpha) production based on substituted [5,5]-bicyclic pyrazolones

Author(s): Laufersweiler, MJ; Brugel, TA; Clark, MP; et al.

Source: BIOORGANIC & MEDICINAL CHEMISTRY LETTERS Volume: 14 Issue: 16 Pages: 4267-4272 DOI: 10.1016/j.bmcl.2004.06.001 Published: AUG 16 2004

22. Title: [not available]

Author(s): Mitra, A. S.; Rout, M. K.

Source: J Ind Chem Soc Volume: 38 Pages: 893 Published: 1962

23. Title: [not available]

Author(s): Munson, C.; Cook, A. W.; Josey, J. A.; et al; Rao, C.

Source: Tetrahedron Lett Volume: 39 Pages: 7223 Published: 1998

24. Title: [not available] Patent Number: 6,034,099, Cl 514

Inventor/Assignee: Pamukcu, R.; Piazza, G. A.

Source: U. S. Patent Published: 2000

25. Title: Photochromism in solid state and acidichromism in solution of 1-phenyl-3-methyl-4-(4'-methylbenzal)-pyrazolone-5 thiosemicarbazone  
Author(s): Peng, BH; Liu, GF; Liu, L; et al.  
Source: JOURNAL OF PHOTOCHEMISTRY AND PHOTOBIOLOGY A-CHEMISTRY Volume: 171 Issue: 3 Pages: 243-249 DOI: 10.1016/j.jphotochem.2004.10.011 Published: MAY 5 2005
26. Title: Effect of cyclodextrin complexation on thermochromic Schiff bases  
Author(s): Pistolis, G; Gergiou, D; Hadjoudis, E  
Source: JOURNAL OF PHOTOCHEMISTRY AND PHOTOBIOLOGY A-CHEMISTRY Volume: 93 Issue: 2-3 Pages: 179-184 DOI: 10.1016/1010-6030(95)04182-6 Published: JAN 25 1996
27. Title: Synthesis and antidepressant activity of some 1,3,5-triphenyl-2-pyrazolines and 3-(2"-hydroxy naphthalen-1"-yl)-1,5-diphenyl-2-pyrazolines  
Author(s): Prasad, YR; Rao, AL; Prasoona, L; et al.  
Source: BIOORGANIC & MEDICINAL CHEMISTRY LETTERS Volume: 15 Issue: 22 Pages: 5030-5034 DOI: 10.1016/j.bmcl.2005.08.040 Published: NOV 15 2005
28. Title: Organic thermal stabilizers for rigid poly(vinyl chloride). Part XII: N-phenyl-3-substituted-5-pyrazolone derivatives  
Author(s): Sabaa, MW; Oraby, EH; Abdel-Naby, AS; et al.  
Source: POLYMER DEGRADATION AND STABILITY Volume: 91 Issue: 4 Pages: 911-923 DOI: 10.1016/j.polymdegradstab.2005.05.031 Published: APR 2006
29. Title: Telomerase inhibition as cancer therapy  
Author(s): Saretzki, G  
Source: CANCER LETTERS Volume: 194 Issue: 2 Pages: 209-219 DOI: 10.1016/S0304-3835(02)00708-5 Published: MAY 15 2003
30. Title: Synthesis and antimicrobial activity of some bis-quinazoline derivatives  
Author(s): Shiba, SA; ElKhamry, AA; Shaban, ME; et al.  
Source: PHARMAZIE Volume: 52 Issue: 3 Pages: 189-194 Published: MAR 1997
- Title: Synthesis, structure and properties of a novel kind of photochromic compound containing a pyrazolone-ring  
Author(s): Tang, XC; Jia, DZ; Kai, L; et al.  
Source: JOURNAL OF PHOTOCHEMISTRY AND PHOTOBIOLOGY A-CHEMISTRY Volume: 134 Issue: 1-2 Pages: 23-29 DOI: 10.1016/S1010-6030(00)00242-2 Published: JUN 2 2000
32. Title: Synthesis and antibacterial activity of a novel series of potent DNA gyrase inhibitors. Pyrazole derivatives  
Author(s): Tanitame, A; Oyamada, Y; Ofuji, K; et al.  
Source: JOURNAL OF MEDICINAL CHEMISTRY Volume: 47 Issue: 14 Pages: 3693-3696 DOI: 10.1021/jm030394f Published: JUL 1 2004
33. Title: Photochromic reactions of a diarylethene derivative in polymer matrices  
Author(s): Tsujikawa, T; Kume, M; Irie, M  
Source: JOURNAL OF PHOTOCHEMISTRY AND PHOTOBIOLOGY A-CHEMISTRY Volume: 104 Issue: 1-3 Pages: 203-206 DOI: 10.1016/S1010-6030(96)04509-1 Published: APR 1997
34. Title: GENERAL PHARMACOLOGICAL ACTIONS OF 1-(M-CHLOROPHENYL)-3-N N-DIMETHYLCARBAMOYL-5-METHOXYPYRAZOLE (PZ-177)

Author(s): TSURUMI, K; ABE, A; FUJIMURA, H; et al.  
Source: FOLIA PHARMACOLOGICA JAPONICA Volume: 72 Issue: 1 Pages: 41-52 Published: 1976  
35. Title: [not available]  
Author(s): Verderame, M.  
Source: HDB CNS AGENTS LOCAL Published: 1986  
Publisher: CRC Press, Florida  
36. Title: [not available]  
Author(s): Vu, D. T.; Nguyen, H. K.; Ta, N. D.; et al; Hoang, T. Y.; Hoang, H. V.  
Source: Hoa Hoc Va Cong Nghiep Hoa Chat Volume: 7 Pages: 28 Published: 1998  
37. Title: SYNTHESIS OF 5-OXO-2-PYRAZOLINE-4-CARBOXALDEHYDES  
Author(s): WALLACE, DJ; STRALEY, JM  
Source: JOURNAL OF ORGANIC CHEMISTRY Volume: 26 Issue: 10 Pages: 3825-& DOI: 10.1021/jo01068a048 Published: 1961  
38. Title: [not available] Patent Number: 633 , 025  
Inventor/Assignee: Watanabe, T.  
Source: Eur Pat Appl Ep Published: 1995  
39. Title: Separation and recovery of DNA fragments by electrophoresis through a thermoreversible hydrogel composed of poly(ethylene oxide) and poly(propylene oxide)  
Author(s): Yoshioka, H; Mori, Y; Shimizu, M  
Source: ANALYTICAL BIOCHEMISTRY Volume: 323 Issue: 2 Pages: 218-223  
DOI: 10.1016/j.ab.2003.09.010 Published: DEC 15 2003  
40. Title: [not available]  
Author(s): Zhang, Z.Y.; Chen, X.; Wei, L.L.; et al; Ma, Z.L.  
Source: Chem. Res. Chin. Univ. Volume: 7 Pages: 129 Published: 1991  
41. Title: Synthesis of 5-(functionalized acyl)-1,3-dialkyl-substituted barbituric and 2-thiobarbituric acids  
Author(s): Zoorob, HH; Ismail, MA; Strekowski, L  
Source: JOURNAL OF HETEROCYCLIC CHEMISTRY Volume: 38 Issue: 2 Pages: 359-363 Published: MAR-APR 2001