1. Ottelione A inhibited proliferation of Ehrlich ascites carcinoma cells in mice

El-Missiry, MA (El-Missiry, M. A.)^[1]; Othman, AI (Othman, A. I.)^[1]; Amer, MA (Amer, M. A.)^[1]; Mohamed, E (Mohamed, E.)^[1]

[1] Zoology Department, Faculty of Science, Mansoura University, Egypt

E-mail Address: maelmissiry@yahoo.com

Abstract

While the main target of chemotherapy in cancer treatment is the induction of apoptosis and cell death, natural products provide a wealth to medicine and are considered great sources of new drugs for cancer treatment. We aimed to determine the antitumor effect of ottelione A (OTTE) on the growth and proliferation of Ehrlich ascites carcinoma cells (EACs) implanted i.p. in female mice. Animals were inoculated with EAC cells to serve as the control group. In the OTTE group, animals were implanted with EAC followed by i.p. administration of OTTE. Antitumor activity was evaluated 15 days after tumor implantation. The administration of OTTE significantly reduced ascetic volume, viability of EAC cells and increased the survival of tumor-bearing animals. Flow cytometric analysis indicated that OTTE induced G(0)/G(1), cell cycle arrest and apoptosis. These findings were associated with an alteration of redox state of EAC cells, which might impact cascade effects leading to cell cycle arrest at G(0)/G(1) phase. These effects include a decreased expression of cyclin D1, increased p53 expression and down-regulation of rRNA level, stimulation of CD8+ infiltrating T-lymphocytes. In addition, OTTE normalized oxidative stress in the liver of mice-bearing EAC cells evidenced by increased the levels of glutathione, superoxide dismutase, and catalase. In conclusion, the differential expression of p53, cyclin D1, and rRNA in EAC cells as well as the infiltration of CD8+ after OTTE treatment may play critical roles in the G(0)/G(1) cell cycle arrest that blocks cell proliferation and induce apoptosis of cancer cells. The potent antitumor property of the ottelione A can be exploited further to develop therapeutic protocols for treatment of cancer. (c) 2012 Elsevier Ireland Ltd.

Keywords: Cell cycle; Apoptosis; rRNA; p53; CD8+; Cyclin D1

Published In: CHEMICO-BIOLOGICAL INTERACTIONS Volume: 200 Issue: 2-3 Pages: 119-127 DOI: 10.1016/j.cbi.2012.10.013 Published: DEC 5 2012

References

[1]M.A. El-Missiry, A.F. Abd El-Aziz

Influence of melatonin on proliferation and antioxidant system in Ehrlich ascites carcinoma cells

Cancer Lett., 151 (2000), pp. 119-125

[2]G. Simbula, A. Columbano, G.M. Ledda-Columbano, L. Sanna, M. Deidda, A. Diana, M. Pibiri

Increased ROS generation and p53 activation in alpha-lipoic acid-induced apoptosis of hepatoma cells

Apoptosis: Inter. J. Program. Cell Death, 12 (2007), pp. 113–123

[3]M. Ndiaye, C. Philippe, H. Mukhtar, N. Ahmad The grape antioxidant resveratrol for skin disorders: promise, prospects, and challenges Arch. Biochem. Biophys., 508 (2011), pp. 164–170

[4]H.Y. Lin, S.C. Hou, S.C. Chen, M.C. Kao, C.C. Yu, S. Funayama, C.T. Ho, T.D. Way

(-)-Epigallocatechin gallate induces Fas/CD95-mediated apoptosis through inhibiting constitutive and IL-6-induced JAK/STAT3 signaling in head and neck squamous cell carcinoma cells

J. Agric. Food Chem., 60 (2012), pp. 2480-2489

[5]V.S. Thakur, K. Gupta, S. Gupta The chemopreventive and chemotherapeutic potentials of tea polyphenols Curr. Pharm. Biotechnol., 13 (2012), pp. 191–199

[6]S.S. Agrawal, S. Saraswati, R. Mathur, M. Pandey Antitumor properties of Boswellic acid against Ehrlich ascites cells bearing mouse Food chem. Toxicol., 49 (2011), pp. 1924–1934

[7]S.N. Ayyad, A.S. Judd, W. Thomas Shier, T.R. Hoye
Otteliones A and B potently cytotoxic 4-methylene-2-cyclohexenones from Ottelia alismoides
J. Org. Chem., 63 (1998), pp. 8102–8106

[8]D.L. Clive, D. LiuSynthesis of the potent anticancer agents ottelione A and ottelione B in both racemic and natural optically pure formsJ. Org. Chem., 73 (2008), pp. 3078–3087

[9]N.C. Santos, J. Figueira-Coelho, J. Martins-Silva, C. Saldanha

Multidisciplinary utilization of dimethyl sulfoxide: pharmacological, cellular, and molecular aspects Biochem. Pharmacol., 65 (2003), pp. 1035–1041

[10]L.L. Vindelov

Flow microfluorometric analysis of nuclear DNA in cells from solid tumors and cell suspensions. A new method for rapid isolation and straining of nuclei Virchows Arch. B Cell Pathol., 24 (1977), pp. 227–242

[11]Z. Hamurcu, H. Demirtas, S. Kumandas

Flow cytometric comparison of RNA content in peripheral blood mononuclear cells of down syndrome patients and control individuals Cytom. B, Clin Cytom., 70 (2006), pp. 24–28

[12]B.A. Bonsing, W.E. Corver, M.C. Gorsira, M. van Vliet, P.S. Oud, C.J. Cornelisse, G.J. Fleuren

Specificity of seven monoclonal antibodies against p53 evaluated with Western blotting, immunohistochemistry, confocal laser scanning microscopy, and flow cytometry

Cytometry, 28 (1997), pp. 11–24

[13]M.R. Bleavins, D.A. Brott, J.D. Alvey, F.A. de la IglesiaFlow cytometric characterization of lymphocyte subpopulations in the cynomolgus monkey (Macaca fascicularis)Vet. Immunol. Immunopathol., 37 (1993), pp. 1–13

[14]E. Torlakovic, S. Nielsen, M. Vyberg Antibody selection in immunohistochemical detection of cyclin D1 in mantle cell lymphoma

Am. J. Clin. Pathol., 124 (2005), pp. 782-789

[15]N. Ezzat, N. Hafez

The validity of immunocytochemical expression of cyclin D1 in fine needle aspiration cytology of breast carcinoma

J. Egypt Natl. Canc. Inst., 24 (2012), pp. 145–150

[16]M. Gupta, U.K. Mazumder, R.S. Kumar, T. Sivakumar, M.L. Vamsi
Antitumor activity and antioxidant status of Caesalpinia bonducella against Ehrlich ascites carcinoma in Swiss albino mice
J. Pharmacol. Sci., 94 (2004), pp. 177–184

[17]D.O. Kennedy, A. Kojima, Y. Yano, T. Hasuma, S. Otani, I. Matsui-Yuasa Growth inhibitory effect of green tea extract in Ehrlich ascites tumor cells involves cytochrome c release and caspase activation Cancer Lett., 166 (2001), pp. 9-15

[18]S. Zhang, H. Zhang, J. ZhaoThe role of CD4 T cell help for CD8 CTL activationBiochem. Biophys. Res. Commun., 384 (2009), pp. 405–408

[19]B. Mondal, S. Saha

Inhibition of subcutaneous growth of Ehrlich ascites carcinoma (EAC) tumor by postimmunization with EAC-cell gangliosides and its anti-idiotype antibody in relation to tumor angiogenesis, apoptosis, cell cycle and infiltration of CD4+, CD8+ lymphocytes, NK cells, suppressor cells and APC-cells in tumor Indian. J. Exp. Biol., 49 (2011), pp. 574–584

[20]A.C. Diederichsen, J.B. Hjelmborg, P.B. Christensen, J. Zeuthen, C. Fenger Prognostic value of the CD4+/CD8+ ratio of tumour infiltrating lymphocytes in colorectal cancer and HLA-DR expression on tumour cells Cancer Immunol. Immunother., 52 (2003), pp. 423–428

[21]M. Guidoboni, R. Gafa, A. Viel, C. Doglioni, A. Russo, A. Santini, L. Del Tin, E. Macri, G. Lanza, M. Boiocchi, R. Dolcetti
Microsatellite instability and high content of activated cytotoxic lymphocytes identify colon cancer patients with a favorable prognosis
Am. J. pathol., 159 (2001), pp. 297–304

[22]G. Kouraklis, S. Theocharis, P. Vamvakas et al.Cyclin D1 and Rb protein expression and their correlation with prognosis in patients with colon cancerWorld J. Surg. Oncol., 4 (2006), p. 5

[23]C.P. Rubbi, J. MilnerDisruption of the nucleolus mediates stabilization of p53 in response to DNA damage and other stressesEMBO J., 22 (2003), pp. 6068–6077

[24]C.P. Rubbi, J. Milner P53 – guardian of a genome's guardian? Cell Cycle, 2 (2003), pp. 20–21

[25]G. Donati, L. Montanaro, M. DerenziniRibosome biogenesis and control of cell proliferation: p53 is not aloneCancer Res., 72 (2012), pp. 1602–1607

[26]D. Drygin, A. Siddiqui-Jain, S. O'Brien, M. Schwaebe, A. Lin, J. Bliesath, C.B. Ho, C. Proffitt, K. Trent, J.P. Whitten, J.K. Lim, D. Von Hoff, K. Anderes, W.G. Rice

Anticancer activity of CX-3543: a direct inhibitor of rRNA biogenesis Cancer Res., 69 (2009), pp. 7653–7661

[27]W.C. Burhans, N.H. Heintz The cell cycle is a redox cycle: linking phase-specific targets to cell fate Free Radical Biol. Med., 47 (2009), pp. 1282–1293

[28]M. Derenzini, L. Montanaro, A. Chilla, E. Tosti, M. Vici, S. Barbieri, M. Govoni, G. Mazzini, D. Trere
Key role of the achievement of an appropriate ribosomal RNA complement for G1-S phase transition in H4-II-E-C3 rat hepatoma cells
J. Cell. Physiol., 202 (2005), pp. 483–491

[29]S. Jin, A.J. LevineThe p53 functional circuitJ. Cell Sci., 114 (2001), pp. 4139–4140

[30]A.M. Oltra, F. Carbonell, C. Tormos, A. Iradi, G.T. Saez Antioxidant enzyme activities and the production of MDA and 8-oxo-dG in chronic lymphocytic leukemia Free Radical Biol. Med., 30 (2001), pp. 1286–1292

[31]E. Skrzydlewska, A. Stankiewicz, M. Sulkowska, S. Sulkowski, I. Kasacka Antioxidant status and lipid peroxidation in colorectal cancer J. Toxicol. Environ. Health, Part A, 64 (2001), pp. 213–222

[32]E. Dozio, M. Ruscica, L. Passafaro, G. Dogliotti, L. Steffani, P. Marthyn, A. Pagani, G. Demartini, D. Esposti, F. Fraschini, P. Magni
The natural antioxidant alpha-lipoic acid induces p27(Kip1)-dependent cell cycle arrest and apoptosis in MCF-7 human breast cancer cells
Eur. J. Pharmacol., 641 (2010), pp. 29–34

[33]C.G. Havens, A. Ho, N. Yoshioka, S.F. Dowdy Regulation of late G1/S phase transition and APC Cdh1 by reactive oxygen species Mol. Cell Biol., 26 (2006), pp. 4701–4711

[34]M.A. El-Missiry, T.A. Fayed, M.R. El-Sawy, A.A. El-Sayed Ameliorative effect of melatonin against gamma-irradiation-induced oxidative stress and tissue injury Ecotoxicol. Environ. Saf., 66 (2007), pp. 278–286

[35]M.A. El-Missiry, A.I. Othman, M.A. Amer, M.A. Abd el-Aziz Attenuation of the acute adriamycin-induced cardiac and hepatic oxidative toxicity by N-(2-mercaptopropionyl) glycine in rats Free Radical Res., 35 (2001), pp. 575–581

[36]N. Senthilkumar, S. Badami, S.H. Dongre, S. Bhojraj Antioxidant and hepatoprotective activity of the methanol extract of Careya arborea bark in Ehrlich ascites carcinoma-bearing mice J. Nat. Med., 62 (2008), pp. 336–339

[37]C. Combeau, J. Provost, F. Lancelin, Y. Tournoux, F. Prod'homme, F. Herman, F. Lavelle, J. Leboul, M. Vuilhorgne RPR112378 and RPR115781: two representatives of a new family of microtubule assembly inhibitors

Mol. Pharmacol., 57 (2000), pp. 553–563.

2. Alfa-Lipoic acid protects testosterone secretion pathway and sperm quality against 4-tert-octylphenol induced reproductive toxicity

Othman, AI (Othman, Azza I.)^[1]; El-Missiry, MA (El-Missiry, Mohamed A.)^[1]; Koriem, KM (Koriem, Khaled M.)^[2]; El-Sayed, AA (El-Sayed, Aml A.)^[1]

[1] Mansoura Univ, Fac Sci, Dept Zool, Mansoura 35516, Egypt
[2] Univ Sains Malaysia, Adv Med & Dent Inst, NRC, Dept Med Physiol, Kuala Lumpur, Malaysia

E-mail Address: maelmissiry@yahoo.com

Abstract

The protective effect of a-lipoic acid (LA) (50 mg/kg bw) against 4-tertoctylphenol (OP) (50 mg/kg bw) induced reproductive toxicity in male rats was studied. LA was injected 1 h prior to OP administration three times a week. OP caused significant increase in oxidative stress in hypothalamus and epididymal sperm, disturbed hormonal levels in serum, decreased sperm quality, increased DNA fragmentation and loss of 35 and 95 kDa proteins in sperm, as well as elevated proliferating index in testis. LA protected against oxidative stress through promoting the levels of glutathione and glutathione-S-transferase in hypothalamus and sperm. In addition, LA prevented the decrease in testosterone, dehydroepiandrosterone sulfate, 3 P-hydroxysteroid dehydrogenase, and inhibited the elevations in sex-hormone-binding globulin levels and showed normal sperm quality. LA modulated proliferation of germ cell, protected against DNA fragmentation and maintained membrane protein organization in the sperm. In conclusion, LA normalized oxidative stress and protected testosterone synthesis pathway across hypothalamus-testicular axis and sperm quality indicating its defensive influence against OP-induced oxidative reproductive dysfunction in male rats

Keywords: Alkylphenols; Antioxidants; Sperm quality; Testis; Proliferating index; DNA; Hormones; Pollution

Published in: ECOTOXICOLOGY AND ENVIRONMENTAL SAFETY Volume: 81 Pages: 76-83 DOI: 10.1016/j.ecoenv.2012.04.018 Published: JUL 1 2012

References

Aguilar-Mahecha et al., 2002A. Aguilar-Mahecha, B.F. Hales, B. Robaire Chronic cyclophosphamide treatment alters the expression of stress response genes in rat male germ cells Biol. Reprod., 664 (2002), pp. 1024–1032 Aly et al., 2009H.A. Aly, D.A. Lightfoot, H.A. El-Shemy Modulatory role of lipoic acid on lipopolysaccharide-induced oxidative stress in adult rat Sertoli cells in vitro Chem. Biol. Interact., 1822-3 (2009), pp. 112–118

Ashour et al., 2011A.E. Ashour, H.E. Abdel-Hamied, H.M. Korashy, O.A. Al-Shabanah, A.R. Abd-Allah Alpha-lipoic acid rebalances redox and immune-testicular milieu in septic rats Chem. Biol. Interact., 1893 (2011), pp. 198–205

Aydogan and Barlas, 2006M. Aydogan, N. Barlas Effects of maternal 4-tert-octylphenol exposure on the reproductive tract of male rats at adulthood Reprod. Toxicol., 223 (2006), pp. 455–460

Aydogan et al., 2008M. Aydogan, A. Korkmaz, N. Barlas, D. Kolankaya The effect of vitamin C on bisphenol A, nonylphenol and octylphenol induced brain damages of male rats Toxicology, 2491 (2008), pp. 35–39

Berensztein et al., 2002E.B. Berensztein, M.I. Sciara, M.A. Rivarola, A. Belgorosky Apoptosis and proliferation of human testicular somatic and germ cells during prepuberty: high rate of testicular growth in newborns mediated by decreased apoptosis

J. Clin. Endocrinol. Metab., 8711 (2002), pp. 5113-5118

Bian et al., 2006Q. Bian, J. Qian, L. Xu, J. Chen, L. Song, X. Wang The toxic effects of 4-tert-octylphenol on the reproductive system of male rats Food Chem. Toxicol., 448 (2006), pp. 1355–1361

Biswas et al., 2006S. Biswas, A.S. Chida, I. Rahman Redox modifications of protein-thiols: emerging roles in cell signaling Biochem. Pharmacol., 715 (2006), pp. 551–564

Blake and Boockfor, 1997C.A. Blake, F.R. Boockfor Chronic administration of the environmental pollutant 4-tert-octylphenol to adult male rats interferes with the secretion of luteinizing hormone, follicle-stimulating hormone, prolactin, and testosterone Biol. Reprod., 572 (1997), pp. 255–266

Blake et al., 2004C.A. Blake, F.R. Boockfor, J.U. Nair-Menon, C.F. Millette, S.S. Raychoudhury, G.L. McCoy Effects of 4-tert-octylphenol given in drinking water for 4 months on the male reproductive system of Fischer 344 rats Reprod. Toxicol., 181 (2004), pp. 43–51

Brooke et al., 2005Brooke, D., Johnson, I., Mitchell, R., Watts, C., 2005. Environmental Risk Assessment: 4-Tert-Octylphenol, Science Report. Environment Agency Publisher, Rio House, Waterside Drive, Aztec West, Almondsbury, Bristol, UK, pp. 128–129. Bock et al., 1980P.P. Bock, R. Karmer, M.A. Paverka A simple assay for catalase determination Cell Biol. Monogr., 71 (1980), pp. 44–74

Boockfor and Blake, 1997F.R. Boockfor, C.A. Blake Chronic administration of 4-tert-octylphenol to adult male rats causes shrinkage of the testes and male accessory sex organs, disrupts spermatogenesis, and increases the incidence of sperm deformities Biol. Reprod., 572 (1997), pp. 267–277

Chan et al., 1965T.K. Chan, D. Todd, C.C. Wong Tissue enzyme levels in erythrocyte glucose-6-phosphate dehydrogenase deficiency J. Lab. Clin. Med., 666 (1965), pp. 937–942

Chapin et al., 1999R.E. Chapin, J. Delaney, Y. Wang, L. Lanning, B. Davis, B. Collins, N. Mintz, G. Wolfe The effects of 4-nonylphenol in rats: a multigeneration reproduction study Toxicol. Sci., 521 (1999), pp. 80–91

Chitra et al., 2002K.C. Chitra, C. Latchoumycandane, P.P. Mathur Effect of nonylphenol on the antioxidant system in epididymal sperm of rats Arch. Toxicol., 769 (2002), pp. 545–551

Codrington et al., 2007A.M. Codrington, B.F. Hales, B. Robaire Chronic cyclophosphamide exposure alters the profile of rat sperm nuclear matrix proteins Piel Perrod. 772 (2007), pp. 202–211

Biol. Reprod., 772 (2007), pp. 303-311

Connell et al., 2011B.J. Connell, M. Saleh, B.V. Khan, T.M. Saleh Lipoic acid protects against reperfusion injury in the early stages of cerebral ischemia Brain Res., 1375 (2011), pp. 128–136

Davis et al., 2010J.G. Davis, X.S. Wan, J.H. Ware, A.R. Kennedy Dietary supplements reduce the cataractogenic potential of proton and HZE-particle radiation in mice Radiat. Res., 1733 (2010), pp. 353–361

Desouky et al., 2011O.S. Desouky, N.S. Selim, E.M. Elbakrawy, R.A. Rezk Impact evaluation of alpha-lipoic acid in gamma-irradiated erythrocytes Radiat. Phys. Chem., 803 (2011), pp. 446–452

Guimaraes et al., 2007S.B. Guimaraes, J.M. Santos, A.A. Aragao, O. de Sandes Kimura, P.H. Barbosa, P.R. de Vasconcelos Protective effect of alpha-lipoic acid in experimental spermatic cord torsion Nutrition, 231 (2007), pp. 76–80

Gupta et al., 2004R.S. Gupta, J.B. Kachhawa, R. Chaudhary Antifertility effects of methanolic pod extract of Albizzia lebbeck L. Benth in male rats Asian J. Androl., 62 (2004), pp. 155–159

Habig et al., 1974W.H. Habig, M.J. Pabst, W.B. Jakoby Glutathione S-transferases. The first enzymatic step in mercapturic acid formation J. Biol. Chem., 24922 (1974), pp. 7130–7139

Han et al., 1997D. Han, G. Handelman, L. Marcocci, C.K. Sen, S. Roy, H. Kobuchi, H.J. Tritschler, L. Flohe, L. Packer Lipoic acid increases de novo synthesis of cellular glutathione by improving cystine utilization Biofactors, 63 (1997), pp. 321–338

Hejmej et al., 2011A. Hejmej, M. Kotula-Balak, J. Galas, B. Bilinska Effects of 4-tert-octylphenol on the testes and seminal vesicles in adult male bank voles

Reprod. Toxicol., 31 (1) (2011), pp. 95–105

Holmquist et al., 2007L. Holmquist, G. Stuchbury, K. Berbaum, S. Muscat, S. Young, K. Hager, J. Engel, G. Munch Lipoic acid as a novel treatment for Alzheimer's disease and related dementias

Pharmacol. Ther., 1131 (2007), pp. 154–164

Ibrahim et al., 2008S.F. Ibrahim, K. Osman, S. Das, A.M. Othman, N.A. Majid, M.P. Rahman A study of the antioxidant effect of alpha lipoic acids on sperm quality Clinics Sao Paulo, 634 (2008), pp. 545–550

Isobe et al., 2001T. Isobe, H. Nishiyama, V. Nakashima, H. Takada Distribution and behavior of nonylphenol, octylphenol, and nonylphenol monoethoxylate in Tokyo metropolitan area: their association with aquatic particles and sedimentary distributions Environ. sci. technol., 35 (2001), pp. 1041–1049

Ioannou and Chen, 1996Y.A. Ioannou, F.W. Chen Quantitation of DNA fragmentation in apoptosis Nucleic Acids Res., 245 (1996), pp. 992–993

Kabuto et al., 2004H. Kabuto, M. Amakawa, T. Shishibori Exposure to bisphenol A during embryonic/fetal life and infancy increases oxidative injury and causes underdevelopment of the brain and testis in mice Life Sci., 7424 (2004), pp. 2931–2940

Katsuda et al., 2000S.I. Katsuda, M. Yoshida, S. Isagawa, Y. Asagawa, H. Kuroda, T. Watanabe, J. Ando, M. Takahashi, A. Maekawa Dose- and treatment duration-related effects of p-tert-octylphenol on female rats Reprod. Toxicol., 14 (2) (2000), pp. 119–126

Karageorgos et al., 2006N. Karageorgos, N. Patsoukis, E. Chroni, D. Konstantinou, S.F. Assimakopoulos, C. Georgiou

Effect of N-acetylcysteine, allopurinol and vitamin E on jaundice-induced brain oxidative stress in rats Brain Res., 11111 (2006), pp. 203–212

Karvonen and Malm, 1955M.J. Karvonen, M. Malm Colorimetric determination of fructose with indol Scand. J. Clin. Lab. Invest., 74 (1955), pp. 305–307

Kim et al., 2006aKim, B. Kim, J.H. Shim, J.E. Gil, Y.D. Yoon, J.H. Kim Nonylphenol and octylphenol-induced apoptosis in human embryonic stem cells is related to Fas-Fas ligand pathway Toxicol. Sci., 942 (2006), pp. 310–321

Kim et al., 2006bKim Kim, B.K. Shim, J.H. Gil, J.E. Yoon, Y.D. Kim, J. H. Nonylphenol and octylphenol-induced apoptosis in human embryonic stem cells is related to Fas-Fas ligand pathway Toxicol. Sci., 942 (2006), pp. 310–321

Kim and Goldberg, 1969E. Kim, M. Goldberg Serum cholesterol assay using a stable Liebermann–Burchard reagent Clin. Chem., 1512 (1969), pp. 1171–1179

Korkmaz et al., 2010A. Korkmaz, M.A. Ahbab, D. Kolankaya, N. Barlas Influence of vitamin C on bisphenol A, nonylphenol and octylphenol induced oxidative damages in liver of male rats Food Chem. Toxicol., 4810 (2010), pp. 2865–2871

Kumar et al., 2002T.R. Kumar, K. Doreswamy, B. Muralidhara Oxidative stress associated DNA damage in testis of mice: induction of abnormal sperms and effects on fertility Mutat. Res.-Genet. Toxicol. Environ. Mutagen., 5131-2 (2002), pp. 103–111

Laemmli, 1970U.K. Laemmli Cleavage of structural proteins during the assembly of the head of bacteriophage T4 Nature, 2275259 (1970), pp. 680–685

Laws et al., 2000S.C. Laws, S.A. Carey, J.M. Ferrell, G.J. Bodman, R.L. Cooper Estrogenic activity of octylphenol, nonylphenol, bisphenol A and methoxychlor in rats Toxicol. Sci., 541 (2000), pp. 154–167

Lee et al., 2002H.-B. Lee, T.E. Peart, G. Gris, J. Chan Endocrine-disrupting chemicals in industrial wastewater samples in Toronto, Ontario Water Qual. Res. J. Can., 37 (2002), pp. 459–472

Li et al., 2011Guo Li, Y. Ning, Q. Zhang, S. Li, D. Research for the effect of octylphenol on spermatogenesis and proteomic analysis in octylphenol-treated mice testes Cell Biol. Int., 354 (2011), pp. 305–309 Lowry et al., 1951O.H. Lowry, N.J. Rosebrough, A.L. Farr, R.J. Randall Protein measurement with the Folin phenol reagent J. Biol. Chem., 1931 (1951), pp. 265–275

Manda et al., 2007K. Manda, M. Ueno, T. Moritake, K. Anzai Alpha-Lipoic acid attenuates x-irradiation-induced oxidative stress in mice Cell Biol. Toxicol., 232 (2007), pp. 129–137

Maruyama et al., 1987Y. Maruyama, N. Aoki, Y. Suzuki, Y. Ohno, M. Imamura, T. Saika, H. Sinohara, T. Yamamoto Sex-steroid-binding plasma protein SBP, testosterone, oestradiol and dehydroepiandrosterone DHEA in prepuberty and puberty Acta Endocrinol. Copenhagen, 1141 (1987), pp. 60–67

Meeker et al., 2010J.D. Meeker, S. Ehrlich, T.L. Toth, D.L. Wright, A.M. Calafat, A.T. Trisini, X. Ye, R. Hauser Semen quality and sperm DNA damage in relation to urinary bisphenol A among men from an infertility clinic Reprod. Toxicol., 304 (2010), pp. 532–539

Migliore and Coppede, 2002L. Migliore, F. Coppede Genetic and environmental factors in cancer and neurodegenerative diseases Mutat. Res., 5122-3 (2002), pp. 135–153

Mikkila et al., 2006T.F. Mikkila, J. Toppari, J. Paranko Effects of neonatal exposure to 4-tert-octylphenol, diethylstilbestrol, and flutamide on steroidogenesis in infantile rat testis Toxicol. Sci., 91 (2) (2006), pp. 456–466

Navari-Izzo et al., 2002F. Navari-Izzo, M.F. Quartacci, C. Sgherri Lipoic acid: a unique antioxidant in the detoxification of activated oxygen species Plant Physiol. Biochem., 406-8 (2002), pp. 463–470

Nimrod and Benson, 1996A.C. Nimrod, W.H. Benson Environmental estrogenic effects of alkylphenol ethoxylates Crit. Rev. Toxicol., 263 (1996), pp. 335–364

Nishikimi et al., 1972M. Nishikimi, N. Appaji, K. Yagi The occurrence of superoxide anion in the reaction of reduced phenazine methosulfate and molecular oxygen Biochem. Biophys. Res. Commun., 462 (1972), pp. 849–854

O'Neill et al., 1994C.A. O'Neill, B. Halliwell, A. van der Vliet, P.A. Davis, L. Packer, H. Tritschler, W.J. Strohman, T. Rieland, C.E. Cross, A.Z. Reznick Aldehyde-induced protein modifications in human plasma: protection by glutathione and dihydrolipoic acid J. Lab. Clin. Med., 1243 (1994), pp. 359–370

Ohkawa et al., 1982H. Ohkawa, A. Wakatsuki, C. Kaneda Assay for lipid peroxides in animal tissues by thiobarbituric acid reaction Anal. Biochem., 951 (1982), pp. 351-358

Packer et al., 1997L. Packer, H.J. Tritschler, K. Wessel Neuroprotection by the metabolic antioxidant alpha-lipoic acid Free Radic. Biol. Med., 221–2 (1997), pp. 359–378

Prahalathan et al., 2006C. Prahalathan, E. Selvakumar, P. Varalakshmi Lipoic acid modulates adriamycin-induced testicular toxicity Reprod. Toxicol., 211 (2006), pp. 54–59

Prins and Loose, 1969H.K. Prins, J.A. Loose Glutathione. Biochemical Methods in Red Cell Genetics, vol. 11Academic Press, N. Y. D. London (1969) pp. 126–129 (Chapter 4(

Rajeev and Reddy, 2004S.K. Rajeev, K.V. Reddy Sperm membrane protein profiles of fertile and infertile men: identification and characterization of fertility-associated sperm antigen Hum. Reprod., 192 (2004), pp. 234–242

Rashid et al., 2009H. Rashid, F. Ahmad, S. Rahman, R.A. Ansari, K. Bhatia, M. Kaur, F. Islam, S. Raisuddin Iron deficiency augments bisphenol A-induced oxidative stress in rats Toxicology, 2561-2 (2009), pp. 7–12

Rhee et al., 2011J.S. Rhee, R.O. Kim, H.H. Chang, J. Lee, Y.M. Lee, J.S. Lee Endocrine disrupting chemicals modulate expression of O-methylguanine DNA methyltransferase O-MGMT gene in the hermaphroditic fish, Kryptolebias marmoratus

Comp. Biochem. Physiol. C Toxicol. Pharmacol., 1531 (2011), pp. 141-149

Sainath et al., 2011S.B. Sainath, R. Meena, C.H. Venkata Suneel Kumar, P. Kalapana, K.N. Swetha, N. Syamala Devi, P. Sreenivasula Reddy Embryonic exposure to octylphenol induces changes in testosterone levels and disrupts reproductive efficiency in rats at their adulthood Food Chem. Toxicol., 49 (2011), pp. 983–990

Sambrook et al., 1989J. Sambrook, E.F. Fritsch, T. Maniatis Molecular Cloning. A Laboratory Manual Cold Spring Harbor Laboratory, Cold spring Harbor. New York (1989) p. 1121

Selby, 1990C. Selby Sex hormone binding globulin: origin, function and clinical significance Ann. Clin. Biochem., 27 (Part 6) (1990), pp. 532–541

Sharma et al., 1999R.K. Sharma, F.F. Pasqualotto, D.R. Nelson, A.J. Thomas Jr., A. Agarwal

The reactive oxygen species-total antioxidant capacity score is a new measure of oxidative stress to predict male infertility Hum. Reprod., 1411 (1999), pp. 2801–2807 SIDS, 1994SIDS, 1994. SIDS Dossier on the OECD HPV Chemicals Phenol, 4-(1,1,3,3,-Tetramethylbutyl), Including SIDS IAR. Initial Assessment Report (1994) on Octylphenol. OECD, Paris.

Singh and Jialal, 2008U. Singh, I. Jialal Alpha-lipoic acid supplementation and diabetes

Nutr. Rev., 6611 (2008), pp. 646–657 Smith et al., 1991Smith, J.M. Carney, P.E. Starkereed, C.N. Oliver, E.R. Stadtman, R.A. Floyd, W.R. Markesbery Excess brain protein oxidation and enzyme dysfunction in normal aging and in Alzheimer-disease

Proc. Natl. Acad. Sci. USA, 8823 (1991), pp. 10540–10543

Smith et al., 2004Smith, S.V. Shenvi, M. Widlansky, J.H. Suh, T.M. Hagen Lipoic acid as a potential therapy for chronic diseases associated with oxidative stress Curr. Med. Chem., 119 (2004), pp. 1135–1146

Somani et al., 2000S.M. Somani, K. Husain, C. Whitworth, G.L. Trammell, M. Malafa, L.P. Rybak Dose-dependent protection by lipoic acid against cisplatin-induced nephrotoxicity in rats: antioxidant defense system Pharmacol. Toxicol., 865 (2000), pp. 234–241

Sundaram and Panneerselvam, 2006K. Sundaram, K.S. Panneerselvam Oxidative stress and DNA single strand breaks in skeletal muscle of aged rats: role of carnitine and lipoicacid Biogerontology, 72 (2006), pp. 111–118

Suzuki et al., 1991Y.J. Suzuki, M. Tsuchiya, L. Packer Thioctic acid and dihydrolipoic acid are novel antioxidants which interact with reactive oxygen species Free Radic. Res. Commun., 155 (1991), pp. 255–263

Talalay, 1962P. Talalay Hydroxysteroid dehydrogenase S.P. Cloowick, Kaplan (Eds.), Methods in Enzymology, vol. 11, Academic Press, New York (1962), pp. 512–516

Tas et al., 2010N. Tas, B. Bakar, M.O. Kasimcan, S. Gazyagci, S.K. Ayva, K. Kilinc, C. Evliyaoglu Evaluation of protective effects of the alpha lipoic acid after spinal cord injury: an animal study Injury, 4110 (2010), pp. 1068–1074

Thibaut and Porte, 2004R. Thibaut, C. Porte Effects of endocrine disrupters on sex steroid synthesis and metabolism pathways in fish J. Steroid Biochem. Mol. Biol., 925 (2004), pp. 485–494

14

Trudeau et al., 2002V.L. Trudeau, S. Chiu, S.W. Kennedy, R.J. Brooks Octylphenol OP alters the expression of members of the amyloid protein family in the hypothalamus of the snapping turtle, Chelydra serpentina serpentina Environ. Health Perspect., 1103 (2002), pp. 269–275

Ying et al., 2002G.G. Ying, B. Williams, R. Kookana Environmental fate of alkylphenols and alkylphenol ethoxylates—a review Environ. Int., 283 (2002), pp. 215–226

Zhang et al., 2011Y. Zhang, P. Han, N. Wu, B. He, Y. Lu, S. Li, Y. Liu, S. Zhao, L. Liu, Y. Li Amelioration of lipid abnormalities by alpha-lipoic acid through antioxidative and anti-inflammatory effects

Obesity Silver Spring, 198 (2011), pp. 1647–1653

3.Melatonin controls oxidative stress and modulates iron, ferritin, and transferrin levels in adriamycin treated rats

Othman, AI (Othman, Azza I.)^[1]; El-Missiry, MA (El-Missiry, Mohammed A.)^[1]; Amer, MA (Amer, Maher A.)^[1]; Arafa, M (Arafa, Magada)^[1]

[1] Mansoura Univ, Fac Sci, Dept Zool, Mansoura 35516, Egypt

E-mail Address: maelmissiry@yahoo.com

Abstract

Chemotherapy with adriamycin (ADR) is limited by its iron-mediated prooxidant toxicity. Because melatonin (MIT) is a broad spectrum antioxidant, we investigated the ability of MIT to control iron, its binding proteins, and the oxidative damage induced by ADR. Main methods: ADR was given as single i.p. dose of 10 mg kg(-1) body weight into male rats. MLT at a dose of 15 mg kg(-1) was injected daily for 5 days before ADR treatment followed by another injection for 5 days. Biochemical methods were used for this investigation. Key findings: ADR injection caused elevations in plasma creatine kinase isoenzyme, lactic dehydrogenase, and aminotransferases, iron, ferritin, and transferrin. These changes were associated with increases in lipid peroxidation and protein oxidation as well as decreases in glutathione (GSH) levels and glutathione-S-transferase (GST) activity, while glutathione peroxidase (GSH-Px), and catalase (CAT) activity were elevated in the heart and liver of ADR treated rats. In the MLT+ADR group, the cardiac and hepatic function parameters and the levels of iron, transferrin and ferritin in plasma were normalized to control levels. The rats that were subjected to MLT+ADR had normalized CAT and GSH-Px activity and decreased TBARS and protein carbonyl levels compared the group only treated with ADR. GST activity and GSH concentration in the heart and liver were normalized when MLT accompanied ADR treatment. Significance: MLT ameliorated oxidative stress by controlling iron, and binding protein levels in ADR treated rats demonstrating the usefulness of adriamycin in cancer chemotherapy and allowing a better management of iron levels.

Keywords: Adriamycin; Oxidative stress; Antioxidants; Melatonin; Heart; Liver; Iron; Ferritin; Transferritin; Iron binding proteins

Published in: LIFE SCIENCES Volume: 83 Issue: 15-16 Pages: 563-568 DOI: 10.1016/j.lfs.2008.08.004 Published: OCT 10 2008

References

Abd El-Aziz et al., 2001M.A. Abd El-Aziz, A.I. Othman, M. Amer, M.A. El-Missiry Potential protective role of angiotensin-converting enzyme inhibitors captopril and enalapril against adriamycin-induced acute cardiac and hepatic toxicity in rats Journal of Applied Toxicology, 21 (6) (2001), pp. 469-473

Ayaki et al., 2005H. Ayaki, M.J. Lee, K. Sumino, H. Nishio Different cytoprotective effect of antioxidants and change in the iron regulatory system in rodent cells exposed to paraquat or formaldehyde Toxicology, 208 (2005), pp. 73–79

Beutler, 1975Red cell metabolism

E. Beutler (Ed.), A Manual of Biochemical Methods, Grune and Stratton, New York (1975), pp. 67–69

Blatt and Huntley, 1989J. Blatt, D. Huntley Enhancement of in vitro activity against neuroblastoma by doxorubicin and deferoxamine Journal of National Cancer Institute, 81 (1989), pp. 866–870

Bock et al., 1980P.P. Bock, R. Kramer, M. Pravelka A simple assay for catalase determination Cell Biology Monographs, 7 (1980), pp. 44–74

Cairo et al., 1995G. Cairo, L. Tacchini, G. Pogliaghi, E. Anzon, A. Tomasi, A. Bernelli-Zazzera Induction of ferritin synthesis by oxidative stress. Transcriptional and posttranscriptional regulation by expansion of the "free" iron pool Journal of Biological Chemistry, 270 (1995), pp. 700–703

Cos and Sanchez-Barcelo, 1995S. Cos, E.J. Sanchez-Barcelo Melatonin inhibition of MCF-7 human breast-cancer cells growth: influence of cell proliferation rate Cancer Letter, 9 (1995), pp. 207–212

Deepa and Varalakshmi, 2003P.R. Deepa, P. Varalakshmi Protective effect of low molecular weight heparin on oxidative injury and cellular abnormalities in adriamycin-induced cardiac and hepatic toxicity Chemico-Biological Interactions, 146 (2003), pp. 201–210

Deman et al., 2001A. Deman, B. Ceyssens, M. Pauwels, J. Zhang, K.V. Houte, D. Verbeelen, C. Van den Branden Altered antioxidant defence in a mouse adriamycin model of glomerulosclerosis Nephrology Dialysis Transplantation, 16 (2001), pp. 147–150 Demant, 1984E.J.F. Demant Transfer of ferritin-bound iron to adriamycin Federation of Biochemical Societies, 176 (1) (1984), pp. 97–100

El-Missiry, 2000M.A. El-Missiry Prophylactic effect of melatonin on lead-induced inhibition of heme biosynthesis and deterioration of antioxidant systems in male rats Journal of Biochemical and Molecular Toxicology, 14 (2000), pp. 57–62

El-Missiry and Abd El-Aziz, 2000M.A. El-Missiry, A.F. Abd El-Aziz Influence of melatonin on proliferation and antioxidant system in Ehrlich ascites carcinoma cells Cancer Letter, 151 (2000), pp. 119–125

El-Missiry et al., 2001M.A. El-Missiry, A.I. Othman, M.A. Amer, M.A. Abd El-Aziz Attenuation of the acute adriamycin-induced cardiac and hepatic oxidative toxicity by N-(2-ercaptopropionyl) glycine in rats Free Radical Research, 35 (5) (2001), pp. 575–581

El-Missiry et al., 2007M.A. El-Missiry, T.A. Fayed, M.R. El-Sawy, A.A. El-Sayed Amelioration effect of melatonin against gamma-irradiation-induced oxidative stress and tissue injury Ecotoxicology and Environmental Safety, 66 (2007), pp. 278–286

El-sokkary et al., 2003G.H. El-sokkary, E.S. Kamel, R.J. Reiter Prophylactic effect of melatonin in reducing lead induced neurotoxicity in the rat Cellular & Molecular Biology Letters, 8 (2003), pp. 461–470

El-Sokkary et al., 2005G.H. El-Sokkary, G.H. Abdel-Rahman, E.S. Kamel Melatonin protects against lead-induced hepatic and renal toxicity in male rats Toxicology, 213 (2005), pp. 25–33

Fadillioglu et al., 2004E. Fadillioglu, E. Oztas, H. Erdogan, M. Yagmurca, S. Sogut, M. Ucar, M.K. Irmak Protective effects of caffeic acid phenethyl ester on doxorubicin-induced cardiotoxicity in rats Journal of Applied Toxicology, 24 (2004), pp. 47–52

Gianni and Myers, 1992L. Gianni, C. Myers F.M. Muggia, M.D. Green, J.L. Speyer (Eds.), The role of free radical formation in the cardiotoxicityof anthracycline in cancer treatment and the heart, Johns Hopkins University Press, Baltimore (1992), pp. 9–46 Graham et al., 2008R.M. Graham, G.M. Reutens, C.E. Herbison, R.D. Delima, A.C. Chua1, J.K. Olynyk, D. Trinder

Transferrin receptor 2 mediates uptake of transferrin-bound and non-transferrin-bound iron

Journal of Hepatology, 48 (2008), pp. 327–334

Grootveld et al., 1989M. Grootveld, J.D. Bell, B. Halliwell, O.I. Aruoma, A. Bomford, P.J. Sadler

Non-transferrin-bound iron in plasma or serum from patients with idiopathic hemochromatosis. Characterization by high performance liquid chromatography and nuclear magnetic resonance spectroscopy

Journal of Biological Chemistry, 264 (1989), pp. 4417–4422

Habig et al., 1974W.H. Habig, M.J. Pabst, W.B. Jakoby Glutathione-S-transferase the first enzyme step in mercapturic acid formation Journal of Biological Chemistry, 249 (1974), pp. 7130–7139

Hershko et al., 1993C. Hershko, G. Link, M. Tzahor, J.P. Kaltwasser, P. Athias, A. Grynberg, A. Pinson

Anthracycline toxicity is potentiated by iron and inhibited by deferoxamine: studies in rat heart cells in culture

Journal of Laboratory and Clinical Medicine, 122 (1993), pp. 245–251

Iwasaki et al., 2006K. Iwasaki, E.L. Mackenzie, K. Hailemariam, K. Sakamoto, Y. Tsuji

Hemin-mediated regulation of an antioxidant-responsive element of the human ferritin H gene and role of Ref-1 during erythroid differentiation of K562 cells Molecular and Cellular Biology, 26 (2006), pp. 2845–2856

Julicher et al., 1988R.H. Julicher, L. Sterrenberg, G.R. Haenen, A. Bast, J. Noordhoek The effect of chronic adriamycin treatment on heart kidney and liver tissue of male and female rat

Archives of Toxicology, 61 (1988), pp. 275–281

Kang et al., 2002J. Kang, Y. Lee, K. No, E. Jung, J. Sung, Y. Kim, S. Nam Ginseng intestinal metabolite-I (GIM-I) reduces doxorubicin toxicity in the mouse testis Reproductive Toxicology, 16 (2002), pp. 291–298

Kwok and Richardson, 2003J.C. Kwok, D.R. Richardson

Anthracyclines induce accumulation of iron in ferritin in myocardial and neoplastic cells: inhibition of the ferritin iron mobilization pathway Molecular Pharmacology, 63 (2003), pp. 849–861

Lee et al., 2002Y.M. Lee, H.R. Chen, G. Hsiao, J.R. Shen, J.J. Wang, N.H. Yen Protection effects of melatonin on myocardial ischemia/reperfusion injury in vivo Journal of Pineal Research, 33 (2002), pp. 72–80

Levine et al., 1990R.L. Levine, D. Garland, C.N. Oliver, A. Amici, I. Climent, A.G. Lenz, B.W. Ahn, S. Shaltiel, E.R. Stadtman Determination of carbonyl content in oxidatively modified proteins Methods of Enzymology, 186 (1990), pp. 464–478

Lim et al., 1999P.S. Lim, Y.H. Wei, Y.L. Yu, B. Kho Enhanced oxidative stress in haemodialysis patients receiving intravenous iron therapy Nephrology Dialysis Transplantation, 14 (1999), pp. 2680–2687

Limson et al., 1998J. Limson, T. Nyokog, S. Daya The interaction of melatonin and its precursors with aluminium, cadmium, copper, iron, lead, and zinc: an adsorptive voltammetric study Journal of Pineal Research, 24 (1) (1998), pp. 15–21

Link et al., 1996G. Link, R. Tirosh, A. Pinson, C. Hershko Role of iron in the potentiation of anthracycline cardiotoxicity: identification of heart cell mitochondria as a major site of iron-anthracycline interaction Journal of Laboratory and Clinical Medicine, 127 (1996), pp. 272–278

Maharaj et al., 2003D.S. Maharaj, J.L. Limson, S. Daya -6Hydroxymelatonin converts Fe(III) to Fe(II) and reduces iron-induced lipid peroxidation Life Science, 12 (2003), pp. 1367–1375

Menendez-Pelaez and Reiter, 1993A. Menendez-Pelaez, R.J. Reiter Distribution of melatonin in mammalian tissues: the relative importance of nuclear versus cytosolic localization Journal of Pineal Research, 15 (2) (1993), pp. 59–69

Minotti et al., 2001G. Minotti, R. Ronchi, E. Salvatorelli, P. Menna, G. Gaetano Cairo Doxorubicin irreversibly inactivates iron regulatory proteins 1 and 2 in cardiomyocytes: evidence for distinct metabolic pathways and implications for ironmediated cardiotoxicity of antitumor therapy Cancer Research, 61 (2001), pp. 8422-8428

Mueller et al., 2001S. Mueller, K. Pantopoulos, A. Christian, C.A. Hübner, W. Stremmel, W. Matthias, M.W. Hentze IRP1 activation by extracellular oxidative stress in the perfused rat liver Journal of Biological Chemistry, 276 (25) (2001), pp. 23192–23196

Muraoka and Miura, 2003S. Muraoka, T. Miura Free radicals mediate cardiac toxicity induced by adriamycin Yakugaku Zasshi, 123 (2003), pp. 855–866

Ohkawa et al., 1979H. Ohkawa, N. Ohishi, K. Yagi Assay for lipid peroxidation in animal tissues by thiobarbituric acid reaction Annals of Biochemistry, 95 (1979), pp. 351–358

Othman et al., 2004A.I. Othman, S. Al Sharawy, M.A. El-Missiry Role of melatonin in ameliorating lead induced haematotoxicity Pharmacological Research, 50 (2004), pp. 301–307

Othman et al., 2001A.I. Othman, M.A. El-Missiry, M.A. Amer The protective action of melatonin on indomethacin-induced gastric and testicular oxidative stress in rats Redox Report, 6 (3) (2001), pp. 173–177

Outomuro et al., 2007D. Outomuro, D.R. Grana, F. Azzato, J. Milei Adriamycin-induced myocardial toxicity: new solutions for an old problem International Journal of Cardiology, 117 (1) (2007), pp. 6–15

Paglia and Valentine, 1967D.E. Paglia, W.N. Valentine Studies on the quantitative and qualitative characterisation of erythrocyte glutathione peroxidase Journal of Laboratory and Clinical Medicine, 70 (1967), pp. 158–169

Prahalathan et al., 2006C. Prahalathan, E. Selvakumar, P. Varalakshmi Lipoic acid modulates adriamycin-induced testicular toxicity Reproductive Toxicology, 21 (2006), pp. 54–59

Radogna et al., 2007F. Radogna, L. Paternoster, M.C. Albertini, C. Cerella, A. Accorsi, A. Bucchini, G. Spadoni, G. Diamantini, G. Tarzia, M. De Nicola, M. D'Alessio, L. Ghibelli

Melatonin antagonizes apoptosis via receptor interaction in U937 monocytic cells Journal of Pineal Research, 43 (2) (2007), pp. 154–162

Rao and Gangadharan, 2008M.V. Rao, B. Gangadharan Antioxidative potential of melatonin against mercury induced intoxication in spermatozoa in vitro Toxicology in Vitro, 22 (2008), pp. 935–942

Reif, 1992D.W. Reif Ferritin as a source of iron for oxidative damage Free Radical Biology & Medicine, 12 (5) (1992), pp. 417–427

Reiter, 1998R.J. Reiter Oxidative damage in the central nervous system: protection by melatonin Progress in Neurobiology, 56 (1998), pp. 359–384

Reiter, 1999R.J. Reiter Oxidative damage to nuclear DNA: amelioration by melatonin Neuroendocrinology Letters, 20 (1999), pp. 145–150

Reiter et al., 2001R.J. Reiter, D. Acuna-Castroviejo, D.X. Tan, S. Burkhardt Free radical-mediated molecular damage. Mechanisms for the protective actions of melatonin in the central nervous system Annals of the New York Academy of Sciences, 939 (2001), pp. 200–215

Reiter et al., 1999aR.J. Reiter, J. Cabrera, R. Sainz, J.C. Mayo, L.C. Manchester, D.X. Tan Melatonin as a pharmacological agent against neuronal loss in experimental models of Huntington's disease, Alzheimer's disease, and Parkinsonism Annals of the New York Academy of Sciences, 890 (1999), pp. 471–485

Reiter et al., 1999bR.J. Reiter, D.X. Tan, J. Cabrera, D. D'Arpa Melatonin and tryptophan derivatives as free radical scavengers and antioxidants Advances in Experimental Medicine and Biology, 467 (1999), pp. 379–387

Reiter et al., 2002R.J. Reiter, D. Tan, S. Burkhardt Reactive oxygen and nitrogen species and cellular and organismal decline: amelioration with melatonin Mechanism of Ageing and Development, 123 (2002), pp. 1007–1019

Reiter et al., 2004R.J. Reiter, D.X. Tan, E. Gitto, R.M. Sainz, J.C. Mayo, J. Leon, L.C.

Manchester, Vijayalaxm, E. Kilic, U. Kilic Pharmacological utility of melatonin in reducing oxidative cellular and molecular damage Polish Journal of Pharmacology, 56 (2) (2004), pp. 159–170

Reiter et al., 2000R.J. Reiter, D.X. Tan, W. Qi, L.C. Manchester, M. Karbownik, J.R. Calvo

Pharmacology and physiology of melatonin in the reduction of oxidative stress in vivo Biological Signals and Receptors, 9 (2000), pp. 160–171

Richardson and Milnes, 1997D.R. Richardson, K. Milnes

The potential of iron chelators of the pyridoxal isonicotinoyl hydrazone class as effective anti-proliferative agents II: the mechanism of action of ligands derived from salicylaldehyde benzoyl hydrazone and 2-hydroxyl-1-napthylaldehyde benzoyl hydrazone

Blood, 89 (1997), pp. 3025-3038

Sener et al., 2003G. Sener, N. Jahovic, O. Tosun, B.M. Atasoy, B. Yegen Melatonin meliorates ionizing radiation-induced oxidative organ damage in rats Life Science, 74 (2003), pp. 563–572

Singal et al., 2000P.K. Singal, T. Li, D. Kumar, I. Danelisen, N. Iliskovic Adriamycin-induced heart failure: mechanism and modulation Molecular and Cellular Biochemistry, 207 (2000), pp. 77–86

Sun et al., 1988Y. Sun, L.W. Oberley, Y. Li A simple method for clinical assay of superoxide dismutase Clinical Chemistry, 34 (1988), pp. 497–500

Tan et al., 1993D.X. Tan, L.D. Chen, B. Poeggeler, L.C. Manchester, R.J. Reiter Melatonin: a potent endogenous hydroxyl radical scavenger Endocrine Journal, 1 (1993), pp. 57–60

Tan et al., 2002D.X. Tan, R.J. Reiter, L.C. Manchester, M.T. Yan, M. El-sawi, R.M. Sainz, J.C. Mayo, R. Kohen, M. Allegra, R. Hardeland Chemical and physical properties of potential mechanisms: melatonin as a broad spectrum antioxidant and free radical scavenger Current Topics in Medicinal Chemistry, 2 (2002), pp. 181–198

Tanaka and Takahashi, 1990Y. Tanaka, K. Takahashi Cardiac oxygen radical metabolism in adriamycin-induced cardiotoxicity Jikeikai Medical Journal, 37 (1990), pp. 253–264 Theil et al., 2006E.C. Theil, M. Matzapetakis, X. Liu Ferritins: iron/oxygen biominerals in protein nanocages Journal of Biological Inorganic Chemistry, 11 (2006), pp. 803–810

Venditti et al., 1998P. Venditti, M. Balestrieri, T. De Le, S. Di Meo Free radical involvement in doxorubicin-induced electrophysiological alterations in rat papillary muscle fibers Cardiovascular Research, 38 (1998), pp. 695–702

Vijayalaxmi et al., 2004C.R.T. Vijayalaxmi Jr., R.J. Reiter, D.X. Tan, T.S. Herman, C.R. Thomas Jr. Melatonin as a radioprotective agent: a review International Journal of Radiation Oncology, Biology, Physics, 59 (2004), pp. 639–653

Yilmaz et al., 2006S. Yilmaz, A. Atessahin, E. Sahna, I. Karahan, O. Songul Protective effect of lycopene on adriamycin-induced cardiotoxicity and nephrotoxicity Toxicology, 218 (2006), pp. 164–171

4. Assessment of biological changes of continuous whole body exposure to static magnetic field and extremely low frequency electromagnetic fields in mice

Hashish, AH (Hashish, A. H.)^[2,3]; El-Missiry, MA (El-Missiry, M. A.)^[1]; Abdelkader, HI (Abdelkader, H. I.)^[2]; Abou-Saleh, RH (Abou-Saleh, R. H.)^[2]

[1] Univ Mansoura, Fac Sci, Dept Zool, Mansoura 35516, Egypt

[2] Univ Mansoura, Fac Sci, Dept Phys, Mansoura 35516, Egypt

[3] United Arab Emirates Univ, Fac Sci, Dept Phys, Al Ain, U Arab Emirates

E-mail Address: maelmissiry@yahoo.com

Abstract

The question whether static magnetic fields (SMFs) and extremely low frequency electromagnetic fields (ELF-EMF) cause biological effects is of special interest. We investigated the effects of continuous whole body exposure to both fields for 30 days on some liver and blood parameters in mice. Two exposure systems were designed; the first produced a gradient SMF while the second generated uniform 50Hz ELF-EMF. The results showed a gradual body weight loss when mice were exposed to either field. This is coupled with a significant decrease (P < 0.05) in the levels of glucose, total protein and the activity of alkaline phosphatase in serum. A significant increase in lactate dehydrogenase activity was demonstrated in serum and liver paralleled with a significant elevation in hepatic gamma-glutamyl transferase activity. The glutathione-S-transferase activity and lipid peroxidation level in the liver were significantly increased while a significant decrease in hepatic gluthathione content was recorded. A significant decrease in the Counts of monocytes, platelets, peripheral lymphocytes as well as splenic total, T and B lymphocytes levels was observed for SMF and ELF-EMF exposed groups. The granulocytes percentage was significantly increased. The results indicate that there is a relation between the exposure to SMF or ELF-EMF and the oxidative stress through distressing redox balance leading to physiological disturbances

Keywords: Electromagnetic fields; Antioxidants; Liver; Enzymes

Published in: ECOTOXICOLOGY AND ENVIRONMENTAL SAFETY Volume: 71 Issues: 3 Pages: 895-902 DOI: 10.1016/j.ecoenv.2007.10.002 Published: NOV 2008

References

Al-Akhras et al., 2001M.A. Al-Akhras, A. Elbetieha, M. Hasan, I. Al-Omari, H. Darmni, B. Albiss

Effects of extremely low frequency magnetic field on fertility and adult male and female rats Bioelectromagnetics, 22 (2001), pp. 340–344

Al-Akhras et al., 2006M.A. Al-Akhras, H. Darmani, A. Elbetieha Influence of 50 Hz magnetic field on sex hormones and other fertility parameters of adult male rats Bioelectromagnetics, 27 (2006), pp. 127–131

Beutler, 1982E. BeutlerRed cell metabolismE. Beutler (Ed.), A Manual of Biochemical Methods, Grune and Stratton, New York (1982), pp. 137–140

Brocklehurst and McLauchlin, 1996B. Brocklehurst, K.A. McLauchlin Free radical mechanism for the effects of environmental electromagnetic fields on biological systems Int. J. Radiat. Biol., 69 (1996), pp. 3–24

Creskoff et al., 1963A.J. Creskoff, Fitz-Hugh Jr., E.J. Farris Hematology of the rat—methods and standards E.J. Farris, J.Q. Griffith (Eds.), The Rat in Laboratory Investigation (second ed.), Hafner Publishing, New York (1963), pp. 104–160

Djavaheri-Mergny et al., 2002M. Djavaheri-Mergny, M.J. Accaoui, D. Rouillard, J. Wietzerbin Gamma-glutamyl transpeptidase activity mediates NF-kappaB activation through lipid peroxidation in human leukemia U937 cells Mol. Cell Biochem., 232 (1–2) (2002), pp. 103–111

El-Missiry and Shalaby, 2002M.A. El-Missiry, F. Shalaby Role of β -carotene in ameliorating the cadmium-induced oxidative stress in rat brain and testis

J. Biochem. Molec. Toxicol., 14 (5) (2002), pp. 238–243

Fernie and Bird, 2001K.J. Fernie, D.M. Bird Evidence of oxidative stress in American kestrels exposed to electromagnetic fields Environ. Res. Section A, 86 (2001), pp. 198–207

Feychting, 2005M. Feychting Health effects of static magnetic fields—a review of the epidemiological evidence Prog. Biophys. Molec. Biol, 87 (2005), pp. 241–246 Feychting et al., 2003M. Feychting, F. Jonsson, N.L. Petersen, A. Ahlbom Occupational magnetic field exposure and neurodegenerative disease Epidemiology, 14 (4) (2003), pp. 413–419

Grissom, 1995C.B. Grissom Magnetic field effects in biology: a survey of possible mechanisms with emphasis on radical-pair recombination Chem. Rev., 95 (1995), pp. 3–24

Habig et al., 1974W.H. Habig, M.J. Pabst, W.B. Jakoby Glutathione S-transferase the first enzyme step in mercapturic acid formation J. Biol. Chem., 249 (1974), pp. 7130–7139

Halliwell, 1999B. Halliwell Establishing the significance and optimal intake of dietary antioxidants: the biomarker concept Nutr. Rev., 57 (1999), pp. 104–113

Halliwell, 2001B. Halliwell Role of free radicals in the neurodegenerative diseases: therapeutic implications for antioxidant treatment Drugs Aging, 18 (2001), pp. 685–716

Halliwell and Gutteridge, 1999B. Halliwell, J.M. Gutteridge Free Radicals in Biology and Medicine Oxford University Press, Oxford, UK (1999(

Halliwell and Whiteman, 2004B. Halliwell, M. Whiteman Measuring reactive species and oxidative damage in vivo and in cellculture: how should you do it and what do the results mean? Br. J. Pharmacol., 142 (2004), pp. 231–255

Hinton et al., 1987D.M. Hinton, J.J. Jessop, A.A. Arnold, R.H. Albert, F.A. Hines Evaluation of immunotoxicity in a subchronic feeding study of triphenyl phosphate Toxicol. Ind. Health, 3 (1987), pp. 81–89

Hulbert et al., 1998A.L. Hulbert, J. Metcalfe, R. Hesketh Biological response to electromagnetic fields FASEB, 12 (1998), pp. 395–420

IARC, 2002IARC Non-Ionization Radiation: Part I. Static and Extremely Low Frequency (ELF) Electric and Magnetic Fields World Health Organisation, International Agency for Research on Cancer, IARC Press, Lyon (2002) 429pp

Jagetia et al., 2003G.C. Jagetia, G.K. Rajanikant, K. Shaival, M. Rao, B. Shrinath Alteration in the glutathione, glutathione peroxidase, superoxide dismutase and lipid peroxidation by ascorbic acid in the skin of mice exposed to fractionated γ radiation Clin. Chim. Acta, 332 (2003), pp. 111–121

Juutilainen et al., 1987J. Juutilainen, E. Laara, K. Saali Relationship between field strength and abnormal development in chick embryos exposed to 50 Hz magnetic fields Int. J. Radiat. Biol., 52 (1987), pp. 787–793

Kowalczuk et al., 1991C.I. Kowalczuk, Z.J. Sienkiewicz, R.D. Saunders Biological Effects of Exposure to Non-ionizing Electromagnetic Fields and Radiation. I. Static Electric and Magnetic Fields (NRPB-R238(Natl. Radiat. Protec. Board, Chilton, UK (1991(

Lee et al., 2002D.H. Lee, M.H. Ha, J.R. Kim, M. Gross, D.R. Jacobs γ -Glutamyltransferase, alcohol, and blood pressure: a four year follow-up study Ann. Epidemiol., 12 (2002), pp. 90–96

Lee et al., 2004aD.H. Lee, R. Blomhoff, D. Jacobs Jr. Is serum gamma glutamyltransferase a marker of oxidative stress? Free Rad. Res., 38 (6) (2004), pp. 535–539

Lee et al., 2004bD.H. Lee, M. Gross, D.R. Jacobs The association of serum carotenoids and tocopherols with gamma glutamyltransferase: the CARDIA study

Clin. Chem., 50 (2004), pp. 582-588

Li and Chow, 2001S.H. Li, K.C. Chow Magnetic field exposure induces DNA degradation, Biochem Biophys. Res. Commun., 280 (2001), pp. 1385–1388

Mancini and Carbonara, 1965G. Mancini, A.O. Carbonara Immunochemical quantitation of antigens by single radial immunodiffusion Immunochemistry, 2 (1965), pp. 235–254

McCann et al., 1993J. McCann, F. Dietrich, C. Rafferty, A.O. Martin A critical review of the genotoxic potential of electric and magnetic fields Mutat. Res., 297 (1993), pp. 61–95

McCann et al., 1998J. McCann, F. Dietrich, C. Rafferty The genotoxic potential of electric and magnetic fields: an update Mutat. Res., 411 (1998), pp. 45–86

Ohkawa et al., 1979H. Ohkawa, N. Ohishi, K. Yagi Assay for lipid peroxidation in animal tissues by thiobarbituric acid reaction Ann. Biochem., 95 (1979), pp. 351–358

Prato et al., 1996F.S. Prato, M. Kavaliers, J.J. Carson Behavioural evidence that magnetic field effects in the land snail, cepaea nemoralis, might not depend on magnetite or induced electric currents Bioelectromagnetics, 17 (1996), pp. 123–130

Reiter et al., 1998R.J. Reiter, D.X. Tan, W.B. Qi Suppression of oxygen toxicity by melatonin Acta Pharm. Sin., 19 (1998), pp. 575–581

Reiter et al., 1999R.J. Reiter, D.X. Tan, J. Cabrera, D. D'Arpa, R.M. Sainz, J.C. Mayo, S. Ramos The oxidant/antioxidant network: role of melatonin Biol. Signals Recept., 8 (1999), pp. 56–63

Richie, 1992J.P. Richie Jr. The role of glutathione in aging and cancer Exp. Gerontol., 27 (1992), pp. 615–626

Rollwitz et al., 2004J. Rollwitz, M. Lupke, M. Simko Fifty-hertz magnetic fields induce free radical formation in mouse bone marrowderived promonocytes and macrophages Biochim. Biophys. Acta, 1674 (2004), pp. 231–238

Roy et al., 1995S. Roy, Y. Noda, V. Eckert, M.G. Traber, A. Mori, R. Liburdy, L. Packer The phorbol 12-myristate 13-acetate (PMA)-induced oxidative burst in rat peritoneal neutrophils is increased by a 0.1 mT (60 Hz) magnetic field FEBS Lett., 376 (1995), pp. 164–166

Sabine et al., 2003I. Sabine, D. Elisabeth, J. Oswald, W.R. Hugo Intermittent extremely low frequency electromagnetic fields cause DNA damage in a dose-dependent way Int Arch Occup. Environ. Health, 76 (2003), pp. 431–436 Sandrey, 1999M.A. Sandrey, M.T. Fox, W.X. Balcavge, J. Swez The effects of electromagnetic fields on chemically induced tendonitis in rats J. Athl. Train. Suppl., 34 (1999), pp. S23–S26

Sandrey, 2002M.A. Sandrey, D.N. Vesper, M.T. Johnson, G. Nindl, J.A. Swez, J. Chamberlain, W.X. Balcavage Effect of short duration electromagnetic field exposures on rat mass Bioelectromagnetics, 23 (1) (2002), pp. 2–6

Simko et al., 2001M. Simko, S. Droste, R. Kriehuber, G. Dieter, D.G. Weiss Stimulation of phagocytosis and free radical production in murine macrophages by 50 Hz electromagnetic fields Eur. J. Cell Biol., 80 (2001), pp. 562–566

Stuchly, 1986M.A. Stuchly Human exposure to static and time-varying magnetic fields Health Phys., 51 (1986), pp. 215–225

Tsuji et al., 1996Y. Tsuji, M. Nakagawa, Y. Suzuki Five-testa static magnetic fields suppress food and water consumption and weight gain in mice Ind. Health, 34 (4) (1996), pp. 347–357

WHO, 1998WHO Fact Sheet. 1998. Electromagnetic Fields and Public Health: Extremely Low Frequency (ELF). WHO Fact Sheet #205 Geneva.

WHO, 2006WHO Fact Sheet. 2006. Electromagnetic Fields and Public Health: Static electric and magnetic fields. WHO Fact Sheet #299 Geneva.

Wolf et al., 2005F.I. Wolf, A. Torsello, B. Tedesco, S. Fasanella, A. Boninsegna, M. D'Ascenzo, C. Grassi, G.B. Azzena, A. ittadini
-50Hz extremely low frequency electromagnetic fields enhance cell proliferation and DNA damage: possible involvement of a redox mechanism
Biochim. Biophys. Acta, 1743 (2005), pp. 120–129

Yokus et al., 2005B. Yokus, D.U. Cakir, M.Z. Akdag, C. Sert, N. Mete Oxidative DNA damage in rats exposed to extremely low frequency electro magnetic fields

Free Radic. Res., 39 (3) (2005), pp. 317–323

5. Role of melatonin in ameliorating lead induced haematotoxicity

A.I Othman^a, S Al Sharawy^b, M.A El-Missiry^a,

^a Zoology Department, Faculty of Science and Clinical Pathology, Mansoura University, Mansoura 35516, Egypt

^b Clinical Pathology, Faculty of Medicine, Mansoura University, Mansoura, Egypt

E-mail Address: maelmissiry@yahoo.com

Abstract

Owing to the risks of heavy metals-induced severe haematopoietic disorders, it is important to investigate these chemicals for their haematotoxicity and the possible ways to ameliorate their toxicity. The effects of melatonin on lead-induced haematotoxicity have, therefore, been examined in rat blood and bone marrow. When adult male rats were injected intramuscularly with lead acetate (10 mg kg^{-1}) daily for 7 days, the erthrocytic count, haematocrite value and haemoglobin content were significantly decreased. The counts of platelets, total leucocytes and lymphocytes in the peripheral blood were also significantly lower in lead-treated rats than in control animals. The total granulocyte count was significantly elevated in the peripheral blood of the same lead-treated rats. Significant decreases in polychromatic and pyknotic erythroid series as well as lymphocytes in bone marrow of the lead-intoxicated rats were also demonstrated. Meanwhile, the neutrophiles were increased in the same treated rats. The erythropoietin level was significantly decreased and the lead concentration was increased in the plasma of the lead-treated rats compared with the control rats. Bone marrow examination of the rats treated with lead for 7 days showed erythroid hyperplasia with a sign of dyserythropoiesis and demonstrated ringed sideroblasts in varying proportions. Daily pretreatment with melatonin (30 mg kg^{-1}) intragastricaly, concurrently with lead injection for 7 days significantly prevented the changes recorded in the peripheral blood parameters. The changes observed in the bone marrow polychromatic erythroid, lymphocytes and the neutrophiles were significantly ameliorated by coadministration of melatonin and lead compared with lead-treated rats, while the pyknotic erythroid series was still significantly low. The levels of erythropoietin and lead in plasma were not changed in melatonin+leadtreated group compared with lead only treated rats. In addition, melatonin administration ameliorated the decrease in erythroid cell count in bone marrow. Less dyserythropoiesis and megaloblastic changes were observed in bone marrow film when melatonin was concurrently administered with lead. In the same animals, iron staining of the bone marrow cells showed absence of ringed sideroblasts. In conclusion, the present results indicate that melatonin has the ability to protect the haematopoietic cells from the damaging effects of exposure to lead. This protection might be attributed to the antioxidative power of melatonin.

Keywords: Melatonin; Heavy metals; Bone marrow; Erythropoietin

Published In: PHARMACOLOGICAL RESEARCH Volume: 50 Issue: 3 Pages: 301-307 DOI: 10.1016/j.phrs.2004.01.013 Published: SEP 2004

References

[1]T Oberley, A.L Friedman, R Moser, F SiegelEffect of lead administration on developing rat kidneyToxicol Appl Pharmacol, 131 (1995), pp. 94–107

[2]R.L Van Den Heuvel, H Leppens, G.E SchoetersUse in vitro assay to assess hematotoxic effect of environmental compoundsCell Biol Toxicol, 17 (2001), pp. 107–116

[3]P Hus, M Liu, C Hus, L Chen, Y Guo
Lead exposure causes generation of reactive oxygen species and functional impairment of rat sperm
Toxicology, 122 (1997), pp. 133–143

[4]A.I Othman, M.A El-MissiryRole of selenium against lead induced toxicity in male ratsJ Biochem Mol Toxicol, 12 (1998), pp. 345–349

[5]M.A El-MissiryProphylactic effect of melatonin on lead induced inhibition of heme biosynthesis and deterioration of antioxidant system in male ratsJ Biochem Mol Toxicol, 14 (2000), pp. 57–62

[6]B Rio, R Froquet, D Parent-MassinIn vitro effect of lead acetate on human erythropoietic progenitorsCell Biol Toxicol, 17 (2001), pp. 41–50

[7]S.I Zaichkina, O.M Rozanovea, G.F Aptikaeva, A.K.H Akhmadieva, D.I.U Klokov,
E.N Smirnova
Induction of cytogenetic damages by combine action of heavy metal salts, chronic and acute gamma irradiation in bone marrow cells of mice and rats
Radiats Biol Radioecol, 41 (2001), pp. 514–518

[8]R.J Reiter, D.X Tan, W Qi, L.C Manchester, M Karbownik, J.R Calvo Pharmacology and physiology of melatonin in the reduction of oxidative stress in vivo Biol Signals Recept, 9 (4) (2000), pp. 160–171

[9]A Garcia, T Landete-Castillejos, L Zarazaga, J Garde, L Gallego
Seasonal changes in melatonin concentration in female Iberian red deer (Cervus elaphus hispanicus)
J Pineal Res, 34 (3) (2003), pp. 161–166

[10]R.J ReiterMelatonin: clinical relevanceBest Pract Res Clin Endocrinol Metabol., 17 (2) (2003), pp. 273–285

[11]S Lopez-Burillo, D.X Tan, J.C Mayo, R.M Sainz, L.C Manchester, R.J Reiter Melatonin, xanthurenic acid, resveratrol, EGCG, Vitamin C and alpha-lipoic acid differentially reduce oxidative DNA damage induced by Fenton reagents: a study of their individual and synergistic actions J Pineal Res, 34 (4) (2003), pp. 269–277

[12]J.C Mayo, D.X Tan, R.M Sainz, S Lopez-Burillo, R.J Reiter Oxidative damage to catalase induced by peroxyl radicals: functional protection by melatonin and other antioxidants

Free Radic Res., 37 (5) (2003), pp. 543–553

[13]D.X Tan, R.J Reiter, L.D Chen, B Poggeler, B Poeggeler, L.C Manchester et al.
Both physiological and pharmacological levels of melatonin reduce DNA adduct formation induced by the carcinogen safrole
Carcinigenesis, 15 (1994), pp. 215–218

[14]D Melchiorri, R.J Reiter, A.M Atlia, M Hara, G Nistico
Potent protective effect of melatonin on in vivo paraquat-induced oxidative damage in rats
Life Sci, 56 (1995), pp. 83–89

[15]S Cuzzocrea, R.J Reiter

Pharmacological action of melatonin in shock, inflammation and ischemia/reperfusion injury

Eur J Pharmacol, 426 (2001), pp. 1-10

[16]L.Y Zang, G Cosma, H Gardner, V VallyathanScavenging of reactive oxygen species by melatoninBiochem Biophys Acta, 1425 (1998), pp. 469–477

[17]R SasakiPleiotropic functions of erythropoietinInt Med, 42 (2) (2003), pp. 142–149

[18]W Osterode, U Barnas, K Geissler

Dose dependent reduction of erythroid progenitor cells and inappropriate erythropoietin response in exposure to lead: new aspects of anaemia induced by lead Occup Environ Med, 56 (1999), pp. 106–109

[19]A Conti, S Conconi, E Hertens, K skwarlo-Sonta, M Markowska, J.M MaestroniEvidence of melatonin synthesis in mous and human bone marrow cellsJ Pineal Res, 28 (2000), pp. 193–202

[20]D.X Tan, L.C Manchester, R.J Reiter, W.B Qi, M Zhang, S.T Weintraub et al. Identification of high elevated levels of melatonin in bone marrow: its origin and significance

Biochem Biophys Acta, 1472 (1999), pp. 206-214

[21]G.J Maestroni

Is haematopoiesis under the influence of neural and neuroendocrine mechanisms? Histol Histopathol, 13 (1) (1998), pp. 271–274

[22]M Koc, M.E Buyukokuroglu, S TaysiThe effect of melatonin on peripheral blood cells during total body irradiation in ratsBiol Pharm Bull, 25 (5) (2002), pp. 656–657

[23]G.J MaestroniMLT and the immune-hematopoietic systemAdv Exp Med Biol., 460 (1999), pp. 395–405

[24]G.J MaestroniNeurohormones and caticholamins as functional components of the bone marrow microenvironmentAnn NY Acad Sci, 917 (2000), pp. 29–37

[25]R.S Harapanhalli, V Yaghami, D Giuliani, R.W Howell, D RaoAntioxidant effect of Vitamin C in mice following X-irradiationRes Commun Mol Pathol Pharm, 94 (3) (1996), pp. 271–287

[26]G.J Flora, P.K SethAlterations in some membrane properties in rat brain following exposure to leadCytobios, 103 (403) (2000), pp. 103–109

[27]J Villeda-Hernandez, R Barroso-Moguel, M Mendez-Armenta, C Nava-Ruiz, R Huerta-Romero, C RiosEnhanced brain regional lipid peroxidation in developing rats exposed to low level

lead acetate Brain Res Bull, 55 (2001), pp. 247–251

[28]B Jacob, B Ritz, J Heinrich, B Hoelscher, H.E WichmannThe effects of low-level blood lead on haematological parameters in childrenEnviron Res, 82 (2) (2000), pp. 150–159

[29]I Ivaicoli, G Carelli, E.J stanek, N Castellino, E.J Calabrese Effect of low doses of dietary lead on red blood cell production in male and female mice Toxicol Lett, 137 (3) (2003), pp. 193–199

[30]S.S Leonard, V Vallyathan, V Castranova, X Shi Generation of reactive oxygen species in the enzymatic reduction of PbCrO4 and related DNA damage Mol Cell Biochem, 234 (1) (2002), pp. 309–315

[31]G.H El-Sokkary, E.S Kamel, R.J ReiterProphylactic effect of melatonin in reducing lead-induced neurotoxicity in the ratCell Mol Biol Lett, 8 (2) (2003), pp. 461–470

[32]Mousa HM, Al-Qarawi AA, Ali BH, Abdel Rahman HA, El Mougy SA. Effect of lead exposure on the erythrocytic antioxidant levels in goats. J Vet Med A Physiol Pathol Clin Med 2002;49(10):531-4.33.

[33]M Gonzalez, M.C Tejedor

Variations of glycolytic kinases and pentose-phosphate pathway dehydrogenases in response to lead accumulation in haemopoietic cells of rock doves (Columba livia) Bull Environ Contam Toxicol, 50 (5) (1993), pp. 779–786

[34]S.B Folhe, J Bruggemann, C Herder, C Goebel, H Kolb Enhanced proinflammatory response to endotoxin after priming of macrophages with lead ions J Leukco Biol, 71 (2002), pp. 417-424

[35]Afana'ev IB. Superoxide ion chemistry and biological implication, 1st ed., vol. II. Boca Raton: CRC Press; 1991.

[36]Y.O Kim, M.Y Pyo, J.H KimInfluence of melatonin on immunotoxicity of leadInt J Immunopharmacol, 22 (10) (2002), pp. 821–832

[37]R.J Reiter, D Tan, L.C Manchester, W QiBiochemical reactivity of melatonin with reactive oxygen and nitrogen speciesCell Biochem Biophys, 34 (2001), pp. 237–256

[38]J.C Mayo, D.X Tan, R.M Sainz, M Natarajan, S Lopez-Burillo, R.J Reiter Protection against oxidative protein damage induced by metal-catalyzed reaction or alkylperoxyl radicals: comparative effects of melatonin and other antioxidants Biochim Biophys Acta, 1620 (1–3) (2003), pp. 139–150

[39]N Susa, S Ueno, Y Furukawa, J Ueda, M Sugiyama Potent protective effect of melatonin on chromium(VI)-induced DNA single strand breaks, cytotoxicity and lipid peroxidation in primary cultures of rat hepatocytes Toxicol Appl Phamacol, 144 (1997), pp. 377–384

[40]D.S Maharaj, J.L Limson, S Daya6-Hydroxymelatonin converts Fe(III) to Fe(II) and reduces iron-induced lipid peroxidationLife Sci., 12 (2003), pp. 1367–1375

[41]A.J Erslev, J CaroPhysiologic and molecular biology of erythropoietinMed Oncol Tumor Pharmacother, 3 (1986), pp. 159–164

[42]M.J Percy, M.F McMullin, A.W Roques, N.B Westwood, J Acharya, A.E Hughes

et al. Erythrocytosis due to a mutation in the erythropoietin receptor gene Br. J Haematol, 100 (1998), pp. 407–410

[43]H Youssoufian, G Longmore, D Neumann, A Yoshimura, H.F Lodish Structure, function and activation of the erythropoietin receptor Blood, 81 (1993), pp. 2223–2236

[44]E Uchida, K Morimoto, N Kawasaki, Y Izaki, A Abdu Said, T Hayakawa Effect of active oxygen radicals on protein and carbohydrate moieties of recombinant human erythropoietin Free Radic Res, 27 (3) (1997), pp. 311–323

[45]M Shedpure, H.K PatiDo thyroid and testis modulate the effect of pineal and melatonin on haematopoietic variables in clariase batrachusJ Biosc., 21 (1996), pp. 797–808

[46]M.M Anwar, H.A Mahfouz, A.S sayed

Potential protective effects of melatonin on bone marrow of rats exposed to cytotoxic drugs

Comp Biochem Physiol A Mol Integr Physiol, 119 (1998), pp. 493-501

6. L-arginine ameliorates oxidative stress in alloxan-induced experimental diabetes mellitus

EDREES, G M. A. El-Missiry, A. I. Othman and M. A. Amer

Zoology Department, Faculty of Sciences, Mansoura University, Mansoura,

A. R. Egypt

E-mail: maelmissiry@yahoo.com

Abstract

Oxidative stress occurs in diabetic patients and experimental models of diabetes. The ability Of L-arginine to ameliorate the oxidative stress and metabolic changes after treatment with altoxan was investigated in rats. Adult male rats were injected intraperitoneally with 100 mg kg(-1) of alloxan to produce experimental oxidative stress characteristic of diabetes mellitus. Hyperglycaemia and hypercholesterolaemia were observed in serum after 7 days of alloxan treatment. This was associated with a depression of glutathione (GSH) concentration as well as superoxide dismutase (SOD) and catalase (CAT) activities in the liver and brain. In addition, the thiobarbituric acid-reactive substances (TBARS) were significantly elevated, indicating increased lipid peroxidation and oxidative stress in the same tissues. Administration of 100 mg kg(-1) L-arginine for 7 days either before or after altoxan injection significantly ameliorated the oxidative stress evidenced by a lower TBARS and a higher level of the endogenous GSH concentration and SOD and CAT activities than altoxan-treated rats. These effects were paralleled by marked protection and partial prophylaxis against alloxan-induced hyperglycaemia and chotesterolaemia. Thus, these results showed that exogenously administered L-arginine might improve the clinical manifestation of diabetes mellitus and decrease the oxidative stress in the liver and brain. In addition, the study supports the beneficial effect Of L-arginine, which might be attributed to its direct, NO-dependent antioxidant capacity and/or NOindependent pathways.

Keywords: antioxidants; lipid peroxidation; free radicals; glucose; cholesterol

Published In: JOURNAL OF APPLIED TOXICOLOGY Volume: 24 Issue: 2 Pages: 93-97 DOI: 10.1002/jat.952 Published: MAR-APR 2004

References

- Baynes JW. 1995. Reactive oxygen in the etiology and complications of diabetes: drugs, diet and disease. In Mechanistic Approach to Diabetes, vol. 2, Toannides C, Flatt PR (eds). Ellis Harwood: London; 405–412.
- 2. Beutler E. 1982. Red Cell Metabolism. A Manual of Biochemical Methods,
- 3. Beutler E (ed.). Grune and Stratton: New York;137–140.
- 4. Blum J, Fridovich I. 1985. Inactivation of glutathione peroxidase by superoxide radical. Arch. Biochem. Biophys. 240: 500–508.
- 5. Bock PP, Karmer R, Pavelka M. 1980. A simple assay for catalase determination. Cell Biol. Monogr. 7: 44–74.
- 6. Brandes RP, Brandes S, Boger RH, Bode-Boger SM, Mugge A.2000. L Arginine supplementation in hypercholesterolemic rabbits normalizes leukocyte adhesion to non-endothelial matrix. Life Sci. 66: 1519–1524.
- Bromme HJ, Morke W, Peschke D, Ebelt H, Peschke D. 2000.Scavenging effect of melatonin on hydroxyl radicals generated by alloxan. Pineal Res. 29: 201–208.
- 8. Bromme HJ, Weinandy R, Peschke D, Peschke E. 2001. Simultaneous quantitative determination of alloxan, GSH and GSSG by HPLC. Estimation of the frequency of redox cycling between alloxan and dialuric acid. Horm. Metab. Res. 33:106–109.
- 9. Cheeseman KH. 1994. Initiation and pathobiological consequence of lipid peroxidation. In Free Radicals in the Environment: Medicine and Toxicology, Nohl H, Esterbauer H, Rice-Evans C (eds). Richelieu Press: London; 81–90.
- Chiueh CC. 1999. Neuroprotective properties of nitric oxide. Ann.NY Acad. Sci. 890: 301–311.
- 11. El-Missiry MA. 1999. Enhanced testicular antioxidant system by ascorbic acid in alloxan diabetic rats. Comp. Biochem.Physiol. C 119: 233–237.

- El-Missiry MA, El-Gendy AM. 2000. Amelioration of alloxan induced diabetes mellitus and oxidative stress in rats by oil of Eruca sativa seeds. Ann. Nutr. Metab. 44: 97–100.
- 13. Esterbauer H, Zollner H, Schaur RJ. 1990. Lipid Oxidation, Vigo C, Pel Frey BA (eds). CRC Press: Boca Raton, FL.
- 14. Faldetta M, Laurenti O, Desideri G, Bravi M, De Luca O, Marinucci M, De Mattia G, Ferri C. 2002. L-Arginine infusiondecreases plasma total homocysteine concentrations through increased nitric oxide production and decreased oxidative status in type II diabetic patients. Diabetologia 45:1120–1127.
- Farbiszewski R, Bielawska A, Szymanska M, Skrzydlewska E.1996. Spermine partially normalizes in vivo antioxidant defense potential in certain brain regions in transiently hypoperfused rat brain. Neurochem. Res. 21: 1497– 1503.
- Fisher J, Humburger SA. 1980. Inhibition of alloxan action in isolated pancreatic islets by superoxide dismutase, catalase,and metal chelator. Diabetes 29: 213–216.
- 17. Graier WF, Simecek S, Kukovetz WR, Kostner GM. 1996. High D-glucoseinduced changes in endothelial Ca2+/EDRF signaling are due to generation of superoxide anion. Diabetes 45: 1386–1395.
- Hamer M, Foti R, Emkey M, Cordier-Bussat J, Philippe P, De Meyts C, Maeder H, Kahn CR, Carpentier JL. 2002. An arginine to cysteine252 mutation in insulin receptors from a patient with severe insulin resistance inhibits receptor internalisation but preserves signalling events. Diabetologia 45: 657–667.
- 19. Honing ML, Morrison PJ, Banga JD, Stroes ES, Rabelink TJ.1998. Nitric oxide availability in diabetes mellitus. Diab.Metab. Rev. 14: 241–249.
- 20. Kawano H, Motoyama T, Hirai N, Kugiyama K, Yasue H, Ogawa H. 2002. Endothelial dysfunction in hypercholesterolemia is l-ARGININE FOR

ALLOXAN-INDUCED OXIDATIVE STRESS 97Copyright © 2004 John Wiley & Sons, Ltd. J. Appl. Toxicol. 24, 93–97 (2004) improved by L-arginine administration: possible role of oxidative stress. Atherosclerosis 161: 375–380.

- 21. Kosenko EA, Kaminskii AI, Kaminskii IU. 1999. Activity of antioxidant enzymes in liver and brain is decreased in the earlystage of diabetes, and this decrease depends on the function of NMDA-receptors. Vopr. Med. Khim. 45: 304–308.
- 22. Landmesser U, Merten R, Spiekermann S, Buttner K, Drexler H, Hornig B. 2000. Vascular extracellular superoxide dismutase activity in patients with coronary artery disease: relation to endothelium-dependent vasodilation. Circulation 101: 2264–2270.
- 23. Lass A, Suessenbacher A, Wolkart G, Mayer B, Brunner F. 2002. Functional and analytical evidence for scavenging of oxygen radicals by L-arginine. Mol. Pharmacol. 61: 1081–1088.
- 24. Lovaas E. 1995. Hypothesis: spermine may be an important epidermal antioxidant. Med. Hypoth. 45: 59–67.
- 25. Lube CB, Hayn M, Kitzmuller E, Vierhapper H, Lubec G. 1997.L-Arginine reduces lipid peroxidation in patient with diabetes mellitus. Free Rad. Biol. Med. 22: 355–357.
- 26. Mendez JD, Arreola MA. 1992. Effect of L-arginine on pancreatic arginase activity and polyamines in alloxan treated rats.Biochem. Int. 28: 569–575.
- 27. Mendez JD, Balderas F. 2001. Regulation of hyperglycemia and dyslipidemia by exogenous L-arginine in diabetic rats.Biochimie 83: 453–458.
- 28. Mendez JD, Palomar-Morales M. 1999. Prevention by L-arginine and polyamines of delayed development and embryotoxicity caused by chemically-induced diabetes in rats. Reprod.Toxicol. 13: 501–509.
- 29. Mohan IK, Das UN. 1998. Effect of L-arginine–nitric oxide system on chemical-induced diabetes mellitus. Free Rad. Biol. Med.25: 757–765.

- 30. Moncada S, Palmer RM, Higgs EA. 1991. Nitric oxide: Physiology, pathology, and pharmacology. Parmacol. Rev. 43: 109–141.
- 31. Nakazaki M, Kakei M, Yaekura K, Koriyama N, Morimitsu S,Ichinari K, Yada T, Tei C. 2000. Diverse effects of hydrogen peroxide on cytosolic Ca2+ homeostasis in rat pancreatic beta-cells. Cell Struct. Funct. 25: 187–193.
- 32. Nishikawa T, Edelstein D, Du XL. 2000. Normalizing mitochondrial superoxide production blocks three pathways of hyperglycaemic damage. Nature 404: 787–790.
- Nishikimi M, Rao N, Yagi K. 1972. The occurrence of superoxide anion in the reaction of reduced phenazine methosulphate and molecular oxygen. Biochem. Biophys. Res. Commun.46: 844–853.
- 34. Ohkawa H, Ohishi N, Yagi K. 1979. Assay for lipid peroxidation in animal tissues by thiobarbituric acid reaction. Ann. Biochem.95: 351–358.
- 35. Pieper GM, Pltier BA. 1995. Amelioration by L-arginine of dysfunctional arginine/nitric oxide pathway in diabetic endothelium. J. Cardiovasc. Pharmacol. 25: 397–403.
- 36. Pieper GM, Siebeneich W, Moore-Hilton G, Roza AM. 1997.Reversal by Larginine of a dysfunctional arginine/nitric oxide pathway in the endothelium of the genetic diabetic BB rat.Diabetologia 40: 910–915.
- 37. Popov D, Costache G, Georgescu A, Enache M. 2002. Beneficial effects of Larginine supplementation in experimental hyperlipemia–hyperglycemia in the hamster. Cell Tissue Res.308: 109–120.
- 38. Rodwell VW. 1996. Conversion of amino acid to specialized protein. In Harper's Biochemistry (24th edn), Murray PK,Granner DK, Mayes PA, Rodwell VW (eds). Appleton & Lang: Los Altos, California; 322–343.
- 39. Santini SA, Marra G, Giardina B, Cotroneo P, Mordente A, Martorana GE, Manto A, Ghirlanda G. 1997. Defective plasma antioxidant defenses and

enhanced susceptibility to lipid peroxidation in uncomplicated IDDM. Diabetes 46:1853–1858.

- 40. Soto CP, Perez B, Favari L, Reyes L. 1998. Prevention of alloxan induced diabetes mellitus in the rats by silymarin. Comp.Biochem. Physiol. C 119: 125–129.
- 41. Szkudelski T. 2001. The mechanism of alloxan and streptozotocin action in B cells of the rat pancreas. Physiol. Res. 50: 537–546.
- 42. Tozer GM, Everett SA. 1997. Nitric oxide in tumour biology and cancer therapy. Part 1: Physiological aspects. Clin. Oncol. 9:282–293.
- 43. Trachtman H, Futterweit S, Crimmins DL. 1997. High glucose inhibits nitric oxide production in cultured rat mesangial cells. J. Am. Soc. Nephrol. 8: 1276–1282.
- 44. Tsai HJ, Shang HF, Yeh CL, Yeh SL. 2002. Effects of arginine supplementation on antioxidant enzyme activity and macrophage response in burned mice. Burns 28: 258–263.
- 45. Yadav P, Sarkar S, Rathor N, John S, Kale M, Bhatnagar D. 1996. Ascorbic acid counteracts the prooxidant effect of alloxan in erythrocytes in vitro. Curr. Sci. 71: 404–406.

7-Protection by metal complexes with SOD-mimetic activity against oxidative gastric injury induced by indometacin and ethanol in rats

El-Missiry, MA (El-Missiry, MA); El-Sayed, IH (El-Sayed, IH); Othman, AI (Othman, AI) Mansoura Univ, Fac Sci, Dept Zool, Mansoura 35516, Egypt **E-mail**: maelmissiry@yahoo.com

Abstract

We have investigated the protective effect or oral administration of copper and manganese complexes with superoxide dismutase (SOD)-mimetic activity against oxidative gastric mucosal injury induced by the non-steroidal antiinflammatory drug indometacin with ethanol in the rat. The total area of the gastric lesions and lipid peroxidation were significantly increased 1 h after oral administration of indometacin (15 mg/kg) and ethanol, indicating in acute oxidative injury. The activities of SOD, catalase (CAT), glutathione-S-transferase (GST) and glutathione content were significantly decreased in the gastric mucosa by indometacin plus ethanol. Manganese or copper complexes showed SOD-mimetic activity. Pretreatment with these complexes protected against gastric mucosal lesions and decreased lipid peroxides, as well as attenuating the decrease in the activities or SOD, CAT and GST in gastric mucosa. These findings suggest that active oxygen species and lipid peroxidation play an important role in the pathogenesis of gastric mucosal injury induced by indometacin. In addition, we have shown that Mn and Cu complexes have gastroprotective properties against ulceration induced by indometacin plus ethanol. The present results suggest that appropriate copper or manganese complex supplementation may potentially provide prophylaxis or therapy for some pathologies associated with excessive free radical production and inhibited SOD activity.

Keywords: LIPID-PEROXIDATION; MUCOSAL INJURY; FREE-RADICALS; INDOMETHACIN; OXYGEN; ACID; ANTIOXIDANTS; PATHOGENESIS

Published In: ANNALS OF CLINICAL BIOCHEMISTRY Volume: 38 Pages: 694-700 DOI: 10.1258/0004563011900911 Part: Part 6 Published: NOV 2001

References

1. Title: [not available] Author(s): BEUTLER E Source: RED CELL METABOLISM Pages: 66 Published: 1987 2.Title: A simple assay for catalase determination Author(s): Bock, P.P.; Karmer, R.; Paverka, M.A. Source: Cell Biol. Monogr. Volume: 71 Pages: 44-74 Published: 1980

 Title: Protective effect of melatonin on indomethacin-induced gastric injury in rats Author(s): de la Lastra, CA; Motilva, V; Martin, MJ; et al.
 Source: JOURNAL OF PINEAL RESEARCH Volume: 26 Issue: 2 Pages: 101-107 Published: MAR 1999

4. Title: Antitumor activities of vanadium(IV), manganese(IV), iron(III), cobalt(II) and copper(II) complexes of 2-methylaminopyridine
Author(s): El-Naggar, MM; El-Waseef, AM; El-Halafawy, KM; et al.
Source: CANCER LETTERS Volume: 133 Issue: 1 Pages: 71-76 DOI: 10.1016/S0304-3835(98)00213-4 Published: NOV 13 1998

5.Title: Protective action of some Cu(II) complexes against photohemolysis induced by m chloroperbenzoic acid Author(s): ElNaggar, MM Source: JOURNAL OF INORGANIC BIOCHEMISTRY Volume: 65 Issue: 4 Pages: 263-266 DOI: 10.1016/S0162-0134(96)00141-9 Published: MAR 1997

6.Title: CHEMISTRY AND BIOCHEMISTRY OF 4-HYDROXYNONENAL, MALONALDEHYDE AND RELATED ALDEHYDES Author(s): ESTERBAUER, H; SCHAUR, RJ; ZOLLNER, H Source: FREE RADICAL BIOLOGY AND MEDICINE Volume: 11 Issue: 1 Pages: 81-128 DOI: 10.1016/0891-5849(91)90192-6 Published: 1991

7.Title: [not available] Author(s): FRANCO L Source: PHARMACEUT RES Volume: 303 Pages: 395 Published: 1997

8.Title: A copper-complex reduced gastric damage caused by acetylsalicylic acid and ethanol Author(s): Franco, L; Velo, GP Source: PROSTAGLANDINS Volume: 51 Issue: 5 Pages: 331-338 DOI: 10.1016/0090-6980(96)00025-1 Published: MAY 1996

 9. Title: PROTECTION BY COPPER(II) COMPLEXES IN VARIOUS MODELS OF ULCERATION IN RAT Author(s): FRECHILLA, D; LASHERAS, B; UCELAY, M; et al. Source: ARZNEIMITTEL-FORSCHUNG/DRUG RESEARCH Volume: 41-1 Issue: 1 Pages: 40-42 Published: JAN 1991

10.Title: [not available]

Author(s): FRIDOVICH I Source: J BIOL CHEM Volume: 264 Pages: 19328 Published: 1989

11. Title: Glutathione S-transferases. The first enzymatic step in mercapturic acid formation .

Author(s): Habig, W H; Pabst, M J; Jakoby, W B

Source: The Journal of biological chemistry Volume: 249 Issue: 22 Pages: 7130-9 Published: 1974-Nov-25

12. Title: FREE-RADICALS, ANTIOXIDANTS, AND HUMAN-DISEASE -CURIOSITY, CAUSE, OR CONSEQUENCE
Author(s): HALLIWELL, B
Source: LANCET Volume: 344 Issue: 8924 Pages: 721-724 DOI: 10.1016/S0140-6736(94)92211-X Published: SEP 10 1994

13. Title: Protein measurement with the Folin phenol reagent .Author(s): LOWRY, O H; ROSEBROUGH, N J; FARR, A L; et al.Source: The Journal of biological chemistry Volume: 193 Issue: 1 Pages: 265-75Published: 1951-Nov

14.Title: Suppressive effect of melatonin administration on ethanol-induced gastroduodenal injury in rats in vivo Author(s): Melchiorri, D; Sewerynek, E; Reiter, RJ; et al. Source: BRITISH JOURNAL OF PHARMACOLOGY Volume: 121 Issue: 2 Pages: 264-270 DOI: 10.1038/sj.bjp.0701104 Published: MAY 1997

15. Title: Role of oxygen radical and lipid peroxidation in indomethacin-induced gastric mucosal injury
Author(s): Naito, Y; Yoshikawa, T; Yoshida, N; et al.
Conference: 2nd Mucosta International Symposium on Inflammation and Mucosal Injury Location: MAUI, HAWAII Date: JUN 19-20, 1997
Sponsor(s): Otsuka Pharmaceutical Co
Source: DIGESTIVE DISEASES AND SCIENCES Volume: 43 Issue: 9
Supplement: S Pages: 30S-34S Published: SEP 1998

16. Title: EFFECTS OF FREE-RADICAL SCAVENGERS ON INDOMETHACIN-INDUCED AGGRAVATION OF GASTRIC-ULCER IN RATS
Author(s): NAITO, Y; YOSHIKAWA, T; MATSUYAMA, K; et al.
Source: DIGESTIVE DISEASES AND SCIENCES Volume: 40 Issue: 9 Pages:
2019-2021 DOI: 10.1007/BF02208673 Published: SEP 1995

17.Title: Neutrophils, lipid peroxidation, and nitric oxide in gastric reperfusion injury in rats

Author(s): Naito, Y; Yoshikawa, T; Matsuyama, K; et al. Source: FREE RADICAL BIOLOGY AND MEDICINE Volume: 24 Issue: 3 Pages: 494-502 DOI: 10.1016/S0891-5849(97)00323-7 Published: FEB 1998

18. Title: The occurrence of superoxide anion in the reaction of reduced phenazine methosulfate and molecular oxygen.

Author(s): Nishikimi, M; Appaji, N; Yagi, K

Source: Biochemical and biophysical research communications Volume: 46 Issue: 2 Pages: 849-54 DOI: 10.1016/S0006-291X(72)80218-3 Published: 1972-Jan-31

19. Title: Assay for lipid peroxides in animal tissues by thiobarbituric acid reaction. Author(s): Ohkawa, H; Ohishi, N; Yagi, K
Source: Analytical biochemistry Volume: 95 Issue: 2 Pages: 351-8 DOI: 10.1016/0003-2697(79)90738-3 Published: 1979-Jun

20. Title: Free radicals and lipid peroxidation in ethanol- or aspirin-induced gastric mucosal injury .

Author(s): Pihan, G; Regillo, C; Szabo, S

Source: Digestive diseases and sciences Volume: 32 Issue: 12 Pages: 1395-401 DOI: 10.1007/BF01296666 Published: 1987-Dec

21. Title: Synthesis, characterization and demonstration of superoxide dismutase-like activity of copper(II) chloride, bromide, nitrate, thiocyanate, sulphate, and perchlorate complexes with 2-methyl-amino pyridine

Author(s): Ramadan, AM; ElNaggar, MM

Source: JOURNAL OF INORGANIC BIOCHEMISTRY Volume: 63 Issue: 2 Pages: 143-153 DOI: 10.1016/0162-0134(95)00216-2 Published: AUG 1 1996

22. Title: [not available] Author(s): SOLMIANY BL Source: SCAND J GASTROENTERO Volume: 32 Pages: 638 Published: 1997

23. Title: [not available]Author(s): SORENSON JRSource: HDB METAL LIGAND INT Volume: 2 Pages: 220 Published: 1995

24. Title: Copper complexes offer a physiological approach to treatment of chronic diseases .

Author(s): Sorenson, J R

Source: Progress in medicinal chemistry Volume: 26 Pages: 437-568 DOI: 10.1016/S0079-6468(08)70246-7 Published: 1989

25. Title: OXYGEN FREE-RADICALS AND LIPID-PEROXIDATION IN THE

PATHOGENESIS OF GASTRIC-MUCOSAL LESIONS INDUCED BY INDOMETHACIN IN RATS - RELATION TO GASTRIC HYPERMOTILITY Author(s): TAKEUCHI, K; UESHIMA, K; HIRONAKA, Y; et al. Source: DIGESTION Volume: 49 Issue: 3 Pages: 175-184 Published: JUL 1991

26.Title: Lipid peroxidation in gastric mucosal lesions induced by indomethacin in rat Author(s): Tanaka, J; Yuda, Y Source: BIOLOGICAL & PHARMACEUTICAL BULLETIN Volume: 19 Issue: 5 Pages: 716-720 Published: MAY 1996

27.Title: GASTRIC-ULCERATION INDUCED BY NONSTEROIDAL ANTIINFLAMMATORY DRUGS IS A NEUTROPHIL-DEPENDENT PROCESS Author(s): WALLACE, JL; KEENAN, CM; GRANGER, DN Source: AMERICAN JOURNAL OF PHYSIOLOGY Volume: 259 Issue: 3 Pages: G462-G467 Part: Part 1 Published: SEP 1990

28. Title: Antioxidant defense of the brain: a role for astrocytes
Author(s): Wilson, JX
Source: CANADIAN JOURNAL OF PHYSIOLOGY AND PHARMACOLOGY
Volume: 75 Issue: 10-11 Pages: 1149-1163 DOI: 10.1139/cjpp-75-10-11-1149
Published: OCT-NOV 1997

29.Title: Role of lipid peroxidation and antioxidants in gastric mucosal injury induced by the hypoxanthine-xanthine oxidase system in rats Author(s): Yoshikawa, T; Minamiyama, Y; Ichikawa, H; et al. Source: FREE RADICAL BIOLOGY AND MEDICINE Volume: 23 Issue: 2 Pages: 243-250 DOI: 10.1016/S0891-5849(96)00625-9 Published: 1997

30. Title: ROLE OF OXYGEN-DERIVED FREE-RADICALS IN GASTRIC-MUCOSAL INJURY INDUCED BY ISCHEMIA OR ISCHEMIA-REPERFUSION IN RATS

Author(s): YOSHIKAWA, T; UEDA, S; NAITO, Y; et al. Source: FREE RADICAL RESEARCH COMMUNICATIONS Volume: 7 Issue: 3-6 Pages: 285-291 DOI: 10.3109/10715768909087953 Published: 1989

31. Title: ROLE OF ACTIVE OXYGEN, LIPID-PEROXIDATION, AND ANTIOXIDANTS IN THE PATHOGENESIS OF GASTRIC-MUCOSAL INJURY-INDUCED BY INDOMETHACIN IN RATS

Author(s): YOSHIKAWA, T; NAITO, Y; KISHI, A; et al.

Source: GUT Volume: 34 Issue: 6 Pages: 732-737 DOI: 10.1136/gut.34.6.732 Published: JUN 1993.

8.Attenuation of the acute adriamycin-induced cardiac and hepatic oxidative toxicity by N-(2-mercaptopropionyl) glycine in rats

El-Missiry, MA (El-Missiry, MA); Othman, AI (Othman, AI); Amer, MA (Amer, MA); El-Aziz, MAA (El-Aziz, MAA)

[1] Mansoura Univ, Fac Sci, Dept Zool, Mansoura 35516, Egypt

[2] Mansoura Univ, Fac Med, Dept Pharmacol, Mansoura 35516, Egypt

E-mail: maelmissiry@yahoo.com

Abstract

The protective effect of the synthetic aminothiol, N-(2-mercaptopropionyl) glycine (MPG) on adriamycin (ADR) induced acute cardiac and hepatic oxidative toxicity was evaluated in rats. ADR toxicity induced by a single intraperitoneal injection (15 mg/kg), was indicated by an elevation in the level of serum glutamic pyruvic transaminase (GPT), glutamic oxaloacetic transaminase (GOT), creatine kinase isoenzyme (CK-MB), and lactic dehydrogenase (LDH). ADR produced significant elevation in thiobarbituric acid reactive substances (TBARS), indicating lipid peroxidation, and significantly inhibited the activity of superoxide dismutase (SOD) in heart and liver tissues. In contrast, a single injection of ADR did not affect the cardiac or hepatic glutathione (GSH) content and cardiac catalase (CAT) activity but elevated hepatic CAT. Pretreatment with MPG, (2.5 mg/kg) intragastrically, significantly reduced TBARS concentration in both heart and liver and ameliorated the inhibition of cardiac and hepatic SOD activity. In addition, MPG significantly decreased the serum level of GOT, GPT, CK-MB, and LDH of ADR treated rats. These results suggest that MPG exhibited antioxidative potentials that may protect heart and liver against ADR-induced acute oxidative toxicity. This protective effect might be mediated, at least in part, by the high redox potential of sulfhydryl groups that limit the activity of free radicals generated by ADR.

Keywords: Adriamycin; N-2-mercaptopropionyl glycine; lipid peroxidation; antioxidants; creatine kinase; oxidative stress; heart; liver

Published in: FREE RADICAL RESEARCH Volume: 35 Issue: 5 Pages: 575-581 DOI: 10.1080/10715760100301581 Published: 2001

References

.1 Title: EFFECT OF CAPTOPRIL ON THE CYTOLOGICAL AND BIOCHEMICAL-CHANGES INDUCED BY ADRIAMYCIN Author(s): ALHARBI, MM

Source: FOOD AND CHEMICAL TOXICOLOGY Volume: 31 Issue: 3 Pages: 209-212 DOI: 10.1016/0278-6915(93)90095-G Published: MAR 1993

.2 Title: [not available] Author(s): AYENE S Source: INT J RADIAT BIOL Volume: 55 Pages: 627 Published: 1998

.3 Title: [not available] Author(s): BERGMEYER HU Source: METHOD ENZYMATIC ANA Pages: 590 Published: 1974

.4 Title: Membrane oxidative damage induced by ionizing radiation detected by fluorescence polarization

Author(s): Berroud, A; LeRoy, A; Voisin, P

Source: RADIATION AND ENVIRONMENTAL BIOPHYSICS Volume: 35 Issue: 4 Pages: 289-295 DOI: 10.1007/s004110050042 Published: NOV 1996

.5 Title: [not available] Author(s): BEUTLER E Source: MANUAL BIOCH METHODS Pages: 137 Published: 1982

.6 Title: ANTINEOPLASTIC DRUGS IN 1990 - A REVIEW .2 . Author(s): BLACK, DJ; LIVINGSTON, RB Source: DRUGS Volume: 39 Issue: 5 Pages: 652-673 DOI: 10.2165/00003495-199039050-00003 Published: MAY 1990

.7 Title: A simple assay for catalase determination Author(s): Bock, P.P.; Karmer, R.; Paverka, M.A. Source: Cell Biol. Monogr. Volume: 71 Pages: 44-74 Published: 1980

.8 Title: ANTIOXIDANT EFFECTS OF ANGIOTENSIN-CONVERTING ENZYME (ACE) INHIBITORS - FREE-RADICAL AND **OXIDANT SCAVENGING** ARE SULFHYDRYL DEPENDENT. BUT LIPID-PEROXIDATION IS INHIBITED BY BOTH SULFHYDRYL-CONTAINING AND NONSULFHYDRYL-CONTAINING ACE INHIBITORS Author(s): CHOPRA, M; BESWICK, H; CLAPPERTON, M; et al. Source: JOURNAL OF CARDIOVASCULAR PHARMACOLOGY Volume: 19 Issue: 3 Pages: 330-340 DOI: 10.1097/00005344-199203000-00005 Published:

MAR 1992

.9 Title: Adriamycin-induced changes of creatine kinase activity in vivo and in cardiomyocyte culture

Author(s): DeAtley, SM; Aksenov, MY; Aksenova, MV; et al. Source: TOXICOLOGY Volume: 134 Issue: 1 Pages: 51-62 DOI: 10.1016/S0300-483X(99)00039-6 Published: MAY 3 1999

.10 Title: SARCOLEMMAL NA+-K+-ATPASE ACTIVITY IN CONGESTIVE-HEART-FAILURE DUE TO MYOCARDIAL-INFARCTION Author(s): DIXON, IMC; HATA, T; DHALLA, NS Source: AMERICAN JOURNAL OF PHYSIOLOGY Volume: 262 Issue: 3 Pages: C664-C671 Part: Part 1 Published: MAR 1992

.11 Title: Cytoprotective agents for anthracyclines Author(s): Dorr, RT Source: SEMINARS IN ONCOLOGY Volume: 23 Issue: 4 Supplement: 8 Pages: 23-34 Published: AUG 1996

.12 Title: FREE-RADICALS, ANTIOXIDANTS, AND HUMAN-DISEASE -CURIOSITY, CAUSE, OR CONSEQUENCE Author(s): HALLIWELL, B

Source: LANCET Volume: 344 Issue: 8924 Pages: 721-724 DOI: 10.1016/S0140-6736(94)92211-X Published: SEP 10 1994

.13 Title: Prevention of anthracycline cardiotoxicity by iron chelation Author(s): Hershko, C; Pinson, A; Link, G Source: ACTA HAEMATOLOGICA Volume: 95 Issue: 1 Pages: 87-92 Published: 1996

.14 Title: Cardiotoxicity of doxorubicin and other anthracycline derivatives Author(s): Jain, D

Source: JOURNAL OF NUCLEAR CARDIOLOGY Volume: 7 Issue: 1 Pages: 53-62 DOI: 10.1067/mnc.2000.103324 Published: JAN-FEB 2000

15 Title: ADRIAMYCIN-INDUCED OXIDATIVE STRESS IN RAT CENTRAL-NERVOUS-SYSTEM

Author(s): JULKA, D; SANDHIR, R; GILL, KD

Source: BIOCHEMISTRY AND MOLECULAR BIOLOGY INTERNATIONAL Volume: 29 Issue: 5 Pages: 807-820 Published: APR 1993

.16 Title: [not available] Author(s): KACHMAR JF Source: FUNDAMENTALS CLIN CH Pages: 565 Published: 1982

.17 Title: [not available]Author(s): KILGORE KS Source: AM J PHYSIOL Volume: 266 Pages: 28 Published: 1994

.18 Title: PROTECTION AGAINST POSTISCHEMIC MYOCARDIAL DYSFUNCTION IN ANESTHETIZED RABBITS WITH SCAVENGERS OF OXYGEN-DERIVED FREE-RADICALS - SUPEROXIDE-DISMUTASE PLUS CATALASE, N-2-MERCAPTOPROPIONYL GLYCINE AND CAPTOPRIL Author(s): KOERNER, JE; ANDERSON, BA; DAGE, RC Source: JOURNAL OF CARDIOVASCULAR PHARMACOLOGY Volume: 17 Issue: 2 Pages: 185-191 DOI: 10.1097/00005344-199102000-00002 Published: FEB 1991

.19 Title: [not available] Author(s): MITA I Source: RECENT ADV 2 MPG TRE Pages: 3 Published: 1981

.20 Title: Inactivation of creatine kinase by Adriamycin (R) during interaction with horseradish peroxidase

Author(s): Miura, T; Muraoka, S; Fujimoto, Y

Source: BIOCHEMICAL PHARMACOLOGY Volume: 60 Issue: 1 Pages: 95-99 DOI: 10.1016/S0006-2952(00)00303-8 Published: JUL 1 2000

.21 Title: The protective effect of glutathione administration on adriamycininduced acute cardiac toxicity in rats

Author(s): Mohamed, HE; El-Swefy, SE; Hagar, HH

Source: PHARMACOLOGICAL RESEARCH Volume: 42 Issue: 2 Pages: 115-121 DOI: 10.1006/phrs.1999.0630 Published: AUG 2000

.22 Title: S-allylcysteine ameliorates doxorubicin toxicity in the heart and liver in mice

Author(s): Mostafa, MG; Mima, T; Ohnishi, ST; et al.

Source: PLANTA MEDICA Volume: 66 Issue: 2 Pages: 148-151 DOI: 10.1055/s-2000-11124 Published: MAR 2000

.23 Title: The occurrence of superoxide anion in the reaction of reduced phenazine methosulfate and molecular oxygen .

Author(s): Nishikimi, M; Appaji, N; Yagi, K

Source: Biochemical and biophysical research communications Volume: 46 Issue: 2 Pages: 849-54 DOI: 10.1016/S0006-291X(72)80218-3 Published: 1972-Jan-31

.24 Title: Basal and drug-induced antioxidant enzyme activities cooelate with age

dependant doxorubicin oxidative toxicity Author(s): Pristos, C.A.; Ma, J. Source: Chem. Biol. Interact Volume: 127 Pages: 1-11 Published: 2000

.25 Title: PZ-51 (EBSELEN) INVIVO PROTECTION AGAINST ADRIAMYCIN-INDUCED MOUSE CARDIAC AND HEPATIC LIPID-PEROXIDATION AND TOXICITY

Author(s): PRITSOS, CR; SOKOLOFF, M; GUSTAFSON, DL

Source: BIOCHEMICAL PHARMACOLOGY Volume: 44 Issue: 4 Pages: 839-841 DOI: 10.1016/0006-2952(92)90427-K Published: AUG 18 1992

.26 Title: A colorimetric method for the determination of serum glutamic oxalacetic and glutamic pyruvic transaminases .

Author(s): REITMAN, S; FRANKEL, S

Source: American journal of clinical pathology Volume: 28 Issue: 1 Pages: 56-63 Published: 1957-Jul

.27 Title: 2-MERCAPTOPROPIONYLGLYCINE AFFORDS ENHANCED RADIOPROTECTION AFTER A LIPOSOME ENCAPSULATION Author(s): SHARAN, RN; ALAM, A; CHAKRABORTY, S; et al. Source: JOURNAL OF RADIATION RESEARCH Volume: 36 Issue: 1 Pages: 31-37 DOI: 10.1269/jrr.36.31 Published: MAR 1995

.28 Title: Adriamycin-induced heart failure: mechanisms and modulation Author(s): Singal, P; Li, TM; Kumar, D; et al.

Conference: Sino-Canadian Symposium on Recent Advances in Cardiovascular and Gastrohepatic Research Location: HONG KONG, HONG KONG Date: DEC, 1998 Sponsor(s): Univ Hong Kong; Univ Manitoba

Source: MOLECULAR AND CELLULAR BIOCHEMISTRY Volume: 207 Issue: 1-2 Pages: 77-86 DOI: 10.1023/A:1007094214460 Published: APR 2000

.29 Title: Adriamycin cardiomyopathy: pathophysiology and prevention Author(s): Singal, PK; Iliskovic, N; Li, TM; et al.

Source: FASEB JOURNAL Volume: 11 Issue: 12 Pages: 931-936 Published: OCT 1997

.30 Title: COMBINATION THERAPY WITH PROBUCOL PREVENTS ADRIAMYCIN-INDUCED CARDIOMYOPATHY Author(s): SINGAL, PK; SIVESKIILISKOVIC, N; HILL, M; et al.

Source: JOURNAL OF MOLECULAR AND CELLULAR CARDIOLOGY Volume: 27 Issue: 4 Pages: 1055-1063 DOI: 10.1016/0022-2828(95)90074-8 Published: APR 1995 .31Title: [not available] Author(s): SINGAL PK Source: NEW ENGL J MED Volume: 339 Pages: 990 Published: 1998

.32 Title: SUPEROXIDE-DISMUTASE AND N-2-MERCAPTOPROPIONYL GLYCINE ATTENUATE INFARCT SIZE LIMITATION EFFECT OF ISCHEMIC PRECONDITIONING IN THE RABBIT

Author(s): TANAKA, M; FUJIWARA, H; YAMASAKI, K; et al.

Source: CARDIOVASCULAR RESEARCH Volume: 28 Issue: 7 Pages: 980-986 DOI: 10.1093/cvr/28.7.980 Published: JUL 1994

.33 Title: THE FORMATION OF FREE-RADICALS BY CARDIAC MYOCYTES UNDER OXIDATIVE STRESS AND THE EFFECTS OF ELECTRON-DONATING DRUGS

Author(s): TURNER, JJO; RICEEVANS, CA; DAVIES, MJ; et al.

Source: BIOCHEMICAL JOURNAL Volume: 277 Pages: 833-837 Part: Part 3 Published: AUG 1 1991

.34 Title: DETERMINATION OF MALONALDEHYDE PRECURSOR IN TISSUES BY THIOBARBITURIC ACID TEST Author(s): UCHIYAMA, M; MIHARA, M Source: ANALYTICAL BIOCHEMISTRY Volume: 86 Issue: 1 Pages: 271-278

DOI: 10.1016/0003-2697(78)90342-1 Published: 1978

.35 Title: Curcumin attenuation of acute adriamycin myocardial toxicity in rats Author(s): Venkatesan, N

Source: BRITISH JOURNAL OF PHARMACOLOGY Volume: 124 Issue: 3 Pages: 425-427 DOI: 10.1038/sj.bjp.0701877 Published: JUN 1998

.36 Title: Modulatory effects of melatonin and vitamin E on doxorubicin-induced cardiotoxicity in Ehrlich ascites carcinoma-bearing mice

Author(s): Wahab, MHA; Akoul, EEMS; Abdel-Aziz, AH

Source: TUMORI Volume: 86 Issue: 2 Pages: 157-162 Published: MAR-APR 2000

.37 Title: The protective role of manganese superoxide dismutase against adriamycin-induced acute cardiac toxicity in transgenic mice Author(s): Yen, HC; Oberley, TD; Vichitbandha, S; et al. Source: JOURNAL OF CLINICAL INVESTIGATION Volume: 98 Issue: 5 Pages: 1253-1260 DOI: 10.1172/JCI118909 Published: SEP 1 1996

.38 Title: Induction of antioxidants by Adriamycin in mouse heart Author(s): Yin, XH; Wu, HY; Chen, Y; et al.

Source: BIOCHEMICAL PHARMACOLOGY Volume: 56 Issue: 1 Pages: 87-93 DOI: 10.1016/S0006-2952(98)00099-9 Published: JUL 1 1998

.39 Title: 2-MERCAPTOPROPIONYLGLYCINE IMPROVES AORTIC FLOW AFTER REOXYGENATION IN WORKING RAT HEARTS Author(s): ZIMMER, G; EVERS, J Source: BASIC RESEARCH IN CARDIOLOGY Volume: 83 Issue: 4 Pages: 445-451 DOI: 10.1007/BF02005830 Published: JUL-AUG 1988

.40 Title: [not available] Author(s): ZWIER JL Source: J BIOL CHEM Volume: 259 Pages: 6056 Published: 1984