

أجب عن الأسئلة الآتية:

أولاً: الجيولوجيا التاريخية

(١٥ درجة)

السؤال الأول: أكمل ما يلي

- من أمثلة الحفريات الموجودة في العصر الترياسي، جنس ... (١) ... من الرأسديات و جنس ... (٢) ... من الكريويدات.
- يقسم العصر الثالث الى قسمين هما ... (٣) ... ، ... (٤) ...
- تعتبر ... ، ... (٦) ... وهما من الحفريات المهمة في العصر الطباشيري .
- يطلق على العصر السليوي عصر سيادة ... (٧) ...
- يتم تقسيم العصر الرابع إلى قسمين هما ... (٨) ... ، ... (٩) ...
- يعتبر ... (١٠) ... وهي ديناصورات ذات قرون كانت تعيش خلال العصر الطباشيري وهي من آكلات الأعشاب.
- من أمثلة النباتات البرية في العصر الديفوتي جنس ... (١١) ...
- توجد رواسب العصر الكربوني في مصر في ثلاث مناطق هي ... (١٢) ... ، ... (١٣) ... ، ... (١٤) ...
- تعتبر ... (١٥) ... وهي من الفورامينفرا الكبيرة التي انقرضت عند نهاية العصر البرمي .
- كانت المسرقيات أكثر مجموعات الحياة الحيوانية اللافقارية إنتشارا في بحار العصر الديفوني مثل أجناس ... (١٦) ...
- ... (١٧) ... ، ... (١٨) ...
- تعتبر الأمونيات وهي مجموعة ذات أهمية طباقية كبيرة حيث تمثل ... (١٩) ... المجموعة الرئيسية منها في نهاية حقب الحياة القديمة المتأخر.
- من النباتات التي لعبت دورا مهما في تكوين طبقات الفحم الأشجار الحرفشفية مثل جنس ... (٢٠) ... ذات الحراشيف المربعة أو السداسية ، و جنس ... (٢١) ... ذو الحراشيف المعينية.
- ابتدأت الجرابوليتات في الإضمحلال خلال العصر السليوري ولكن يمثلها جنس واحد وهو ... (٢٢) ...
- يتم تقسيم الأحياء البحرية إلى أربعة مجموعات من الأحياء وهي ... (٢٣) ... ، ... (٢٤) ... ، ... (٢٥) ... ، ... (٢٦) ...
- يطلق على الأسماك البدائية التي عثر على بقاياها في صخور العصر الأوردوفيشي — ... (٢٧) ...
- يعتبر العصر الكمبري وهو عصر سيادة الترابوليتات فالقسم السفلي منه يحتوي على جنس ... (٢٨) ... والقسم الأوسط يحتوي على جنس ... (٢٩) ... بينما العلوي يحتوي على جنس ... (٣٠) ...

السؤال الثاني: ضع علامة (✓) أمام العبارة الصحيحة وعلامة (X) أمام العبارة الخاطئة مع تصحيح الخطأ إن وجد: (١٥ درجة)

- ١- يتكون الأركيوزيك غالبا من صخور رسوبية وصخور متحولة عنها.
- ٢- تكونت عدد من الإنشاءات الجبلية في عصور ما قبل الكمبري أهمها وآخرها ما أطلق عليه الحركة اللارامادية.
- ٣- ينقسم العصر الجوراسي إلى ثلاثة أقسام رئيسية هي الأسفل والمتوسط والعلوي .
- ٤- يشمل حقب الحياة القديمة المبكرة أربعة عصور جيولوجية.
- ٥- يطلق على العصر النيوجيني عصر سيادة النيموليتات.
- ٦- يعتبر جنس *Globotruncana* وهو من الفورامينفرا الهائمة المهمة في الطباشيري العلوي.
- ٧- سادت في حقب الحياة القديمة المبكرة مجموعة ثلاثيات القصوص فقط.
- ٨- إنتشرت رتبة سورسكيا وهي من الديناصورات في خلال عصرى الجوراسي والطباشيري فقط.
- ٩- يطلق على حقب الحياة الحديثة مصطلح حقب الثدييات.
- ١٠- أطلق إسم الترياسي على ذلك العصر لأن القسم الأوسط منه يتكون من حجر جيري محارى.
- ١١- تكونت رواسب الحجر الرملي الأحمر الجديد نتيجة لعواقب الحركة الكاليدونية.
- ١٢- بلغت الجلدشوكيات خاصة غير المنتظم منها إلى قمة إنتشارها خلال حقب الحياة الحديثة.
- ١٣- أطلق على العصر البرمي عصر الأماك حيث ظهرت خمسة طوائف منها.
- ١٤- ظهرت أقدم البرمائيات لأول مرة في العصر الكربوني المتأخر.
- ١٥- ظهرت الثدييات الأولية في نهاية العصر الترياسي وأوائل العصر الجوراسي.

ثانياً: الجيولوجيا الطبيعية

السؤال الثالث:

(١٥ درجة)

٦ درجات

أولاً: أكمل ما يأتي:

- ١- هو ذلك الغلاف الذى يحيط بالأرض من جميع الإتجاهات ويبدأ ويرتفع إلى مالا نهاية فى الجو.
- ٢- الغلاف الجوى يمنع نفاذ إلى الفضاء الخارجى.
- ٣- يتأثر بجميع الأغلفة الأخرى التى تساهم بشك كبير جدا فى تكوين معالمه.
- ٤- هو الحد الجيولوجى الذى يفصل بين طبقتى السيل و السىما ، ويتم تحديد عمقه بواسطة إختلاف عنده والى تسجل ٦, ٤ كم/ثانيه. بينما حد الجيولوجى هو الفاصل بين القشرة الأرضية وستار الأرض حيث تبلغ سرعة الموجات الزلزالية عنده ١, ٨ كم/ثانيه.
- ٥- من العمليات الداخلية التى تؤثر على شكل سطح الأرض
- ٦- من مخاطر الزلازل
- ٧- تساعد التجوية على على هذا الكوكب ، وبدونها تظهر القارات على شكل
- ٨- المنعطفات المعمقة من أهم المظاهر التضاريسية لعملية

٩ درجات

ثانياً: ضع علامة (√) أو (X) أمام العبارات الآتية وضح الخطأ منها:

- ١- يعزل كثرة وجود معدن الجبس فى مكاشف صخور الأهديريت إلى ظاهرة التميؤ.
- ٢- من نواتج التأكسد تكون تربة اللاتريت وكذلك معدن الليمزيت.
- ٣- تعتبر الظاهرة الطبوغرافية المسماة بالكارست من إحدى نواتج التجوية الكيميائية بالكربن.
- ٤- تعتبر الشرفات النهريه إمتدادات طولية من الأرض على جانبي النهر.
- ٥- تتكون رواسب اللوس كنتيجة العمل البنائى للرياح بواسطة حملته المتحركة.
- ٦- فى مرحلة الشباب النهري تكون قيعان الأنهار عميقة ولا توجد على ضفافها رسوبيات تذكر.
- ٧- تتميز عمليات التجوية بأنها بطيئة جدا بحيث لا يمكن ملاحظتها بصورة مباشرة إلا من خلال المباني الأثرية القديمة التى يمكن منها تقدير معدلها.

(١٥ درجة)

السؤال الرابع: إختار الإجابة الصحيحة من بين الأقواس لعشرة نقاط فقط مما يلى:

- ١- معظم الأنهار الشابة (تكون بطيئة الجريان ، سريعة الجريان) وأوديتها العرضية على شكل خنادق كما تعترض (الشلالات، الجروف البحرية، الأنهار الباطنية) مجاريها فى أمكنة كثيرة.
- ٢- تمثل الأعمدة الترابية وهى (صخور رخوة متماسكة، صخور رخوة غير متماسكة) كالطفلة والطين تتوج رؤوسها (جلاميد من الصخور الصلدة، جلاميد من الصخور الرخوة) المظاهر التضاريسية للعمل (التحاي للمياه الجارية، التحاي للرياح) التى لم تتكون فيها أنهار بعد.
- ٣- عملية (تصايي الأنهار، تكون الدلتاوات) تكون نتيجة لفعل رفع الحركات الأرضية قرب منابع الأنهار.
- ٤- تسمى (الصحارى الحجرية، الصحارى الحصوية، المنخفضات الحوضية) بالحمامه وهى ظواهر طبوغرافية تمثل العمل الهدمى للرياح متمثلا فى التذرية.
- ٥- مساقط المياه والحفر الوعائية من المظاهر التضاريسية الخاصة بـ (الأنهار فى مرحلة الشباب، حمولة الرياح المعلقة، الأنهار فى مرحلة الكهولة).
- ٦- ظاهرة الكارست من الظواهر الطبوغرافية التى تشير إلى (التكربن، التأكسد، التميؤ) بفعل التجوية الكيميائية.
- ٧- يسيل الماء الجارى على سطح الأرض المنحدرة المتعرجة على هيئة (مجارى طولية، مجارى عرضية، أنهار واسعة).
- ٨- يتواجد فى جبال الصرف المخروطية غط الصرف (التوازي، الشعاعى، المركزى).
- ٩- تعتبر المراوح الطمبية وسهول الفيضان من العمل (البنائى للأنهار، الهدمى للأنهار، البنائى للرياح).
- ١٠- لا يمكن أن يظهر فعل الرياح فى المناطق الممطرة لأنها لا تستطيع أن (تنقل رسوبيات مبتلة، رسوبيات خشنة).
- ١١- ظاهرة النحر السفلى تلاحظ فى (المناطق الصحراوية، المناطق التى تكثر بها الأنهار، المناطق الجليدية).

Mansoura University
 Faculty of Science
 Chemistry Department
 Subject: Chemistry
 Course: Basic Inorganic Chemistry
 (121)

First Level
 Date: Jan. 2010
 Time Allowed : 2 hours
 Full Mark: 60 Marks

ANSWER THE FOLLOWING QUESTIONS:

- 1) a- How many nitrogen atoms are there in 0.34 g N_2O_5 (N = 14, O = 16) [4 Mark]
- b- Diagram the resonance forms of SO_2 (S = 16, O = 8) [4 Mark]
- c- Use VSEPR theory to predict the shape of the following:
 i) SCl_4 ii) BF_3 (S = 16, Cl = 17, B = 5, F = 9) [6 Mark]
- d- Explain Why: [6 Mark]
 i) N_2 is more stable than O_2 using molecular orbital theory (N = 7).
 ii) The second ionization energy is more than the first.
- 2) a- A sample compound containing carbon and hydrogen weighs 2.8 g is burned in air and produced 3.6 g CO_2 and 8.8 g H_2O , If its molecular weight is 140, What is molecular formula? [8 Mark]
- b- Diagram Lewis structure for the following: [6 Mark]
 i) ClO_4^- ii) CO_3^{2-}
- c) Calculate the wavelength (nm) and energy (j) of the line of $^{40}_{20}Ca$ when its last electron jumps to its sixth level
 (R = 109678 cm^{-1} , $h = 6.066 \times 10^{-34}\text{ j}$, $C = 3 \times 10^8\text{ ms}^{-1}$) [6 Mark]
- 3) a- Nitrogen reacts with oxygen to form NO_2 . If 0.8 g of N_2 mixed with 0.75 g O_2 . Calculate the amount of NO_2 [6 Mark]
- b- Which of the following sets of quantum numbers are allowed for an electron in the atom: [4 Mark]
- | | n | l | m | s |
|----|---|---|----|----------------|
| 1) | 4 | 2 | +2 | $-\frac{1}{2}$ |
| 2) | 5 | 3 | 0 | $-\frac{1}{2}$ |
| 3) | 2 | 2 | 0 | $-\frac{1}{2}$ |
| 4) | 3 | 1 | -1 | 0 |
- c- According to the valence bond theory, predict the type of hybridization in the following: PCl_5 and H_2S (P = 15, Cl = 17, H = 1, S = 16) [6 Mark]
- d- Draw Born-Haber cycle for Na_2O [4 Mark]

Examiners: Prof Dr El-Asmy; Prof Dr Abo El-Reash; Prof Dr Nawar

Section One: Reading Skills

Read the following passage and then answer the questions that follow:

Carbon is a very special material, and there are atoms of it in many things: for instance the "lead" of a pencil is made of carbon, coal is made of carbon, and so are diamonds. A number of other things such as wood, plants and oil are made very largely of carbon, but have other substances as well. The molecules which make up our bodies depend on carbon.

Carbon atoms are so special because they have the property of joining together into molecules in different ways. For instance the atoms of coal and diamonds are joined together to make crystals, but each in its own patterns, are consequently from carbon atoms come two things so different to look at. A pencil "lead" is also carbon, but here the atoms are arranged not in crystals but in flat sheets, far and too small, of course, to see. When we press a pencil onto a paper, the paper pulls some of the sheets atoms away, and these make the pencil marks. Paper may feel smooth, but it is rough enough to slide off some sheets of atoms. If you try to write on glass and cellophane, your pencil leaves no marks, for these are too smooth to pull the sheets away from the pencil "lead".

Besides forming into crystals and making sheets, carbon atoms can also form into long series of atoms, like chains. No other substance can do this so well. Each chain of carbon atoms can also have other substances attached to the links of the carbon chain. If the carbon chain has hydrogen atoms joined on to it, we have what scientists call a "hydrocarbon". Hydrocarbons give us molecules of oil, petrol, paraffin, tar, and neutral gas, like that found under the North Sea.

Scientists have discovered that carbon chains can be very long, and can contain thousands of both carbon and other atoms. These long carbon chains are single molecules, but much more complicated than the single molecules of water, for instance, which are made of only three atoms (one of oxygen and two of hydrogen). These are the molecules of very complicated substances such as complicated ways. They can also be arranged in rings. The different kinds of oils, such as petrol and paraffin, depends on the way in which the atoms are arranged can make the petrol or paraffin from the oil out of an oil-well by heating it enough to change the pattern of the atoms in its molecules.

The chemist today has found out how to make new substances by heating materials made of hydrocarbon chains, such as oil or coal, in giant pressure cookers and mixing with them other chemicals. When very hot indeed, the atoms of the other chemicals fit into the hydrocarbon chain and combine to make molecules of a new pattern. The result of this may be a plastic for making cups or washing-up bowls, or an artificial fiber for making clothes. Nylon, for example, is a man-made fiber with molecules made out of carbon chains in which atoms of nitrogen, hydrogen, and oxygen fit in a particular arrangements. Milk contains carbon, and the chemist can

extract these and reform them into a plastic for making solid things such as buttons and door handles.

The carbon chain in living things are even more complicated than those in oils, plastics, or artificial fibers, and may contain hundreds of atoms; there is often more than one chain in each molecule, and these may be twisted together like ropes or bundles. It is a difficult problem for the scientist to unravel these complicated molecules, and therefore, although he can make an artificial fiber, has not yet been able to fit the molecules together to make a living plant or animal.

1. Answer the following questions:

- a. What is the difference between petrol and paraffin?
- b. Why are carbon atoms special?
- c. How is hydrocarbon made?
- d. Why the pencil doesn't leave marks on glass?
- e. How can the scientists make plastic?

2. Read the following sentences and then decide they are True or False:

- a. Carbon atoms can join just in one way. ()
- b. Hydrocarbons give us molecules of paraffin only. ()
- c. Milk contains carbon chains. ()
- d. The carbon chains are more complicated in oils, plastics or artificial fibers than those in living things. ()

3. Complete the following sentences according to the passage:

- a. The molecules which make up our bodies depend on _____.
- b. When we press a pencil onto paper, the paper pulls some of the _____ of _____ away.
- c. If the carbon chain has hydrogen atoms joined on to it, so we have what is called _____.
- d. The chemist has found out how to make new substances by _____ materials made of _____ chains.

4. Choose the correct answer:

- 1- The carbon atoms in the pencil "lead" are arranged in _____.
a. crystals b. chains c. rings d. sheets
- 2- The chemist can extract the carbon chains which are in _____ and reform them into plastic.
a. plants b. oil c. milk d. tar
- 3- The long carbon chains are single _____.
a. substances b. molecules c. atoms d. chains
- 4- By _____ materials made of hydrocarbon and mixing with other chemicals, the chemist has found the way of making new substances.
a. heating b. coiled up c. joining d. using

5. What do the underlined words refer to?

1. They (paragraph 2)
2. These (paragraph 2)
3. They (paragraph 4)
4. Those (paragraph 6)

Section Two: Language Skills:

1- Put the word in brackets into the correct form. You will have to use prefixes and/or suffixes.

1. He was sitting _____ in his seat on the train. (comfort)
2. The team that he supported were able to win the _____ .
(champion)
3. She looked at her _____ in the mirror. (reflect)
4. The bacteria are so small that you need a _____ to see them.
(scope)
5. She looked at him _____ , and started to cry. (happy)

2- Give two words from the following roots using the needed suffixes or prefixes:

1. Cycle
2. Auto
3. Logy
4. Scope
5. Leg

3- Please provide a conjunction in the following sentences.

1. Either Andrew _____ Peter will help our pastor.
2. Did the team win _____ lose?
3. The team tried hard _____ still lost the game.
4. The police officer spoke politely _____ firmly.
5. The story was long _____ interesting.


Section Three: Writing Skills:

- The value of time.
- Security on the internet.
- The effect of global warming.

Choose one of the above topics to write on. Follow the instructions below:

- 1- Write at least 4 paragraphs
- 2- Introduction and conclusion not less than 5 sentences
- 3- Body paragraphs not less than 8 sentences
- 4- Show your plan (tree).
- 5- You must identify the Linking words, if used.

GOOD LUCK

Mansoura University Faculty of Science Physics Department		Educational Year :First level Date : 20/1/2010 Time allowed : 2 hours
Course : Heat & properties of matter (Phys. 101)		Full Mark: 60.

Answer the following questions. The questions are in two pages

1. a) Explain giving mathematical details: [8 Mark]
 I- The banking of the curved railway lines and roads.
 II- What do you expect in case of there is no banking in these roads? What do you suggest to get safety trip?
- b) Prove that the moment of inertia (I) of a solid sphere about its diameter is $I = \frac{2}{5}MR^2$, where M and R are the mass and the radius of the sphere respectively. [6 Mark]
- c) Show that the compound pendulum executes simple harmonic motion and obtain an expression for its time period. [6 Mark]
-
2. a) Find the radial heat flow of a spherical container with internal & external radii and temperatures (r_1 & r_2) and (θ_1 & θ_2) respectively. [6 Mark]
- b) What mass of steam initially at $120^\circ C$ need to warm $300g$ of water in $100g$ glass container from $25^\circ C$ to $50^\circ C$? [The specific heat capacity: of Steam= 0.5 cal/g.K , of water = 1 cal/g.K , of glass= 0.2 cal/g.K and the latent heat of vaporization of water= $0.5 \times 10^3 \text{ cal/g}$]. [6 Mark]
- c) A glass flask with volume of 400 cm^3 is filled to the brim with mercury at $25^\circ C$. How much mercury is overflows when the temperature of the system is raised to $100^\circ C$? [The volume expansion coefficient of glass= $10^{-5}/K$, and of mercury= $1.8 \times 10^{-4}/K$]. [5 Mark]
-
3. **Choose the correct answer** [23 Mark]

كل اختيار صحيح بدرجة ويخصم نصف درجة للاختيار الخاطي

1. The unique temperature at which the ice, pure water and water vapor can exist together in equilibrium is known as
 A) lower fixed point B) upper fixed point C) tripe point
2. The temperature change of $45^\circ C$ on the Fahrenheit scale is
 A) $25^\circ F$ B) $45^\circ F$ C) $81^\circ F$
3. The quantity of heat required to raise the temperature of one gram of water one Celsius degree is known as
 A) Calorie B) specific heat capacity of water C) both A) and B)
4. Thermal conduction occurs in non-metallic solids and liquids as a result of
 A) molecules movement B) free electrons movement C) molecules collisions
5. The main advantage of the thermocouples is that, their heat capacities are
 A) very low B) very high C) neither A) nor B
6. The temperature gradientwith the distance from the hot end of perfectly uniform lagged bar
 A) is constant B) decreases C) increases

7. The temperature gradientwith the distance from the hot end of an unlagged uniform bar
 A) is constant B) decreases C) increases
8. The thermal resistance of a wall of thickness d , section area A , and thermal conductivity coefficient K , is
 A) $\frac{d}{KA}$ B) $K\frac{d}{A}$ C) $\frac{KA}{d}$
9. According to the Prevost's theory of exchange, a body emits radiation at rate determined by the nature of its surface and
 A) its temperature B) its surroundings' temperature C) both A) and B)
10. A black body emits radiations which depends on
 A) its temperature B) nature of its surface C) both A) and B)
11. The work done adiabatically by an ideal gasits temperature.
 A) decreases B) increases C) keeps constant
12. The heat energy transferred to the system of ideal gas isothermally equals the
 A) work done by the system B) change of internal energy C) either A) or B)
13. The heat energy transferred to the system of ideal gas isovolumetrically equals the
 A) work done by the system B) change of internal energy C) either A) or B)
14. The direction of the surface tension force is..... to the surface of the liquid.
 A) tangential B) perpendicular C) makes 45°
15. The viscosity of a fluid is a measure of the
 A) internal friction of a fluid B) resistance to flow a fluid C) both A) and B)
16. The reason that the free surface of a liquid always tends to have minimum area is to.....the potential energy of the molecules in the surface film.
 A) keep constant B) increase C) decrease
17. The plastic deformation is a measure of of a material
 A) elasticity B) brittleness C) ductility
18. The excess pressure inside a spherical soap bubble whose radius r and surface tension T is
 A) $\frac{2T}{r}$ B) $\frac{T}{2r}$ C) $\frac{4T}{r}$
19. The angle of contact between the solid and liquid depends upon
 A) the nature of the liquid and solid
 B) the angle of inclination of the solid to the liquid surface C) both A) and B)
20. The pressure of a steady, non-viscous, irrotational, and incompressible fluidas the speed of fluid increases
 A) remains constant B) increases C) decreases
21. According to Torricelli's theory, the escape velocity of fluid from hole of a tank of depth h and cross section area A is
 A) $2\sqrt{gh}$ B) $A\sqrt{2gh}$ C) $\sqrt{2gh}$
22. A $10^8 Pa$ stress is applied to a steel wire having $10m$ long, knowing that, the Young's modulus for steel is $2 \times 10^{11} Pa$. Then the elongation of the wire is
 A) $0.01m$ B) $0.25 \times 10^{-5}m$ C) $2 \times 10^{-3}m$
23. Knowing that the Young's modulus of a material is Y , Poisson's ratio is $\frac{1}{3}$, the Bulk modulus is
 A) $2Y$ B) $\frac{1}{3}Y$ C) $0.5Y$

With my best wishes

Dr. Hassan Elhadidy

المادة: حقوق الإنسان	امتحان دور يناير ٢٠١٠	جامعة المنصورة
تاريخ الامتحان: ٢٠١٠/١/٢٣	المستوى الأول (مستجدون)	كلية العلوم
	بنظام الساعات المعتمدة	

أجب عن السؤالين الآتيين:

السؤال الأول:-

توجد علاقة وثيقة بين احترام المجتمع لحقوق الإنسان وكفالة حمايتها من ناحية، والتقدم كقيمة اجتماعية من ناحية أخرى، اشرح هذه العبارة؟

السؤال الثاني:

في إطار دراستك لحق الإنسان في الحياة، تكلم عن الاختلافات الفقهية الواردة بشأن مدى ضرورة الإبقاء على عقوبة الإعدام أو إلغائها، مع بيان رأيك الشخصي في هذه المسألة؟

مع أطيب التمنيات بدوام التوفيق



Final Examination in Botany
Jan. 2010

Educational Year: First Level

Program (Branch): Biology

Subject: Bot (101)

Course(s): Systematic Botany

Time: 2 hrs Date: 16/1/2010

Full mark: 60

Question mark: 15

Answer the following questions:

Q1: Select the correct response for the following statements: (15)

- 1- The green alga *Chlamydomonas* is (unicellular non motile – Colonial non motile – colonial motile – unicellular motile).
- 2- *Agaricus* belongs to class (Oomycetes – Deutromycetes- Basidiomycetes- myxomycetes).
- 3- Bacteria have cell wall composed mainly of (pectin – Peptidoglycan – cellulose- chitin).
- 4- All of these plants have vascular system except (Bryophytes – Gymnosperms- Angiosperms – Ferns).
- 5- Zygosporangium is a result of (asexual –sexual –vegetative) reproduction.
- 6- Main chemical components in viruses (protein – nucleic acid – protein and nucleic acid).

Q2: Complete the following sentences: (15)

- 1- Bacteria belong to kingdom -----, however, algae belong to kingdom -----.
- 2- *Aspergillus* is classified under class -----, however, *Rhizopus* is related to class -----.
- 3- In Bryophytes, the root-like structure is termed -----.
- 4- All photosynthetic organisms are eukaryotic except -----.
- 5- The fusion of two morphologically similar gametes in algae is known as -----.
- 6- ----- are the viruses those infect Bacteria.

Q3: Match true (√) or false (×) for each of the following: (15)

- 1- *Spirogyra* reproduce sexually by conjugation
- 2- Monocot plants are related to Angiosperms
- 3- *Spirulina* belongs to kingdom Protista
- 4- *Pinus* is classified under Gymnosperms
- 5- All Bacteria are heterotrophic
- 6- Viruses can be cultivated on synthetic media

Q4: Compare between each two of the following: (15)

- 1- Flagella and Fimbriae (Pili)
- 2- Bryophyta and Petriodophyta
- 3- Kingdom Monera and kingdom: Plantae
- 4- Chlorophyceae and Bacillariophyceae

Answer the following:

- 5- Design the life cycle of *Funaria* OR a fern.
- 6- Characters of viruses and lytic cycle.

المستوى : الأول المادة: جبر وهندسة كود المادة : ر ١١١		الفصل الدراسي الأول: دور يناير ٢٠١٠ التاريخ: ١٨ / ١ / ٢٠١٠ م الزمن: ساعتان
برامج : كيمياء - الكيمياء الحيوية - ميكروبيولوجي - كيمياء وحيوان - كيمياء و نبات - علوم بيئة - جيولوجيا - جيوفيزيكا		

أجب عن الأسئلة التالية:-

(٢٠ درجة)

السؤال الأول:

أ- أثبت باستخدام الاستنتاج الرياضي أن $1^2 + 2^2 + 3^2 + \dots + n^2 = \frac{1}{6}n(n+1)(2n+1)$ (١٠ درجات)

(١٠ درجات)

ب- حلل الكسر $\frac{6x+2}{(x-2)(x^2+x+1)}$ إلى كسوره الجزئية.

(٢٠ درجة)

السؤال الثاني:

أ- عين معادلة القطع المكافئ الذي رأسه $(-2, 3)$ وبؤرته $(1, 3)$. ثم أوجد معادلتني المحور والدليل و طول الوتر البؤري العمودي و ارسمه (١٠ درجات)

(١٠ درجات)

ب- أوجد مفكوك كل من $\sin 4\theta, \cos 4\theta$ بدلالة قوى $\sin \theta, \cos \theta$.

(٢٠ درجة)

السؤال الثالث:

أ- باستخدام قاعدة كرامر أوجد حل المعادلات الآتية
 $x - y + z = 6$, $2x - y - 2z = 5$, $x - 4y + z = 3$ (١٠ درجات)

(١٠ درجات)

ب- ارسم القطع $x^2 + 4y^2 + 6x + 16y + 21 = 0$

موضحا جميع المعلومات الخاصة به.

(٢٠ درجة)

السؤال الرابع :

أ- أوجد المقياس و السعة للعدد المركب $z = 1 + \sqrt{3}i$ ثم أوجد قيمة z^6 (١٠ درجات)

ب - بين ما إذا كان المستقيمين $x + 2y - 5 = 0$ & $3x - 2y + 1 = 0$ متقاطعين أم لا.

وإذا كان متقاطعين أوجد معادلة المستقيم المار بنقطة تقاطعهما وعمودي على المستقيم

(١٠ درجات)

$2x + 3y + 7 = 0$

أسرة التدريس

مع أطيب التمنيات بالنجاح و التوفيق